

Safety data sheet

Page: 1/15

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 31.05.2022

Version: 3.0

Product: **Fastac EC**

(ID no. 30614258/SDS_CPA_00/EN)

Date of print 30.01.2025

1. Identification

Product identifier

Fastac EC

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: crop protection product, insecticide

Details of the supplier of the safety data sheet

Company:

BASF SE

67056 Ludwigshafen

GERMANY

Operating Division Crop Protection

Telephone: +49 621 60-27777

E-mail address: Produktinformation-Pflanzenschutz@basf.com

Emergency telephone number

International emergency number:

Telephone: +49 180 2273-112

2. Hazards Identification

Classification of the substance or mixture

According to UN GHS criteria

Asp. Tox. 1

Flam. Liq. 3

Acute Tox. 3 (oral)

Acute Tox. 4 (Inhalation - mist)

Safety data sheet according to UN GHS 4th rev.

Date / Revised: 31.05.2022

Version: 3.0

Product: **Fastac EC**

(ID no. 30614258/SDS_CPA_00/EN)

Date of print 30.01.2025

Skin Corr./Irrit. 2
Eye Dam./Irrit. 1
STOT SE 3 (Vapours may cause drowsiness and dizziness.)
STOT SE 3 (irritating to respiratory system)
STOT RE (Peripheral nervous system) 2
Aquatic Acute 1
Aquatic Chronic 1

For the classifications not written out in full in this section the full text can be found in section 16.

Label elements

Globally Harmonized System (GHS)

Pictogram:



Signal Word:

Danger

Hazard Statement:

H226	Flammable liquid and vapour.
H318	Causes serious eye damage.
H315	Causes skin irritation.
H332	Harmful if inhaled.
H301	Toxic if swallowed.
H304	May be fatal if swallowed and enters airways.
H336	May cause drowsiness or dizziness.
H335	May cause respiratory irritation.
H373	May cause damage to organs (Peripheral nervous system) through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Precautionary Statement:

P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read carefully and follow all instructions.

Precautionary Statements (Prevention):

P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves and eye protection or face protection.
P260	Do not breathe dust/gas/mist/vapours.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P243	Take action to prevent static discharges.
P241	Use explosion-proof electrical, ventilating and lighting equipment.
P264	Wash contaminated body parts thoroughly after handling.
P242	Use only non-sparking tools.
P240	Ground and bond container and receiving equipment.
P262	Do not get in eyes, on skin, or on clothing.

Safety data sheet according to UN GHS 4th rev.

Date / Revised: 31.05.2022

Version: 3.0

Product: **Fastac EC**

(ID no. 30614258/SDS_CPA_00/EN)

Date of print 30.01.2025

Precautionary Statements (Response):

P310 Immediately call a POISON CENTER or physician.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P303 + P361 + P353 IF ON SKIN (or hair): Remove or Take off immediately all contaminated clothing. Rinse skin with water or shower.
P330 Rinse mouth
P391 Collect spillage.
P331 Do NOT induce vomiting.
P362 + P364 Take off contaminated clothing and wash it before reuse.
P370 + P378 In case of fire: Use water spray, dry powder, foam or carbon dioxide for extinction.

Precautionary Statements (Storage):

P403 + P235 Store in a well-ventilated place. Keep cool.
P233 Keep container tightly closed.
P405 Store locked up.

Precautionary Statements (Disposal):

P501 Dispose of contents and container to hazardous or special waste collection point.

Labeling of special preparations (GHS):

May cause paraesthesia. α -cypermethrin (ISO); racemate comprising (R)- α -cyano-3-phenoxybenzyl (1S,3S)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxyl ate; (S)- α -cyano-3-phenoxybenzyl(1R, 3R)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate

According to UN GHS criteria

Hazard determining component(s) for labelling: α -cypermethrin (ISO); racemate comprising (R)- α -cyano-3-phenoxybenzyl (1S,3S)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxyl ate; (S)- α -cyano-3-phenoxybenzyl(1R, 3R)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate, Solvent naphtha (petroleum), light arom., Benzenesulfonic acid, C10-13-alkyl derivs., calcium salts

Other hazardsAccording to UN GHS criteria

See section 12 - Results of PBT and vPvB assessment.

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

3. Composition/Information on Ingredients**Substances**

Not applicable

Mixtures

Safety data sheet according to UN GHS 4th rev.

Date / Revised: 31.05.2022

Version: 3.0

Product: **Fastac EC**

(ID no. 30614258/SDS_CPA_00/EN)

Date of print 30.01.2025

Chemical nature

crop protection product, insecticide, Emulsifiable concentrate (EC)

Hazardous ingredients (GHS)

According to UN GHS criteria

α -cypermethrin (ISO); racemate comprising (R)- α -cyano-3-phenoxybenzyl (1S,3S)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxyl ate; (S)- α -cyano-3-phenoxybenzyl(1R, 3R)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate

Content (W/W): 10,9 %

CAS Number: 67375-30-8

EC-Number: 257-842-9

INDEX-Number: 607-422-00-X

Acute Tox. 4 (Inhalation - dust)

Acute Tox. 3 (oral)

Skin Corr./Irrit. 3

STOT SE 3 (irr. to respiratory syst.)

STOT RE (Nervous system) 2

Aquatic Acute 1

Aquatic Chronic 1

M-factor acute: 10000

M-factor chronic: 1000

H301, H316, H332, H335, H373, H400, H410

Solvent naphtha (petroleum), light arom.

Content (W/W): < 80 %

CAS Number: 64742-95-6

EC-Number: 265-199-0

REACH registration number: 01-2119455851-35

INDEX-Number: 649-356-00-4

Asp. Tox. 1

Flam. Liq. 3

Acute Tox. 5 (oral)

STOT SE 3 (drowsiness and dizziness)

STOT SE 3 (irr. to respiratory syst.)

Aquatic Acute 2

Aquatic Chronic 2

H226, H303, H304, H336, H335, H401, H411

| Benzenesulfonic acid, C10-13-alkyl derivs., calcium salts

Content (W/W): < 5 %

CAS Number: 1335202-81-7

Acute Tox. 5 (oral)

Skin Corr./Irrit. 2

Eye Dam./Irrit. 1

Aquatic Acute 2

Aquatic Chronic 3

H318, H315, H303, H412, H401

2-Methylpropan-1-ol

Safety data sheet according to UN GHS 4th rev.
Date / Revised: 31.05.2022
Product: **Fastac EC**

Version: 3.0

(ID no. 30614258/SDS_CPA_00/EN)

Date of print 30.01.2025

Content (W/W): < 2 %
CAS Number: 78-83-1
EC-Number: 201-148-0

Asp. Tox. 2
Flam. Liq. 3
Acute Tox. 5 (oral)
Acute Tox. 5 (dermal)
Skin Corr./Irrit. 2
Eye Dam./Irrit. 1
STOT SE 3 (drowsiness and dizziness)
STOT SE 3 (irr. to respiratory syst.)
H226, H318, H315, H305, H336, H335, H303 +
H313

For the classifications not written out in full in this section the full text can be found in section 16.

4. First-Aid Measures

Description of first aid measures

First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Immediately remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention. Immediately administer a corticosteroid from a controlled/metered dose inhaler.

On skin contact:

Immediately wash thoroughly with plenty of water, apply sterile dressings, consult a skin specialist.

On contact with eyes:

Immediately wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

On ingestion:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention. Do not induce vomiting due to aspiration hazard.

Most important symptoms and effects, both acute and delayed

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far

Indication of any immediate medical attention and special treatment needed

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Extinguishing media

Suitable extinguishing media:

water spray, carbon dioxide, foam, dry powder

Safety data sheet according to UN GHS 4th rev.
Date / Revised: 31.05.2022
Product: **Fastac EC**

Version: 3.0

(ID no. 30614258/SDS_CPA_00/EN)

Date of print 30.01.2025

Unsuitable extinguishing media for safety reasons:
water jet

Special hazards arising from the substance or mixture

Carbon monoxide, Carbon dioxide, Hydrogen chloride, nitrogen oxides, sulfur oxides, halogenated compounds

The substances/groups of substances mentioned can be released in case of fire.

Advice for fire-fighters

Special protective equipment:

Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:

In case of fire and/or explosion do not breathe fumes. Keep containers cool by spraying with water if exposed to fire. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

Use personal protective clothing. Avoid contact with the skin, eyes and clothing. Do not breathe vapour/spray.

Environmental precautions

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater.

Methods and material for containment and cleaning up

For small amounts: Pick up with suitable absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr).

For large amounts: Dike spillage. Pump off product.

Dispose of absorbed material in accordance with regulations. Collect waste in suitable containers, which can be labeled and sealed. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations. Wear suitable protective equipment.

7. Handling and Storage

Precautions for safe handling

No special measures necessary if stored and handled correctly. Ensure thorough ventilation of stores and work areas. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift. Remove contaminated clothing and protective equipment before entering eating areas.

Protection against fire and explosion:

Vapours may form ignitable mixture with air. Prevent electrostatic charge - sources of ignition should be kept well clear - fire extinguishers should be kept handy.

Conditions for safe storage, including any incompatibilities

Segregate from foods and animal feeds.

Further information on storage conditions: Keep away from heat. Protect from direct sunlight.

Storage stability:

Safety data sheet according to UN GHS 4th rev.
Date / Revised: 31.05.2022
Product: **Fastac EC**

Version: 3.0

(ID no. 30614258/SDS_CPA_00/EN)

Date of print 30.01.2025

Storage duration: 60 Months

Protect from temperatures below: 0 °C

The product can crystallize below the limit temperature.

Protect from temperatures above: 30 °C

Changes in the properties of the product may occur if substance/product is stored above indicated temperature for extended periods of time.

Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

8. Exposure Controls/Personal Protection

Control parameters

Components with occupational exposure limits

78-83-1: 2-Methylpropan-1-ol

67375-30-8: alpha-Cypermethrin

| TWA value 0,11 mg/m³ (BASF recomm. occupational exposure limit)

64742-95-6: Solvent naphtha (petroleum), light arom.

Exposure controls

Personal protective equipment

Respiratory protection:

Suitable respiratory protection for lower concentrations or short-term effect: Combination filter for gases/vapours of organic, inorganic, acid inorganic, alkaline compounds and toxic particles (e. g. EN 14387 Type ABEK-P3)

Hand protection:

Suitable chemical resistant safety gloves (EN ISO 374-1) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN ISO 374-1): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) etc.

Eye protection:

Tightly fitting safety goggles (splash goggles) (e.g. EN 166)

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

General safety and hygiene measures

The statements on personal protective equipment in the instructions for use apply when handling crop-protection agents in final-consumer packing. Wearing of closed work clothing is recommended. Store work clothing separately. Keep away from food, drink and animal feeding stuffs.

9. Physical and Chemical Properties

Information on basic physical and chemical properties

Form:	liquid
Colour:	beige, clear
Odour:	aromatic
Odour threshold:	Not determined since harmful by inhalation.
pH value:	approx. 4 - 6 (water, 1 %(m), approx. 20 °C)
Melting point:	< -60 °C
Boiling range:	Information applies to the solvent. approx. -20 - 260 °C
Flash point:	Information applies to the solvent. approx. 44 °C
Evaporation rate:	not applicable
Flammability:	not applicable
Lower explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.
Upper explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.
Ignition temperature:	approx. 447 °C
Vapour pressure:	approx. < 240 kPa (37,8 °C)
Density:	Information applies to the solvent. approx. 0,91 g/cm ³ (20 °C)
Relative vapour density (air):	not applicable
Solubility in water:	emulsifiable
Partitioning coefficient n-octanol/water (log Kow):	not applicable
Thermal decomposition:	No decomposition if stored and handled as prescribed/indicated.
Viscosity, dynamic:	approx. 1,82 mPa.s (25 °C)
Viscosity, kinematic:	2 mm ² /s (40 °C)
Explosion hazard:	not explosive
Fire promoting properties:	not fire-propagating

Other information

Safety data sheet according to UN GHS 4th rev.
Date / Revised: 31.05.2022
Product: **Fastac EC**

Version: 3.0

(ID no. 30614258/SDS_CPA_00/EN)

Date of print 30.01.2025

Other Information:

If necessary, information on other physical and chemical parameters is indicated in this section.

10. Stability and Reactivity

Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Chemical stability

The product is stable if stored and handled as prescribed/indicated.

Possibility of hazardous reactions

No hazardous reactions if stored and handled as prescribed/indicated.

Conditions to avoid

See SDS section 7 - Handling and storage.

Incompatible materials

Substances to avoid:

strong bases, strong acids, strong oxidizing agents

Hazardous decomposition products

Hazardous decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated.

11. Toxicological Information

Information on toxicological effects

Acute toxicity

Assessment of acute toxicity:

Of pronounced toxicity after single ingestion. Of moderate toxicity after short-term inhalation. Virtually nontoxic after a single skin contact.

Experimental/calculated data:

LD50 rat (oral): > 210 - < 1.050 mg/kg (OECD Guideline 425)

LC50 rat (by inhalation): 1,96 mg/l 4 h (OECD Guideline 403)

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

LD50 rat (dermal): > 5.000 mg/kg (OECD Guideline 402)

No mortality was observed.

Irritation

Assessment of irritating effects:

May cause severe damage to the eyes. Skin contact causes irritation.

Safety data sheet according to UN GHS 4th rev.
Date / Revised: 31.05.2022
Product: **Fastac EC**

Version: 3.0

(ID no. 30614258/SDS_CPA_00/EN)

Date of print 30.01.2025

Experimental/calculated data:

Skin corrosion/irritation rabbit: Irritant. (OECD Guideline 404)

Serious eye damage/irritation rabbit: Risk of serious damage to eyes. (OECD Guideline 405)

Respiratory/Skin sensitization

Assessment of sensitization:

There is no evidence of a skin-sensitizing potential.

Experimental/calculated data:

modified Buehler test guinea pig: Non-sensitizing. (OECD Guideline 406)

Germ cell mutagenicity

Assessment of mutagenicity:

Mutagenicity tests revealed no genotoxic potential. The product has not been tested. The statement has been derived from the properties of the individual components.

Carcinogenicity

Assessment of carcinogenicity:

The results of various animal studies gave no indication of a carcinogenic effect. The product has not been tested. The statement has been derived from the properties of the individual components.

Reproductive toxicity

Assessment of reproduction toxicity:

The results of animal studies gave no indication of a fertility impairing effect. The product has not been tested. The statement has been derived from the properties of the individual components.

Developmental toxicity

Assessment of teratogenicity:

Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals. The product has not been tested. The statement has been derived from the properties of the individual components.

Specific target organ toxicity (single exposure)

Assessment of STOT single:

Causes temporary irritation of the respiratory tract. Possible narcotic effects (drowsiness or dizziness).

Remarks: The product has not been tested. The statement has been derived from the properties of the individual components.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

Safety data sheet according to UN GHS 4th rev.
 Date / Revised: 31.05.2022
 Product: **Fastac EC**

Version: 3.0

(ID no. 30614258/SDS_CPA_00/EN)

Date of print 30.01.2025

Information on: α -cypermethrin (ISO); racemate comprising (R)- α -cyano-3-phenoxybenzyl (1S,3S)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxyl ate; (S)- α -cyano-3-phenoxybenzyl(1R, 3R)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate

Assessment of repeated dose toxicity:

Repeated oral exposure may affect certain organs. Damages the peripheral nerve system.

Information on: Solvent naphtha (petroleum), light arom.

Assessment of repeated dose toxicity:

Effects on the kidney of male rats were detected after repeated exposure. These effects are specific for the male rat and are known to be of no relevance to humans. After repeated exposure the prominent effect is local irritation. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Aspiration hazard

May also damage the lung at swallowing (aspiration hazard).

The product has not been tested. The statement has been derived from the properties of the individual components.

Other relevant toxicity information

Misuse can be harmful to health.

12. Ecological Information

Toxicity

Assessment of aquatic toxicity:

Very toxic to aquatic life with long lasting effects.

Toxicity to fish:

LC50 (96 h) 0,025 mg/l, Oncorhynchus mykiss

Aquatic invertebrates:

EC50 (48 h) 0,00061 mg/l, Daphnia magna

Aquatic plants:

EC50 (72 h) > 85,4 mg/l (growth rate), Pseudokirchneriella subcapitata

Information on: α -cypermethrin (ISO); racemate comprising (R)- α -cyano-3-phenoxybenzyl (1S,3S)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxyl ate; (S)- α -cyano-3-phenoxybenzyl(1R, 3R)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate

Chronic toxicity to fish:

No observed effect concentration (34 d) 0,03 μ g/L, Pimephales promelas (OPP 72-4 (EPA-Guideline), Flow through.)

Information on: α -cypermethrin (ISO); racemate comprising (R)- α -cyano-3-phenoxybenzyl (1S,3S)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxyl ate; (S)- α -cyano-3-phenoxybenzyl(1R, 3R)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate

Chronic toxicity to aquatic invertebrates:

No observed effect concentration (21 d) 0,03 μ g/L, Daphnia magna (OPP 72-4 (EPA-Guideline), semistatic)

Safety data sheet according to UN GHS 4th rev.
Date / Revised: 31.05.2022
Product: **Fastac EC**

Version: 3.0

(ID no. 30614258/SDS_CPA_00/EN)

Date of print 30.01.2025

Persistence and degradability

Assessment biodegradation and elimination (H₂O):

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: α -cypermethrin (ISO); racemate comprising (R)- α -cyano-3-phenoxybenzyl (1S,3S)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxyl ate; (S)- α -cyano-3-phenoxybenzyl(1R, 3R)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate

Assessment biodegradation and elimination (H₂O):

Not readily biodegradable (by OECD criteria).

Bioaccumulative potential

Assessment bioaccumulation potential:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: α -cypermethrin (ISO); racemate comprising (R)- α -cyano-3-phenoxybenzyl (1S,3S)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxyl ate; (S)- α -cyano-3-phenoxybenzyl(1R, 3R)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate

Bioaccumulation potential:

Bioconcentration factor: 155 - 910 (73 d), Cyprinus carpio (OECD Guideline 305 C)

Mobility in soil

Assessment transport between environmental compartments:

Adsorption in soil: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: α -cypermethrin (ISO); racemate comprising (R)- α -cyano-3-phenoxybenzyl (1S,3S)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxyl ate; (S)- α -cyano-3-phenoxybenzyl(1R, 3R)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate

Assessment transport between environmental compartments:

Adsorption in soil: Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.

Results of PBT and vPvB assessment

The product does not contain a substance fulfilling the PBT (persistent/bioaccumulative/toxic) criteria or the vPvB (very persistent/very bioaccumulative) criteria.

Other adverse effects

The product does not contain substances that are listed in the Montreal Protocol on substances that deplete the ozone layer.

Additional information

Other ecotoxicological advice:

Safety data sheet according to UN GHS 4th rev.
Date / Revised: 31.05.2022
Product: **Fastac EC**

Version: 3.0

(ID no. 30614258/SDS_CPA_00/EN)

Date of print 30.01.2025

Do not discharge product into the environment without control.

13. Disposal Considerations

Waste treatment methods

Must be sent to a suitable incineration plant, observing local regulations.

Contaminated packaging:

Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

14. Transport Information

Land transport

ADR

UN number or ID number: UN2903
UN proper shipping name: PESTICIDE, LIQUID, TOXIC, FLAMMABLE, N.O.S. (ALPHA-CYPERMETHRIN, SOLVENT NAPHTHA)

Transport hazard class(es): 6.1, 3, EHSM
Packing group: III
Environmental hazards: yes
Special precautions for user: Tunnel code: D/E

RID

UN number or ID number: UN2903
UN proper shipping name: PESTICIDE, LIQUID, TOXIC, FLAMMABLE, N.O.S. (ALPHA-CYPERMETHRIN, SOLVENT NAPHTHA)

Transport hazard class(es): 6.1, 3, EHSM
Packing group: III
Environmental hazards: yes
Special precautions for user: None known

Inland waterway transport

ADN

UN number or ID number: UN2903
UN proper shipping name: PESTICIDE, LIQUID, TOXIC, FLAMMABLE, N.O.S. (ALPHA-CYPERMETHRIN, SOLVENT NAPHTHA)

Transport hazard class(es): 6.1, 3, EHSM
Packing group: III
Environmental hazards: yes
Special precautions for user: None known

Safety data sheet according to UN GHS 4th rev.
Date / Revised: 31.05.2022
Product: **Fastac EC**

Version: 3.0

(ID no. 30614258/SDS_CPA_00/EN)

Date of print 30.01.2025

user:

Transport in inland waterway vessel

Not evaluated

Sea transport

IMDG

UN number or ID number: UN 2903
UN proper shipping name: PESTICIDE, LIQUID, TOXIC, FLAMMABLE, N.O.S. (ALPHA-CYPERMETHRIN, SOLVENT NAPHTHA)

Transport hazard class(es): 6.1, 3, EHSM
Packing group: III
Environmental hazards: yes
Marine pollutant: YES
Special precautions for user: EmS: F-E; S-D
None known

Air transport

IATA/ICAO

UN number or ID number: UN 2903
UN proper shipping name: PESTICIDE, LIQUID, TOXIC, FLAMMABLE, N.O.S. (ALPHA-CYPERMETHRIN, SOLVENT NAPHTHA)

Transport hazard class(es): 6.1, 3
Packing group: III
Environmental hazards: No Mark as dangerous for the environment is needed
Special precautions for user: None known

Maritime transport in bulk according to IMO instruments

Maritime transport in bulk is not intended.

15. Regulatory Information**Safety, health and environmental regulations/legislation specific for the substance or mixture**

To avoid risks to man and the environment, comply with the instructions for use.

16. Other Information

Safety data sheet according to UN GHS 4th rev.

Date / Revised: 31.05.2022

Version: 3.0

Product: **Fastac EC**

(ID no. 30614258/SDS_CPA_00/EN)

Date of print 30.01.2025

Full text of classifications, hazard symbols and hazard statements, if mentioned in section 2 or 3:

Asp. Tox.	Aspiration hazard
Flam. Liq.	Flammable liquids
Acute Tox.	Acute toxicity
Skin Corr./Irrit.	Skin corrosion/irritation
Eye Dam./Irrit.	Serious eye damage/eye irritation
STOT SE	Specific target organ toxicity — single exposure
STOT RE	Specific target organ toxicity — repeated exposure
Aquatic Acute	Hazardous to the aquatic environment - acute
Aquatic Chronic	Hazardous to the aquatic environment - chronic
H301	Toxic if swallowed.
H316	Causes mild skin irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H226	Flammable liquid and vapour.
H303	May be harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H336	May cause drowsiness or dizziness.
H401	Toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.
H318	Causes serious eye damage.
H315	Causes skin irritation.
H412	Harmful to aquatic life with long lasting effects.
H305	May be harmful if swallowed and enters airways.
H303 + H313	May be harmful if swallowed or in contact with skin

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

Vertical lines in the left hand margin indicate an amendment from the previous version.