

# Safety data sheet

Page: 1/18

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 04.05.2021

Version: 4.0

Product: **Priaxor EC**

(ID no. 11029260/SDS\_CPA\_00/EN)

Date of print 13.02.2024

## 1. Identification

### Product identifier

## Priaxor EC

### Details of the supplier of the safety data sheet

Company:  
BASF SE  
67056 Ludwigshafen  
GERMANY

Telephone: +49 621 60-0  
E-mail address: global.info@basf.com

### Emergency telephone number

International emergency number:  
Telephone: +49 180 2273-112

---

## 2. Hazards Identification

### Classification of the substance or mixture

#### According to UN GHS criteria

Acute Tox. 4 (Inhalation - mist)  
Acute Tox. 4 (oral)  
Repr. Additional category for effects on or via lactation.  
STOT SE 3 (irritating to respiratory system)  
Aquatic Acute 1  
Aquatic Chronic 1

For the classifications not written out in full in this section the full text can be found in section 16.

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 04.05.2021

Version: 4.0

Product: **Priaxor EC**

(ID no. 11029260/SDS\_CPA\_00/EN)

Date of print 13.02.2024

## Label elements

### Globally Harmonized System (GHS)

Pictogram:



Signal Word:

Warning

Hazard Statement:

H302 + H332

Harmful if swallowed or if inhaled

H362

May cause harm to breast-fed children.

H335

May cause respiratory irritation.

H400

Very toxic to aquatic life.

H410

Very toxic to aquatic life with long lasting effects.

Precautionary Statement:

P101

If medical advice is needed, have product container or label at hand.

P102

Keep out of reach of children.

P103

Read carefully and follow all instructions.

Precautionary Statements (Prevention):

P271

Use only outdoors or in a well-ventilated area.

P202

Do not handle until all safety precautions have been read and understood.

P270

Do not eat, drink or smoke when using this product.

P263

Avoid contact during pregnancy and while nursing.

P264

Wash contaminated body parts thoroughly after handling.

P260

Do not breathe mist.

Precautionary Statements (Response):

P308 + P311

IF exposed or concerned: Call a POISON CENTER or physician.

P304 + P340

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P330

Rinse mouth

P391

Collect spillage.

Precautionary Statements (Storage):

P403 + P233

Store in a well-ventilated place. Keep container tightly closed.

P405

Store locked up.

Precautionary Statements (Disposal):

P501

Dispose of contents and container to hazardous or special waste collection point.

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 04.05.2021

Version: 4.0

Product: **Priaxor EC**

(ID no. 11029260/SDS\_CPA\_00/EN)

Date of print 13.02.2024

Labeling of special preparations (GHS):

May produce an allergic reaction. Contains: Propanoic acid, 2-hydroxy-, 2-ethylhexyl ester, (2S)-

According to UN GHS criteria

Hazard determining component(s) for labelling: pyraclostrobin (ISO); methyl N-{2-[1-(4-chlorophenyl)-1H-pyrazol-3-yloxymethyl]phenyl}(N-methoxy)carbamate, 1H-Pyrazole-4-carboxamide, 3-(difluoromethyl)-1-methyl-N-(3',4',5'-trifluoro[1,1'-biphenyl]-2-yl)-; Fluxapyroxad, Acetophenone, N,N-Dimethyldodecanamide

**Other hazards**According to UN GHS criteria

See section 12 - Results of PBT and vPvB assessment.

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

---

**3. Composition/Information on Ingredients****Substances**

Not applicable

**Mixtures**Chemical nature

crop protection product, Emulsifiable concentrate (EC), fungicide

Hazardous ingredients (GHS)

According to UN GHS criteria

pyraclostrobin (ISO); methyl N-{2-[1-(4-chlorophenyl)-1H-pyrazol-3-yloxymethyl]phenyl}(N-methoxy)carbamate

Content (W/W): 14,63 %

CAS Number: 175013-18-0

INDEX-Number: 613-272-00-6

Acute Tox. 3 (Inhalation - mist)

Skin Corr./Irrit. 2

STOT SE 3 (irr. to respiratory syst.)

Aquatic Acute 1

Aquatic Chronic 1

M-factor acute: 100

M-factor chronic: 10

H315, H331, H335, H400, H410

1H-Pyrazole-4-carboxamide, 3-(difluoromethyl)-1-methyl-N-(3',4',5'-trifluoro[1,1'-biphenyl]-2-yl)-;  
Fluxapyroxad

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 04.05.2021

Version: 4.0

Product: **Priaxor EC**

(ID no. 11029260/SDS\_CPA\_00/EN)

Date of print 13.02.2024

Content (W/W): 7,32 %  
CAS Number: 907204-31-3

Repr. Add. cat. lact.  
Aquatic Acute 1  
Aquatic Chronic 1  
H362, H400, H410

N,N-Dimethyldodecanamide

Content (W/W): < 25 %  
CAS Number: 3007-53-2  
EC-Number: 221-117-5

Acute Tox. 5 (oral)  
Skin Corr./Irrit. 2  
Eye Dam./Irrit. 2A  
STOT SE 3 (irr. to respiratory syst.)  
Aquatic Acute 1  
Aquatic Chronic 3  
M-factor acute: 1  
H319, H315, H303, H335, H412, H400

Propanoic acid, 2-hydroxy-, 2-ethylhexyl ester, (2S)-

Content (W/W): < 25 %  
CAS Number: 186817-80-1

Skin Corr./Irrit. 2  
Eye Dam./Irrit. 2A  
Skin Sens. 1B  
Aquatic Acute 3

Methyl-Oxirane, Blockpolymer with Oxirane, Monoisotridecyl ether

Content (W/W): < 15 %  
CAS Number: 196823-11-7

Acute Tox. 5 (oral)  
Skin Corr./Irrit. 3  
Eye Dam./Irrit. 2A  
Aquatic Acute 2  
H319, H316, H303, H401

Acetophenone

Content (W/W): < 15 %  
CAS Number: 98-86-2  
EC-Number: 202-708-7  
INDEX-Number: 606-042-00-1

Asp. Tox. 2  
Acute Tox. 4 (oral)  
Acute Tox. 5 (dermal)  
Eye Dam./Irrit. 2A  
Aquatic Acute 3  
H319, H313, H302, H305, H402

Poly(oxy-1,2-ethanediyl), .alpha.-[tris(1-phenylethyl)phenyl]-.omega.-hydroxy-

Content (W/W): < 10 %  
CAS Number: 99734-09-5

Acute Tox. 5 (oral)  
Aquatic Acute 3  
Aquatic Chronic 3  
H303, H402, H412

| Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 04.05.2021

Version: 4.0

Product: **Priaxor EC**

(ID no. 11029260/SDS\_CPA\_00/EN)

Date of print 13.02.2024

Content (W/W): < 10 %	Acute Tox. 4 (dermal)
CAS Number: 68953-96-8	Skin Corr./Irrit. 2
EC-Number: 273-234-6	Eye Dam./Irrit. 1
	Aquatic Acute 3
	Aquatic Chronic 2
	H318, H315, H312, H402, H411

Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified; [A complex combination of hydrocarbons obtained from distillation of aromatic streams. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of C9 through C16 and boiling in the range of approximately 165 °C to 290 °C (330 °F to 554 °F).]

Content (W/W): < 5 %	Asp. Tox. 1
CAS Number: 64742-94-5	Aquatic Acute 2
	Aquatic Chronic 2
	H304, H401, H411

Alcohols, C11-14-iso-, C13-rich, ethoxylated

Content (W/W): < 1 %	Acute Tox. 4 (oral)
CAS Number: 78330-21-9	Eye Dam./Irrit. 1
	Aquatic Acute 1
	Aquatic Chronic 2
	H318, H302, H411, H400

For the classifications not written out in full in this section the full text can be found in section 16.

## 4. First-Aid Measures

### Description of first aid measures

First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Immediately remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

On skin contact:

Wash thoroughly with soap and water

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open.

On ingestion:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

### Most important symptoms and effects, both acute and delayed

BASF Safety data sheet according to UN GHS 4th rev.  
Date / Revised: 04.05.2021  
Product: **Priaxor EC**

Version: 4.0

(ID no. 11029260/SDS\_CPA\_00/EN)

Date of print 13.02.2024

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far

**Indication of any immediate medical attention and special treatment needed**

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

---

## 5. Fire-Fighting Measures

**Extinguishing media**

Suitable extinguishing media:  
water spray, foam, dry powder, carbon dioxide

**Special hazards arising from the substance or mixture**

Carbon monoxide, Carbon dioxide, Hydrogen chloride, Hydrogen fluoride, nitrogen oxides, sulfur oxides, halogenated compounds

The substances/groups of substances mentioned can be released in case of fire.

**Advice for fire-fighters**

Special protective equipment:  
Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:

Keep containers cool by spraying with water if exposed to fire. In case of fire and/or explosion do not breathe fumes. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

---

## 6. Accidental Release Measures

**Personal precautions, protective equipment and emergency procedures**

Do not breathe vapour/spray. Use personal protective clothing. Avoid contact with the skin, eyes and clothing.

**Environmental precautions**

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater.

**Methods and material for containment and cleaning up**

For small amounts: Pick up with suitable absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr).

For large amounts: Dike spillage. Pump off product.

Dispose of absorbed material in accordance with regulations. Collect waste in suitable containers, which can be labeled and sealed. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations. Wear suitable protective equipment.

---

BASF Safety data sheet according to UN GHS 4th rev.  
Date / Revised: 04.05.2021  
Product: **Priaxor EC**

Version: 4.0

(ID no. 11029260/SDS\_CPA\_00/EN)

Date of print 13.02.2024

## 7. Handling and Storage

### Precautions for safe handling

No special measures necessary if stored and handled correctly. Ensure thorough ventilation of stores and work areas. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift.

Protection against fire and explosion:

Vapours may form ignitable mixture with air. Prevent electrostatic charge - sources of ignition should be kept well clear - fire extinguishers should be kept handy.

### Conditions for safe storage, including any incompatibilities

Segregate from foods and animal feeds.

Further information on storage conditions: Keep away from heat. Protect from direct sunlight.

Storage stability:

Storage duration: 36 Months

Protect from temperatures below: -10 °C

Changes in the properties of the product may occur if substance/product is stored below indicated temperature for extended periods of time.

Protect from temperatures above: 40 °C

Changes in the properties of the product may occur if substance/product is stored above indicated temperature for extended periods of time.

### Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

---

## 8. Exposure Controls/Personal Protection

### Control parameters

Components with occupational exposure limits

| 98-86-2: Acetophenone

64742-94-5: Solvent naphtha (petroleum), heavy arom.

### Exposure controls

Personal protective equipment

Respiratory protection:

Suitable respiratory protection for lower concentrations or short-term effect: Combination filter for gases/vapours of organic, inorganic, acid inorganic, alkaline compounds and toxic particles (e. g. EN 14387 Type ABEK-P3)

Hand protection:

---

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 04.05.2021

Version: 4.0

Product: **Priaxor EC**

(ID no. 11029260/SDS\_CPA\_00/EN)

Date of print 13.02.2024

Suitable chemical resistant safety gloves (EN ISO 374-1) also with prolonged, direct contact  
(Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to  
EN ISO 374-1): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) etc.

Eye protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

#### General safety and hygiene measures

Wearing of closed work clothing is recommended. The statements on personal protective equipment in the instructions for use apply when handling crop-protection agents in final-consumer packing.

Store work clothing separately. Keep away from food, drink and animal feeding stuffs.

---

## 9. Physical and Chemical Properties

### Information on basic physical and chemical properties

Form:	liquid
Colour:	yellow
Odour:	strong, sweetish
Odour threshold:	Not determined since harmful by inhalation.
pH value:	approx. 5 - 7 (1 %(m), 20 °C)
crystallization temperature:	approx. < -20 °C
boiling temperature:	approx. 202 °C Information applies to the solvent.
Flash point:	99 °C
Evaporation rate:	not applicable
Flammability:	No dangerous quantities of flammable gases will be produced by contact with water.
Lower explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.



---

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 04.05.2021

Version: 4.0

Product: **Priaxor EC**

(ID no. 11029260/SDS\_CPA\_00/EN)

Date of print 13.02.2024

---

Upper explosion limit:

As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.

Ignition temperature:

351 °C

Vapour pressure:

approx. 0,02 hPa  
(20 °C)

Information applies to the solvent.

Density:

approx. 1,03 g/cm<sup>3</sup>  
(20 °C)

Relative vapour density (air):

not applicable

Solubility in water:

emulsifiable

Partitioning coefficient n-octanol/water (log Kow):

not applicable

Thermal decomposition: 140 °C, 90 kJ/kg (DSC (DIN 51007))  
(onset temperature)

Not a substance liable to self-decomposition according to UN transport regulations, class 4.1.

Viscosity, dynamic:

approx. 14 mPa.s  
(40 °C, 10 1/s)

Explosion hazard:

not explosive

Fire promoting properties: not fire-propagating

**Other information**

Other Information:

If necessary, information on other physical and chemical parameters is indicated in this section.

---

**10. Stability and Reactivity****Reactivity**

No hazardous reactions if stored and handled as prescribed/indicated.

**Chemical stability**

The product is stable if stored and handled as prescribed/indicated.

**Possibility of hazardous reactions**

No hazardous reactions if stored and handled as prescribed/indicated.

**Conditions to avoid**

See SDS section 7 - Handling and storage.

**Incompatible materials**

BASF Safety data sheet according to UN GHS 4th rev.  
Date / Revised: 04.05.2021  
Product: **Priaxor EC**

Version: 4.0

(ID no. 11029260/SDS\_CPA\_00/EN)

Date of print 13.02.2024

Substances to avoid:  
strong acids, strong bases, strong oxidizing agents

### **Hazardous decomposition products**

Hazardous decomposition products:  
No hazardous decomposition products if stored and handled as prescribed/indicated.

---

## **11. Toxicological Information**

### **Information on toxicological effects**

#### Acute toxicity

Assessment of acute toxicity:  
Of moderate toxicity after single ingestion. Of moderate toxicity after short-term inhalation. Virtually nontoxic after a single skin contact. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Experimental/calculated data:  
LD50 rat (oral): > 500 - < 2.000 mg/kg (OECD Guideline 423)

LC50 rat (by inhalation): > 2,3 - < 4,8 mg/l 4 h  
An aerosol was tested.

LD50 rat (dermal): > 5.000 mg/kg (OECD Guideline 402)  
No mortality was observed.

#### Irritation

Assessment of irritating effects:  
Not irritating to the eyes. Not irritating to the skin. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Experimental/calculated data:  
Skin corrosion/irritation rabbit: non-irritant (OECD Guideline 404)

Serious eye damage/irritation rabbit: non-irritant (OECD Guideline 405)

#### Respiratory/Skin sensitization

Assessment of sensitization:  
There is no evidence of a skin-sensitizing potential. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Experimental/calculated data:  
Mouse Local Lymph Node Assay (LLNA) mouse: Non-sensitizing. (OECD Guideline 429)

#### Germ cell mutagenicity

---

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 04.05.2021

Version: 4.0

Product: **Priaxor EC**

(ID no. 11029260/SDS\_CPA\_00/EN)

Date of print 13.02.2024

---

**Assessment of mutagenicity:**

Mutagenicity tests revealed no genotoxic potential. The product has not been tested. The statement has been derived from the properties of the individual components.

**Carcinogenicity****Assessment of carcinogenicity:**

The product has not been tested. The statement has been derived from the properties of the individual components.

*Information on: 1H-Pyrazole-4-carboxamide, 3-(difluoromethyl)-1-methyl-N-(3',4',5'-trifluoro[1,1'-biphenyl]-2-yl)-; Fluxapyroxad*

**Assessment of carcinogenicity:**

*Indication of possible carcinogenic effect in animal tests. The effect is caused by an animal specific mechanism that has no human counter part.*

*Information on: Solvent naphtha (petroleum), heavy arom.*

**Assessment of carcinogenicity:**

*Long-term exposure to highly irritating concentrations resulted in skin tumors in animals. A carcinogenic effect in humans can be excluded after brief skin contact. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.*

**Reproductive toxicity****Assessment of reproduction toxicity:**

The product has not been tested. The statement has been derived from the properties of the individual components.

*Information on: 1H-Pyrazole-4-carboxamide, 3-(difluoromethyl)-1-methyl-N-(3',4',5'-trifluoro[1,1'-biphenyl]-2-yl)-; Fluxapyroxad*

**Assessment of reproduction toxicity:**

*The results of animal studies gave no indication of a fertility impairing effect. May cause harm to children via breast-feeding.*

**Developmental toxicity****Assessment of teratogenicity:**

The product has not been tested. The statement has been derived from the properties of the individual components.

*Information on: N,N-Dimethyldodecanamide*

**Assessment of teratogenicity:**

*The substance did not cause malformations in animal studies; however, toxicity to development was observed at high doses that were toxic to the parental animals. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.*

BASF Safety data sheet according to UN GHS 4th rev.  
Date / Revised: 04.05.2021  
Product: **Priaxor EC**

Version: 4.0

(ID no. 11029260/SDS\_CPA\_00/EN)

Date of print 13.02.2024

Specific target organ toxicity (single exposure)

Assessment of STOT single:  
Causes temporary irritation of the respiratory tract.

Remarks: The product has not been tested. The statement has been derived from the properties of the individual components.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:  
The product has not been tested. The statement has been derived from the properties of the individual components.

*Information on: 1H-Pyrazole-4-carboxamide, 3-(difluoromethyl)-1-methyl-N-(3',4',5'-trifluoro[1,1'-biphenyl]-2-yl)-; Fluxapyroxad*

*Assessment of repeated dose toxicity:*

*Adaptive effects were observed after repeated exposure in animal studies.*

*Information on: pyraclostrobin (ISO); methyl N-{2-[1-(4-chlorophenyl)-1H-pyrazol-3-yloxymethyl]phenyl}(N-methoxy)carbamate*

*Assessment of repeated dose toxicity:*

*After repeated exposure the prominent effect is local irritation. The substance may cause damage to the olfactory epithelium after repeated inhalation.*

*Information on: Propanoic acid, 2-hydroxy-, 2-ethylhexyl ester, (2S)-*

*Assessment of repeated dose toxicity:*

*After repeated exposure the prominent effect is local irritation.*

*Information on: N,N-Dimethyldodecanamide*

*Assessment of repeated dose toxicity:*

*After repeated exposure the prominent effect is local irritation. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.*

*Information on: Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts*

*Assessment of repeated dose toxicity:*

*The product has not been tested. The statement has been derived from substances/products of a similar structure or composition. The substance may cause damage to the kidney after repeated ingestion of high doses, as shown in animal studies.*

Aspiration hazard

No aspiration hazard expected.  
The product has not been tested. The statement has been derived from the properties of the individual components.

Other relevant toxicity information

Misuse can be harmful to health.

## 12. Ecological Information

### Toxicity

Assessment of aquatic toxicity:  
Very toxic to aquatic life with long lasting effects.

Toxicity to fish:  
LC50 (96 h) 0,046 mg/l, *Oncorhynchus mykiss* (Directive 92/69/EEC, C.1)

Aquatic invertebrates:  
EC50 (48 h) 0,307 mg/l, *Daphnia magna* (Screening (style of OECD 202), static)  
The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Aquatic plants:  
EC50 (72 h) 3,67 mg/l (growth rate), *Pseudokirchneriella subcapitata* (Guideline 92/69/EEC, C.3, static)  
The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

EC10 (72 h) 1,69 mg/l, *Pseudokirchneriella subcapitata* (OECD Guideline 201)  
The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

*Information on: pyraclostrobin (ISO); methyl N-{2-[1-(4-chlorophenyl)-1H-pyrazol-3-yloxymethyl]phenyl}(N-methoxy)carbamate*

*Chronic toxicity to fish:*

*No observed effect concentration (98 d) approx. 0,00235 mg/l, *Oncorhynchus mykiss* (OECD Guideline 210, Flow through.)*

*Information on: pyraclostrobin (ISO); methyl N-{2-[1-(4-chlorophenyl)-1H-pyrazol-3-yloxymethyl]phenyl}(N-methoxy)carbamate*

*Chronic toxicity to aquatic invertebrates:*

*No observed effect concentration (21 d) 0,004 mg/l, *Daphnia magna* (OECD Guideline 202, part 2, semistatic)*

*The details of the toxic effect relate to the nominal concentration.*

*No observed effect concentration (28 d) 0,00128 mg/l, *Mysidopsis bahia* (OPP 72-4 (EPA-Guideline), Flow through.)*

*The statement of the toxic effect relates to the analytically determined concentration.*

### Persistence and degradability

Assessment biodegradation and elimination (H<sub>2</sub>O):  
The product has not been tested. The statement has been derived from the properties of the individual components.

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 04.05.2021

Version: 4.0

Product: **Priaxor EC**

(ID no. 11029260/SDS\_CPA\_00/EN)

Date of print 13.02.2024

Information on: 1H-Pyrazole-4-carboxamide, 3-(difluoromethyl)-1-methyl-N-(3',4',5'-trifluoro[1,1'-biphenyl]-2-yl)-; Fluxapyroxad  
 Assessment biodegradation and elimination (H<sub>2</sub>O):  
 Not readily biodegradable (by OECD criteria).

Information on: pyraclostrobin (ISO); methyl N-{2-[1-(4-chlorophenyl)-1H-pyrazol-3-yloxymethyl]phenyl}(N-methoxy)carbamate  
 Assessment biodegradation and elimination (H<sub>2</sub>O):  
 Not readily biodegradable (by OECD criteria).

### Bioaccumulative potential

Assessment bioaccumulation potential:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: 1H-Pyrazole-4-carboxamide, 3-(difluoromethyl)-1-methyl-N-(3',4',5'-trifluoro[1,1'-biphenyl]-2-yl)-; Fluxapyroxad  
 Bioaccumulation potential:  
 Bioconcentration factor: 36 - 37 (28 d), *Lepomis macrochirus* (OECD-Guideline 305)  
 Does not accumulate in organisms.

Information on: pyraclostrobin (ISO); methyl N-{2-[1-(4-chlorophenyl)-1H-pyrazol-3-yloxymethyl]phenyl}(N-methoxy)carbamate  
 Bioaccumulation potential:  
 Bioconcentration factor: 379 - 507, *Oncorhynchus mykiss* (OECD-Guideline 305)  
 Accumulation in organisms is not to be expected.

### Mobility in soil

Assessment transport between environmental compartments:

Adsorption in soil: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: 1H-Pyrazole-4-carboxamide, 3-(difluoromethyl)-1-methyl-N-(3',4',5'-trifluoro[1,1'-biphenyl]-2-yl)-; Fluxapyroxad  
 Assessment transport between environmental compartments:  
 Adsorption in soil: Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.

Information on: pyraclostrobin (ISO); methyl N-{2-[1-(4-chlorophenyl)-1H-pyrazol-3-yloxymethyl]phenyl}(N-methoxy)carbamate  
 Assessment transport between environmental compartments:  
 Adsorption in soil: Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.

### Results of PBT and vPvB assessment

BASF Safety data sheet according to UN GHS 4th rev.  
Date / Revised: 04.05.2021  
Product: **Priaxor EC**

Version: 4.0

(ID no. 11029260/SDS\_CPA\_00/EN)

Date of print 13.02.2024

The product does not contain a substance fulfilling the PBT (persistent/bioaccumulative/toxic) criteria or the vPvB (very persistent/very bioaccumulative) criteria.

### Other adverse effects

The product does not contain substances that are listed in the Montreal Protocol on substances that deplete the ozone layer.

### Additional information

Other ecotoxicological advice:  
Do not discharge product into the environment without control.

---

## 13. Disposal Considerations

### Waste treatment methods

Must be sent to a suitable incineration plant, observing local regulations.

Contaminated packaging:  
Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

---

## 14. Transport Information

### Land transport

#### ADR

UN number	UN3082
UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains PYRACLOSTROBIN, SOLVENT NAPHTHA)
Transport hazard class(es):	9, EHS
Packing group:	III
Environmental hazards:	yes
Special precautions for user:	None known

#### RID

UN number	UN3082
UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains PYRACLOSTROBIN, SOLVENT NAPHTHA)
Transport hazard class(es):	9, EHS
Packing group:	III

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 04.05.2021

Version: 4.0

Product: **Priaxor EC**

(ID no. 11029260/SDS\_CPA\_00/EN)

Date of print 13.02.2024

Environmental hazards: yes  
Special precautions for user: None known

**Inland waterway transport**

ADN

UN number: UN3082  
UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains PYRACLOSTROBIN, SOLVENT NAPHTHA)  
Transport hazard class(es): 9, EHSM  
Packing group: III  
Environmental hazards: yes  
Special precautions for user: None known

**Transport in inland waterway vessel**

Not evaluated

**Sea transport**

IMDG

UN number: UN 3082  
UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains PYRACLOSTROBIN, SOLVENT NAPHTHA)  
Transport hazard class(es): 9, EHSM  
Packing group: III  
Environmental hazards: yes  
Marine pollutant: YES  
Special precautions for user: None known

**Air transport**

IATA/ICAO

UN number: UN 3082  
UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains PYRACLOSTROBIN, SOLVENT NAPHTHA)  
Transport hazard class(es): 9, EHSM  
Packing group: III  
Environmental hazards: yes  
Special precautions for user: None known



BASF Safety data sheet according to UN GHS 4th rev.  
Date / Revised: 04.05.2021  
Product: **Priaxor EC**

Version: 4.0

(ID no. 11029260/SDS\_CPA\_00/EN)

Date of print 13.02.2024

### Transport in bulk according to Annex II of MARPOL and the IBC Code

Regulation:	Not evaluated
Shipment approved:	Not evaluated
Pollution name:	Not evaluated
Pollution category:	Not evaluated
Ship Type:	Not evaluated

### Further information

Product may be shipped as non-hazardous in suitable packages containing a net quantity of 5 L or less under the provisions of various regulatory agencies: ADR, RID, ADN: Special Provision 375; IMDG: 2.10.2.7; IATA: A197; TDG: Special Provision 99(2); 49CFR: §171.4 (c) (2).

## 15. Regulatory Information

### Safety, health and environmental regulations/legislation specific for the substance or mixture

To avoid risks to man and the environment, comply with the instructions for use.

## 16. Other Information

Full text of classifications, hazard symbols and hazard statements, if mentioned in section 2 or 3:

Acute Tox.	Acute toxicity
Repr.	Reproductive toxicity
STOT SE	Specific target organ toxicity — single exposure
Aquatic Acute	Hazardous to the aquatic environment - acute
Aquatic Chronic	Hazardous to the aquatic environment - chronic
Skin Corr./Irrit.	Skin corrosion/irritation
Eye Dam./Irrit.	Serious eye damage/eye irritation
Skin Sens.	Skin sensitization
Asp. Tox.	Aspiration hazard
H315	Causes skin irritation.
H331	Toxic if inhaled.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H362	May cause harm to breast-fed children.
H319	Causes serious eye irritation.
H303	May be harmful if swallowed.
H412	Harmful to aquatic life with long lasting effects.
H316	Causes mild skin irritation.
H401	Toxic to aquatic life.
H313	May be harmful in contact with skin.
H302	Harmful if swallowed.

---

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 04.05.2021

Version: 4.0

Product: **Priaxor EC**

(ID no. 11029260/SDS\_CPA\_00/EN)

Date of print 13.02.2024

---

H305	May be harmful if swallowed and enters airways.
H402	Harmful to aquatic life.
H318	Causes serious eye damage.
H312	Harmful in contact with skin.
H411	Toxic to aquatic life with long lasting effects.
H304	May be fatal if swallowed and enters airways.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

---

Vertical lines in the left hand margin indicate an amendment from the previous version.