

Arsenal® Power

Reg. No. L8872; N-AR 2129

Act No. 36 of 1947

READ ATTACHED PACKAGE OR LEAFLET BEFORE USE
KEEP OUT OF REACH OF CHILDREN AND ANIMALS

GROUP	2	HERBICIDE
-------	---	-----------

A non-selective systemic herbicide solution, with residual activity for the control of annual and perennial weeds as listed, for use in industrial areas and servitudes.

'n Nie-selektiewe sistemiese-onkruiddoderoplossin, met nawerking, vir die beheer van een- en meerjarige onkruide soos aangetoon, vir die gebruik in industriële gebiede en servitute.



WARNING

Hazard Statements:

May cause an allergic skin reaction.

Precautionary Statements:

Wear protective gloves.

Avoid breathing mist or vapour or spray.

Active ingredient / Aktiewe bestanddeel:

Imazapry (imidazolinone) 240 g/l

Registered by / Geregistreer deur:

BASF South Africa (Pty) Ltd.

Co. Reg. No. 66/10235/07

P.O. Box 2801

Halfway House 1685

+27 11 203 2400

BASF Suid-Afrika (Edms) Bpk.

Mpy Reg Nr. 66/10235/07

Posbus 2801

Halfweghuis 1685

+27 11 203 2400

®Registered Trademark of BASF

®Geregistreerde Handelsmerk van BASF

EMERGENCY NUMBER / NOODNOMMER: +27 82 446 8946

Batch No. & Date manufactured: Refer details printed on container

Lotnommer & Datum vervaardig: Verwys na besonderhede gedruk ophouer

81111240ZA1106

811116328 NVA 2023-05-0295-0286



10 ℥

WARNINGS

Hazard Statement

- May cause an allergic skin reaction.
- Poisonous by swallowing.
- Store in a cool dry place, away from food and feed.
- Keep out of reach of children, unqualified personnel and animals.

Although this remedy has been extensively tested under a large variety of conditions, the registration holder does not warrant that it will be efficacious under all conditions because the action and effect thereof may be affected by factors such as abnormal soil, climatic and storage conditions, quality of dilution water, compatibility with other substances not indicated on the label and the occurrence of resistance of the weed against the remedy concerned as well as by the method, time and accuracy of application. The registration holder furthermore does not accept responsibility for damage to crops, vegetation, the environment or harm to man or animal or for lack of performance of the remedy concerned due to failure of the user to follow the label instructions or to the occurrence of conditions which could not have been foreseen in terms of the registration. Consult the supplier in the event of any uncertainty.

PRECAUTIONS

Precautionary Statements

- If medical advice is needed, have product container or label at hand.
- Keep out of reach of children.
- Read carefully and follow all instructions.
- Wear protective gloves.
- Avoid breathing mist or vapour or spray.
- Contaminated work clothing should not be allowed out of the workplace.
- IF ON SKIN: Wash with plenty of soap and water.
- If skin irritation or rash occurs: Get medical attention.
- Take off contaminated clothing and wash it before reuse.
- Dispose of contents and container to hazardous or special waste collection point.

- Do not eat, drink or smoke while mixing or spraying.
- Wash hands and face with soap and water after use and accidental skin contact.
- Avoid spray drift onto other crops, grazing, rivers, dams and any area not under treatment.
- Mildly corrosive – thoroughly wash and rinse spray equipment after use and dispose of wash water where it will not contaminate crops, grazing, rivers and dams.
- TRIPLE RINSE empty containers in the following manner: Invert the empty container over the spray or mixing tank and allow to drain for at least 30 seconds after the flow has slowed down to a drip. Thereafter, rinse the container three times with a volume of water equal to a minimum of 10 % of that of the container.

- Add the rinsings to the contents of the spray tank before destroying the container by perforation, flattening and burying, and never re-use for any other purpose.
- Prevent contamination of food, feeds, drinking water and eating utensils.

RELEVANT SUBSTANCES

Hazardous ingredients According to UN GHS criteria	CAS number	Concentration (W/W)
imazapyr (ISO); 2-[4,5-dihydro-4-methyl-4-(1-methylethyl)-5-oxo-1H-imidazol-2-yl]-3-pyridine carboxylate	81334-34-1	21,82 %
Oxirane, methyl-, polymer with oxirane, mono-C10-16-alkyl ethers, phosphates	68649-29-6	< 25 %
Isopropylamine	75-31-0	< 15 %
Orthophosphoric acid	7664-38-2	< 10 %
Propane-1,2-diol	57-55-6	< 5 %

FIRST AID TREATMENT

Remove contaminated clothing.

ON CONTACT WITH EYES:	Wash affected eyes for at least 15 minutes under running water with eyelids held open.
ON INGESTION:	Immediately rinse mouth and then drink 200-300 mL of water, seek medical attention.
ON SKIN CONTACT:	Wash thoroughly with soap and water.
IF INHALED:	Keep patient calm, remove to fresh air, seek medical attention.

Indication of any immediate medical attention and special treatment needed

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

USE RESTRICTIONS

- Do not apply **Arsenal® Power** within the root zone of desirable vegetation.
- Avoid spray drift onto desirable vegetation, by using appropriate low-pressure nozzles and the addition of anti-drift agents.
- Only use **Arsenal® Power** in industrial type municipal areas and then when the above mentioned precautions are met.

DIRECTIONS FOR USE:

USE ONLY AS DIRECTED

General information:

- **Arsenal® Power** is a broad-spectrum, non-selective herbicide, for the control of annual and perennial grasses, broadleaf weeds and sedges.
- **Arsenal® Power** possesses both pre-emergent and post-emergent activity, but is most effective when applied post-emergent to actively growing plants.

- **Arsenal® Power** is readily absorbed through the foliage and roots and is rapidly translocated to the meristematic regions, where it kills the plant.
- Rain, two hours after application, will not reduce efficacy.
- Plant growth is arrested shortly after application, but kill of the treated plants is slow, especially under dry conditions, where complete kill could take several months.
- The residual action of **Arsenal® Power** is related to the susceptibility of weed species, soil moisture and dosage applied. It should vary from three months (under wet conditions), to more than nine months (under dry conditions).

Compatibility:

Arsenal® Power may be used in a tank mix with an anti-drift agent. **Arsenal® Power** is also compatible with diuron, proprop and glyphosate. When **Arsenal® Power** is used in conjunction with any other agrochemical, full cognisance must be taken of all **WARNINGS, PRECAUTIONS** and **DIRECTIONS FOR USE** mentioned on those labels.

Mixing instructions:

Three-quarter fill the spray tank with clean water. Shake the **Arsenal® Power** container well and measure the required volume and pre-mix this with at least 10 l water before adding to the spray tank. If any other product is to be mixed with **Arsenal® Power** (e.g. glyphosate), pre-mix the required volume of product in similar fashion. Fill the spray tank with water to the required level, while maintaining agitation, to ensure thorough mixing. The prepared spray mixture must not be left in the spray tank for any length of time, e.g. overnight.

A. WEED CONTROL ON ROADSIDES, RAILWAYS, INDUSTRIAL SITES AND OTHER NON-CROP AREAS

SITUATION / WEEDS	Arsenal® Power DOSAGE	DIRECTIONS FOR APPLICATION
For broad spectrum weed control in: Winter rainfall region	2,1 – 4,2 l / ha	Apply as a full cover spray using 300 - 1000 l water / ha, depending on density of vegetation.
Summer rainfall region:		Use the higher dosage rates: 1. Where quick grass (<i>Cynodon dactylon</i>), narrow bladed and tufted perennial grasses are dominant. 2. Where application is made to coarse soils containing less than 10 % clay and 3. If longer residual protection is required. Also refer to General information and USE RESTRICTIONS above.
- Inland	4,2 – 6,3 l / ha	
- Coastal area	6,3 – 8,4 l / ha	
- Coal and Ash	6,3 – 8,4 l / ha	

Arsenal® Power will control most commonly occurring herbaceous broad leaf weeds, yellow nutsedge and annual grasses, at a dosage of 4 l / ha (not listed below).

TABLE 1. SOME IMPORTANT GRASSES NORMALLY CONTROLLED BY Arsenal® Power

SCIENTIFIC NAME	COMMON NAME
<i>Cynodon dactylon</i>	Common quick grass
<i>Cynodon aethiopicus</i>	Star grass
<i>Digitaria sanguinalis</i>	Crab finger grass
<i>Eleusine indica</i>	Goose grass
** <i>Eragrostis</i> spp.	Love grasses
<i>Hyparrhenia hirta</i>	Common thatchgrass
<i>Panicum maximum</i>	Guinea grass
<i>Paspalum dilatatum</i>	Common paspalum
<i>Paspalum paspalooides</i>	Buffalo paspalum
<i>Paspalum urvillei</i>	Giant paspalum
<i>Pennisetum clandestinum</i>	Kikuyu
<i>Rhynchelytrum repens</i>	Natal redtop
<i>Sorghum halepense</i>	Johnson grass
** <i>Sporobolus africanus</i>	Ratstail dropseed
<i>Themeda triandra</i>	Red grass
<i>Urochloa panicoides</i>	Annual signal grass

** Control of these species, is variable.

TABLE 2. SOME BROAD LEAF WEEDS CONTROLLED BY Arsenal® Power

SCIENTIFIC NAME	COMMON NAME
<i>Asclepias physocarpa</i>	Milkweed
<i>Argemone ochroleuca</i>	White-flowered Mexican poppy
<i>Bidens pilosa</i>	Common blackjack
<i>Chenopodium album</i>	White goosefoot
<i>Conyza albida</i>	Tall fleabane
<i>Conyza podocephala</i>	Conyza
<i>Chamaesyce inaequilatera</i>	Smooth creeping milkweed
<i>Flaveria bidentis</i>	Smelter's bush
<i>Lepidium bonariense</i>	Pepperweed
<i>Plantago lanceolata</i>	Ribwort
<i>Schkuhria pinnata</i>	Dwarf marigold
<i>Senecio polyanthemoides</i>	Ragwort
<i>Tagetes minuta</i>	Tall khaki weed
<i>Tribulus terrestris</i>	Common dubbeltjie

B. FOLIAR APPLICATION FOR COMMON BULRUSH AND REEDS CONTROL

WEED	DOSE	DIRECTIONS FOR APPLICATION
COMMON BULRUSH <i>(Typha capensis)</i>	260 ml / 100 l water (0,25 %)	Apply as a full cover spray in at least 800 l water / ha before flowering.
COMMON REEDS <i>(Phragmites australis)</i>	OR 2,1 - 3,1 l / ha + 7,5 l glyphosate / ha	For additional foliar knockdown, apply Arsenal® Power in combination with glyphosate (36%). Apply from early summer when weeds are actively growing. Repeat application when necessary in the same or following season. DO NOT apply over water systems that will be used for irrigation purposes.

C. MIXING WITH OTHER HERBICIDES

The addition of other herbicides (as listed above) to **Arsenal® Power**, will improve the knockdown of weeds and the residual activity, as well as expand the spectrum of weeds that will be controlled.

For a specific situation, use **Arsenal® Power** in a tank mixture with another herbicide, that will best suit the particular need. Use the recommended rate of **Arsenal® Power** (see A & B) and add the dosage of the herbicide partner, as recommended on that product label. For additional information and weeds controlled, refer to **DIRECTIONS FOR USE** on the label of the mixing partner.

When **Arsenal® Power** is used in conjunction with the mentioned herbicides, full cognisance must be taken of all **WARNINGS** and **PRECAUTIONS** mentioned on those labels.

WAARSKUWINGS**Gevaarverklarings:**

- Mag 'n allergiese velreaksie veroorsaak.
- Giftig indien ingesluk.
- Stoer in 'n koel, droë plek, weg van voedsel en voer.
- Hou buite bereik van kinders, onopgeleide personeel en diere.

Alhoewel hierdie middel omvattend onder 'n groot verskeidenheid toestande getoets is, waarborg die registrasiehouer nie dat dit onder alle toestande doeltreffend sal wees nie, aangesien die werking en effek daarvan beïnvloed kan word deur faktore soos abnormale grond-, klimaats- en bergingstoestande, kwaliteit van verdunningswater, verenigbaarheid met ander stowwe wat nie op die etiket aangedui is nie en die voorkoms van weerstand van die onkruid teen die betrokke middel sowel as die metode, tyd en akkuraatheid van toediening. Verder aanvaar die registrasiehouer nie verantwoordelikheid vir skade aan gewasse, plantegroei, die omgewing of vir nadelige effek op mens of dier of vir 'n gebrek aan prestasie van die betrokke middel as gevolg van die versuim van die gebruiker om etiketaanwysings na te kom of as gevolg van die ontstaan van toestande wat nie kragtens die registrasie voorsien kon word nie. Raadpleeg die verskaffer in die geval van enige onsekerheid.

VOORSORGMAATREËLS**Voorsorgverklarings**

- Indien mediese advies nodig is, hou die produkhouer of etiket byderhand.
- Hou buite bereik van kinders.
- Lees etiket voor gebruik.
- Dra beskermende handskoene
- Inaseming van spuitnewel, dampen en sproei moet vermy word.
- Besoedelde werksklere moet nie buite die werkplek toegelaat word nie.
- INDIEN OP DIE VEL: Was met baie seep en water.
- In geval van velirritasie, verkry mediese hulp.
- Verwyder besoelde klere en was voor hergebruik.
- Raak ontslae van inhoud en houer deur na 'n gevaaarlike- of spesiale-afval insamelinsplek te besorg.

- Moenie eet, drink of rook terwyl die produk vermeng of aangewend word nie.
- Was hande en gesig met seep en water na gebruik en na toevalige velkontak.
- Vermy oorwaai van sproeinewel na oesgewasse, weiding, riviere, damme en enige area wat nie behandel moet word nie.
- Matig korroderend - was toerusting deeglik na gebruik en gooi die waswater weg, waar dit nie oesgewasse, weiding, riviere en damme sal besoedel nie.

- Leë houers moet DRIEKEER UITGESPOEL word soos volg: Keer die leë houer om oor die sputtenk of mengbak en dreineer vir minstens 30 sekondes, nadat die vloeい tot 'n gedrup verminder het. Spoel die houer daarna driekeer uit, met 'n volume water gelykstaande aan 'n minimum van 10 % van die houer.
- Gooi die spoelwater by die inhoud van die sputtenk voordat die houer vernietig word. Vernietig die leë houer deur gate daarin te maak en dit plat te slaan. Verseker dat die leë houer in 'n veilige plek weggegooi word en moet dit nooit vir enige ander doel hergebruik nie.
- Verhoed besoedeling van voedsel, voer, drinkwater en eetgerei.

RELEVANTE STOWWE

Gevaarlike Bestanddele Volgens UN GHS kriteria	CAS nommer	Konsentrasie (W/W)
imazapyr (ISO); 2-[4,5-dihydro-4-methyl-4-(1-methylethyl)-5-oxo-1H-imidazol-2-yl]-3-pyridine carboxylate	81334-34-1	21,82 %
Oxirane, methyl-, polymer with oxirane, mono-C10-16-alkyl ethers, phosphates	68649-29-6	< 25 %
Isopropylamine	75-31-0	< 15 %
Orthophosphoric acid	7664-38-2	< 10 %
Propane-1,2-diol	57-55-6	< 5 %

NOODHULPBEHANDELING

Verwyder besoedelde klere

INDIEN IN DIE OË:	Spoel oë dadelik vir ten minste 15 minute met lopende water uit terwyl die oogledde oopgehou word
INDIEN INGESLUK:	Spoel mond dadelik uit en drink 200 – 300 mL water, kry mediese hulp.
INDIEN OP DIE VEL:	Was deeglik met seep en water.
INDIEN INGEASEM:	Hou pasiënt kalm, verwyder na vars lug, kry mediese hulp.

Indikasie van enige onmiddelike mediese aandag en spesiale behandeling nodig

Behandeling: Behandel simptomaties (reinig, belangrikste funksies). Daar is geen spesifieke teenmiddel nie.

GEBRUIKSBEPERKINGS

- Moenie **Arsenal® Power** binne die wortelgebied van gewensde plantegroei toedien nie.
- Om die risiko van sproeinevel op nie-teikenplante te verlaag, gebruik toepaslike lae-druk sputneuse, veral wanneer **Arsenal® Power** in sensitiewe areas gespuit word.
- Gebruik **Arsenal® Power** slegs in industriële-tipe munisipale areas en dan net wanneer bogenoemde voorsorgmaatreëls getref is.

Algemene inligting:

- **Arsenal® Power** is 'n breëspektrum, nie-selektiewe-onkruiddoder, vir die beheer van een- en meerjarige grasse, breëblaaronkruid en uintjiesoorte.
- **Arsenal® Power** is doeltreffend by beide voor-opkoms- en na-opkomsbehandelings, maar is meestal effektiel as 'n na-opkomsbehandeling op aktiegroeende plante.
- **Arsenal® Power** word maklik deur die blare en wortels opgeneem en word dan spoedig na die groepunte getranslokeer, waar dit die plant doodmaak.
- Reëerval, twee ure na toediening, behoort geen effek uit te oefen op die werking van die produk nie.
- Groei van plante staak kort na toediening, maar uiteindelike afsterwe van behandelde plante vind stadig plaas, veral tydens droë toestande, wanneer totale beheer verskeie maande mag duur.
- Die nablywende werking van **Arsenal® Power** word geaffekteer deur die vatbaarheid van die betrokke onkruidsoort, gebruikshoeveelheid en grondvog. Dit sal wissel van drie maande (onder nat toestande), tot meer as nege maande (onder droë toestande).

Verenigbaarheid:

Arsenal® Power mag as 'n tenkmengsel gebruik word met 'n middel wat sputstofwegdrywing verminder. **Arsenal® Power** is ook verenigbaar met diuron, propop en glifosaat. Wanneer **Arsenal® Power** met enige ander landbouchemikalië gemeng word, moet alle **WAARSKUWINGS**, **VOORSORGMAATREËLS** en **GEBRUIKSAANWYSINGS** wat op daardie etikette verskyn, deeglik nagekom word.

Menginstruksies:

Vul die spuittenk driekwart vol met skoon water. Skud die **Arsenal® Power** houer voor gebruik. Meet die benodigde volume **Arsenal® Power** af en meng dit vooraf met minstens 10 ℥ water, voordat dit by die tenk gevoeg word. Indien enige ander produk (bv. glifosaat), met **Arsenal® Power** gemeng word moet die benodigde volume van hierdie produk vooraf eers afgemeet en in die water gevoeg word en dan die **Arsenal® Power**. Vul die tenk verder met water tot by die verlangde volume, terwyl voortdurend geroer word om goeie vermenging te verseker. Aangemaakte spuitmengsels moenie in die spuittenk gelaat word vir 'n onbepaalde tyd, bv. oornag, nie.

A. ONKRUIDBEHEER OP PADSKOUERS, SPOORWEË, INDUSTRIËLE GEBIEDE EN ANDER NIE-OESGEWAS AREAS

SITUASIE / ONKRUIDE	Arsenal® Power DOSIS	GEBRUIKSAANBEVELINGS
Breëspektrum onkruidbeheer: Winterreënvalstreek		Dien as 'n volle dekbespuiting toe in 300 - 1000 ℥ water / ha afhangende van digtheid van plantegroei. Gebruik die hoër dosis:
Somerreënvalstreek: <ul style="list-style-type: none">- Binnelandse areas- Kusgebiede- Steenkool en as	<ul style="list-style-type: none">2,1 – 4,2 ℥ / ha4,2 – 6,3 ℥ / ha6,3 – 8,4 ℥ / ha6,3 – 8,4 ℥ / ha	<ol style="list-style-type: none">1. Waar kweek (<i>Cynodon dactylon</i>), smalblaar en meerjarige polgrasse oorwegend voorkom.2. Op gruiserige grond met minder as 10 % klei en3. Indien 'n langer nawerking vereis word. <p>Verwys ook na Algemene inligting en GEBRUIKSBEPERKINGS hierbo.</p>

Arsenal® Power sal meeste van die algemeen bekende breëblaaronkruide, uintjes en eenjarige grasse, teen 4 ℥ / ha beheer (nie hieronder aangedui nie).

TABEL 1. VAN DIE BELANGRIKE GRASSE WAT NORMAALWEG DEUR Arsenal® Power BEHEER WORD

WETENSKAPLIKE NAAM	ALGEMENE NAAM
<i>Cynodon dactylon</i>	Kweek
<i>Cynodon aethopicus</i>	Stergras
<i>Digitaria sanguinalis</i>	Kruisvingergras
<i>Eleusine indica</i>	Jongosgras
** <i>Eragrostis</i> spp.	Eragrostis spesies
<i>Hyparrhenia hirta</i>	Dektamboekiegras
<i>Panicum maximum</i>	Buffelsgras
<i>Paspalum dilatatum</i>	Gewone paspalum
<i>Paspalum paspalooides</i>	Buffelskweek paspalum
<i>Paspalum urvillei</i>	Reuse paspalum
<i>Pennisetum clandestinum</i>	Kikoejoe
<i>Rhynchelytrum repens</i>	Natal blinkgras
<i>Sorghum halepense</i>	Johnsonsgras
** <i>Sporobolus africanus</i>	Rotstert fynsaadgras
<i>Themeda triandra</i>	Rooigras
<i>Urochloa panicoides</i>	Eenjarige sinjaalgras

** Beheer van die spesies, is wisselvallig.

TABEL 2. VAN DIE BREËBLAARONKRUIDE WAT DEUR Arsenal® Power BEHEER WORD

WETENSKAPLIKE NAAM	ALGEMENE NAAM
<i>Asclepias physocarpa</i>	Balbos
<i>Argemone ochroleuca</i>	Mexikaanse papawer
<i>Bidens pilosa</i>	Gewone knapsekêrel
<i>Chenopodium album</i>	Withondebossie
<i>Conyza albida</i>	Vaalskraalhans
<i>Conyza podocephala</i>	Oondbos
<i>Chamaesyce inaequilatera</i>	Gladde kruipmelkkruid
<i>Flaveria bidentis</i>	Smeltersbossie
<i>Lepidium bonariense</i>	Peperbossie
<i>Plantago lanceolata</i>	Smalblaarplantago
<i>Schkuhria pinnata</i>	Kleinkakiebos
<i>Senecio polyanthemoides</i>	Radiatorbossie
<i>Tagetes minuta</i>	Langkakiebos
<i>Tribulus terrestris</i>	Dubbeltjie

B. BEHEER VAN PAPKUIL EN FLUITJIESRIET DEUR MIDDEL VAN BLAARTOEDIENING

ONKRUID	DOSIS	GEBRUIKSAANBEVELINGS
PAPKUIL (<i>Typha capensis</i>)	260 ml / 100 ℥ water (0,25 %)	Dien as 'n volle dektoediening toe in ten minste 800 ℥ water / ha, vóór blom.
FLUITJIESRIET (<i>Phragmites australis</i>)	OF 2,1 - 3,1 ℥ / ha + 7,5 ℥ glifosaat / ha	Vir addisionele blaaruitklop, moet Arsenal® Power saam met glifosaat (36%) toegedien word. Dien vanaf die vroeë somer toe, wanneer die onkruid aktief groei. Herhaal toediening wanneer nodig in dieselfde of daaropvolgende seisoen. MOENIE oor watersisteme wat vir besproeiing gebruik word, spuit nie.

C. VERMENGING MET ANDER ONKRUIDDODERS

Die byvoeging van ander onkruiddoders (soos vermeld hierbo), by **Arsenal® Power**, sal die uitklopaksie op onkruid en die residuale nawerking verhoog. Dit sal ook die spektrum van onkruidbeheer, verbreed.

Gebruik **Arsenal® Power** in 'n tenkmengsel met ander onkruiddoders, vir spesifieke situasies. Gebruik die aanbevole dosis van **Arsenal® Power** (verwys **A & B**) en voeg dan die aanbevole dosisse van die vennootskap onkruiddoder by. Vir addisionele inligting en vir onkruidbeheer, verwys na die **GEBRUIKSAANWYSINGS** op die etiket van die bygevoegde onkruiddoder.

Wanneer **Arsenal® Power** in samewerking met bogenoemde onkruiddoders gebruik word, moet volle kennisname van alle **WAARSKUWINGS**, en **VOORSORGMAATREËLS**, genoem op die etikette, geneem word.

Arsenal® Power

Reg. No. L8872; N-AR 2129

Act No. 36 of 1947

READ ATTACHED PACKAGE OR LEAFLET BEFORE USE
KEEP OUT OF REACH OF CHILDREN AND ANIMALS

GROUP	2	HERBICIDE
-------	---	-----------

A non-selective systemic herbicide solution, with residual activity for the control of annual and perennial weeds as listed, for use in industrial areas and servitudes.

'n Nie-selektiewe sistemiese-onkruiddoderoplossin, met nawerking, vir die beheer van een- en meerjarige onkruidweeds soos aangetoon, vir die gebruik in industriële gebiede en servitute.



WARNING

Hazard Statements:

May cause an allergic skin reaction.

Precautionary Statements:

Wear protective gloves.

Avoid breathing mist or vapour or spray.

Active ingredient / Aktiewe bestanddeel:

Imazapyr (imidazolinone) 240 g/l

Registered by / Geregistreer deur:

BASF South Africa (Pty) Ltd.
Co. Reg. No. 66/10235/07
P.O. Box 2801
Halfway House 1685
+27 11 203 2400

BASF Suid-Afrika (Edms) Bpk.
Mpy Reg Nr. 66/10235/07
Posbus 2801
Halfweghuis 1685
+27 11 203 2400

®Registered Trademark of BASF

®Geregistreerde Handelsmerk van BASF

EMERGENCY NUMBER / NOODNOMMER: +27 82 446 8946

Batch No. & Date manufactured: Refer details printed on container

Lotnommer & Datum vervaardig: Verwys na besonderhede gedruk ophouer

81111240ZA1106

811116328 NVA 2023-05-0295-0286



10 ℥