

Safety data sheet

Page: 1/15

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 02.12.2022 Version: 1.0

Product: Bellis Active

(ID no. 30661991/SDS_CPA_ZA/EN)

Date of print 19.02.2025

1. Identification

Product identifier

Bellis Active

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: crop protection product, fungicide

Details of the supplier of the safety data sheet

Company:
BASF South Africa (Pty) Ltd
852 Sixteenth Road
Midrand
P O Box 2801
Halfway House 1685
SOUTH AFRICA

Telephone: +27 11 203 2400

Emergency telephone number

National emergency number: +27 11 203 2420 International emergency number:

Telephone: +49 180 2273-112

2. Hazards Identification

Classification of the substance or mixture

According to UN GHS criteria

Acute Tox. 4 (oral)

Date / Revised: 02.12.2022 Version: 1.0

Product: Bellis Active

(ID no. 30661991/SDS_CPA_ZA/EN)

Date of print 19.02.2025

Acute Tox. 4 (Inhalation - mist)

Skin Corr./Irrit. 2 Skin Sens. 1B

STOT SE 3 (irritating to respiratory system)

Aquatic Acute 1 Aquatic Chronic 1

For the classifications not written out in full in this section the full text can be found in section 16.

Label elements

Globally Harmonized System (GHS)

Pictogram:





Signal Word: Warning

Hazard Statement:

H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H335 May cause respiratory irritation. H302 + H332 Harmful if swallowed or if inhaled

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statement:

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

Precautionary Statements (Prevention):

P280 Wear protective gloves.

P271 Use only outdoors or in a well-ventilated area.

P260 Do not breathe mist or vapour.

P272 Contaminated work clothing should not be allowed out of the workplace.

P270 Do not eat, drink or smoke when using this product.
P264 Wash contaminated body parts thoroughly after handling.

Precautionary Statements (Response):

P312 Call a POISON CENTER or physician if you feel unwell.

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for

breathing.

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.
P333 + P313 If skin irritation or rash occurs: Get medical attention.

P330 Rinse mouth P391 Collect spillage.

P362 + P364 Take off contaminated clothing and wash it before reuse.

Precautionary Statements (Storage):

Date / Revised: 02.12.2022 Version: 1.0

Product: Bellis Active

(ID no. 30661991/SDS_CPA_ZA/EN)

Date of print 19.02.2025

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

Precautionary Statements (Disposal):

P501 Dispose of contents and container to hazardous or special waste

collection point.

Labeling of special preparations (GHS):

May produce an allergic reaction. Contains: 1,2-Benzisothiazol-3(2H)-one

According to UN GHS criteria

Hazard determining component(s) for labelling: boscalid (ISO); 2-chloro-N-(4'-chloro[1,1'-biphenyl]-2-yl)-nicotinamide, pyraclostrobin (ISO); methyl N-{2-[1-(4-chlorophenyl)-1H-pyrazol-3-yloxymethyl]phenyl}(N-methoxy)carbamate

Other hazards

According to UN GHS criteria

See section 12 - Results of PBT and vPvB assessment.

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

3. Composition/Information on Ingredients

Substances

Not applicable

Mixtures

Chemical nature

crop protection product, fungicide, suspension concentrate (SC)

Hazardous ingredients (GHS)

According to UN GHS criteria

pyraclostrobin (ISO); methyl N-{2-[1-(4-chlorophenyl)-1H-pyrazol-3-yloxymethyl]phenyl}(N-methyly)corhomate

methoxy)carbamate

Content (W/W): 21.9 % Acute Tox. 3 (Inhalation - mist)

CAS Number: 175013-18-0 Skin Corr./Irrit. 2

INDEX-Number: 613-272-00-6 STOT SE 3 (irr. to respiratory syst.)

Aquatic Acute 1
Aquatic Chronic 1
M-factor acute: 100
M-factor chronic: 10

H315, H331, H335, H400, H410

Date / Revised: 02.12.2022 Version: 1.0

Product: Bellis Active

(ID no. 30661991/SDS_CPA_ZA/EN)

Date of print 19.02.2025

boscalid (iso), water moist

Content (W/W): 13.13 % Aquatic Acute 2 CAS Number: 188425-85-6 Aquatic Chronic 2 H401, H411

Residues (petroleum), catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts

Content (W/W): < 2 % CAS Number: 68425-94-5

Eye Dam./Irrit. 2A Aquatic Acute 3 Aquatic Chronic 3 H319, H402, H412

Benzenesulfonic acid, hydroxy-, polymer with formaldehyde, phenol and urea, sodium salt

Content (W/W): < 2 % CAS Number: 102980-04-1

Aquatic Acute 3 Aquatic Chronic 3 H319, H402, H412

Eye Dam./Irrit. 2A

1,2-Benzisothiazol-3(2H)-one

Content (W/W): < 0.05 % Acute Tox. 4 (oral)
CAS Number: 2634-33-5 Skin Corr./Irrit. 2
EC-Number: 220-120-9 Eye Dam./Irrit. 1
INDEX-Number: 613-088-00-6 Skin Sens. 1

Aquatic Acute 1 Aquatic Chronic 1 M-factor acute: 1 M-factor chronic: 1

H318, H315, H302, H317, H400, H410

Specific concentration limit: Skin Sens. 1: >= 0.05 %

Propane-1,2-diol

Content (W/W): < 5 % CAS Number: 57-55-6 EC-Number: 200-338-0

For the classifications not written out in full in this section the full text can be found in section 16.

4. First-Aid Measures

Description of first aid measures

First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Immediately remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

Date / Revised: 02.12.2022 Version: 1.0

Product: Bellis Active

(ID no. 30661991/SDS_CPA_ZA/EN)

Date of print 19.02.2025

On skin contact:

Wash thoroughly with soap and water

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

On ingestion:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

Most important symptoms and effects, both acute and delayed

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far

Indication of any immediate medical attention and special treatment needed

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Extinguishing media

Suitable extinguishing media:

water spray, dry powder, foam, carbon dioxide

Special hazards arising from the substance or mixture

Carbon monoxide, Carbon dioxide, Hydrogen chloride, nitrogen oxides, sulfur oxides, halogenated compounds

The substances/groups of substances mentioned can be released in case of fire.

Advice for fire-fighters

Special protective equipment:

Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:

Keep containers cool by spraying with water if exposed to fire. In case of fire and/or explosion do not breathe fumes. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

Do not breathe vapour/spray. Use personal protective clothing. Avoid contact with the skin, eyes and clothing.

Environmental precautions

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater.

Methods and material for containment and cleaning up

Date / Revised: 02.12.2022 Version: 1.0

Product: Bellis Active

(ID no. 30661991/SDS_CPA_ZA/EN)

Date of print 19.02.2025

For small amounts: Pick up with suitable absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr).

For large amounts: Dike spillage. Pump off product.

Dispose of absorbed material in accordance with regulations. Collect waste in suitable containers, which can be labeled and sealed. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations. Wear suitable protective equipment.

7. Handling and Storage

Precautions for safe handling

No special measures necessary if stored and handled correctly. Ensure thorough ventilation of stores and work areas. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift.

Protection against fire and explosion:

No special precautions necessary. The substance/product is non-combustible. Product is not explosive.

Conditions for safe storage, including any incompatibilities

Segregate from foods and animal feeds.

Further information on storage conditions: Keep away from heat. Protect from direct sunlight.

Storage stability:

Storage duration: 36 Months

Protect from temperatures below: 0 °C

Changes in the properties of the product may occur if substance/product is stored below indicated temperature for extended periods of time.

Protect from temperatures above: 40 °C

Changes in the properties of the product may occur if substance/product is stored above indicated temperature for extended periods of time.

Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

8. Exposure Controls/Personal Protection

Control parameters

Components with occupational exposure limits

No substance specific occupational exposure limits known.

Exposure controls

Personal protective equipment

Respiratory protection:

Suitable respiratory protection for lower concentrations or short-term effect: Combination filter for gases/vapours of organic, inorganic, acid inorganic, alkaline compounds and toxic particles (e. g. EN 14387 Type ABEK-P3)

Date / Revised: 02.12.2022 Version: 1.0

Product: Bellis Active

(ID no. 30661991/SDS_CPA_ZA/EN)

Date of print 19.02.2025

Hand protection:

Suitable chemical resistant safety gloves (EN ISO 374-1) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN ISO 374-1): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) etc.

Eye protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

General safety and hygiene measures

The statements on personal protective equipment in the instructions for use apply when handling crop-protection agents in final-consumer packing. Wearing of closed work clothing is recommended. Store work clothing separately. Keep away from food, drink and animal feeding stuffs.

9. Physical and Chemical Properties

Information on basic physical and chemical properties

Form: liauid

Colour: off-white to beige

Odour: sweetish

Odour threshold:

Not determined since harmful by

inhalation.

pH value: approx. 6 - 8

(20 °C)

approx. -3.2 °C Melting temperature: approx. 100 °C boiling temperature:

Information applies to the solvent.

Flash point:

Non-flammable.

Evaporation rate:

not applicable

not self-igniting Flammability:

Lower explosion limit:

As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with

the intended use.

Upper explosion limit:

As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with

the intended use.

Ignition temperature: > 651 °C

Date / Revised: 02.12.2022 Version: 1.0

Product: Bellis Active

(ID no. 30661991/SDS_CPA_ZA/EN)

Date of print 19.02.2025

Vapour pressure: approx. 23.3 hPa

(20 °C)

Information applies to the solvent.

Density: approx. 1.14 g/cm3

(20 °C)

Relative vapour density (air):

not applicable

Solubility in water: dispersible

Partitioning coefficient n-octanol/water (log Kow):

not applicable

Thermal decomposition: 170 °C, 160 kJ/kg (DSC (OECD 113))

(onset temperature) Not a substance liable to self-decomposition

according to UN transport regulations, class 4.1.

Viscosity, dynamic: approx. 107 mPa.s

(20 °C, 100 1/s)

Explosion hazard: not explosive

Fire promoting properties: not fire-propagating

Other information

Other Information:

If necessary, information on other physical and chemical parameters is indicated in this section.

10. Stability and Reactivity

Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Chemical stability

The product is stable if stored and handled as prescribed/indicated.

Possibility of hazardous reactions

No hazardous reactions if stored and handled as prescribed/indicated.

Conditions to avoid

See SDS section 7 - Handling and storage.

Incompatible materials

Substances to avoid:

strong acids, strong bases, strong oxidizing agents

Hazardous decomposition products

Hazardous decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated.

11. Toxicological Information

Information on toxicological effects

Acute toxicity

Date / Revised: 02.12.2022 Version: 1.0

Product: Bellis Active

(ID no. 30661991/SDS_CPA_ZA/EN)

Date of print 19.02.2025

Assessment of acute toxicity:

Of moderate toxicity after single ingestion. Of moderate toxicity after short-term inhalation. Virtually nontoxic after a single skin contact.

Experimental/calculated data:

LD50 rat (oral): > 300 - < 2,000 mg/kg (OECD Guideline 401)

LC50 rat (by inhalation): > 3.4 mg/l 4 h (OECD Guideline 403)

An aerosol was tested.

LD50 rat (dermal): > 5,000 mg/kg

Irritation

Assessment of irritating effects:

Skin contact causes irritation. Not irritating to the eyes.

Experimental/calculated data:

Skin corrosion/irritation rabbit: Irritant.

Serious eye damage/irritation rabbit: non-irritant

Respiratory/Skin sensitization

Assessment of sensitization:

Sensitization after skin contact possible.

Experimental/calculated data:

Mouse Local Lymph Node Assay (LLNA) mouse: sensitizing

Germ cell mutagenicity

Assessment of mutagenicity:

Mutagenicity tests revealed no genotoxic potential. The product has not been tested. The statement has been derived from the properties of the individual components.

Carcinogenicity

Assessment of carcinogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: boscalid (iso), water moist

Assessment of carcinogenicity:

In long-term studies in rats the substance induced thyroid tumors. The effect is caused by an animal specific mechanism that has no human counter part. In long-term studies in mice in which the substance was given by feed, a carcinogenic effect was not observed.

Reproductive toxicity

Assessment of reproduction toxicity:

Date / Revised: 02.12.2022 Version: 1.0

Product: Bellis Active

(ID no. 30661991/SDS_CPA_ZA/EN)

Date of print 19.02.2025

The results of animal studies gave no indication of a fertility impairing effect. The product has not been tested. The statement has been derived from the properties of the individual components.

Developmental toxicity

Assessment of teratogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components. Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals.

Specific target organ toxicity (single exposure)

Assessment of STOT single:

Causes temporary irritation of the respiratory tract.

Target organ: Respiratory system

Remarks: The product has not been tested. The statement has been derived from the properties of the individual components.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: pyraclostrobin (ISO); methyl N-{2-[1-(4-chlorophenyl)-1H-pyrazol-3-

yloxymethyl]phenyl}(N-methoxy)carbamate

Assessment of repeated dose toxicity:

After repeated exposure the prominent effect is local irritation. The substance may cause damage to the olfactory epithelium after repeated inhalation.

Information on: boscalid (iso), water moist Assessment of repeated dose toxicity:

Based on available data, the classification criteria are not met.

Aspiration hazard

No aspiration hazard expected.

The product has not been tested. The statement has been derived from the properties of the individual components.

Other relevant toxicity information

Misuse can be harmful to health.

12. Ecological Information

Toxicity

Assessment of aquatic toxicity:

Very toxic to aquatic life with long lasting effects.

Toxicity to fish:

Date / Revised: 02.12.2022 Version: 1.0

Product: Bellis Active

(ID no. 30661991/SDS_CPA_ZA/EN)

Date of print 19.02.2025

LC50 (96 h) 0.033 mg/l, Oncorhynchus mykiss

Aquatic invertebrates:

EC50 (48 h) 0.024 mg/l, Daphnia magna

Aquatic plants:

EC50 (72 h) 0.024 mg/l, Pseudokirchneriella subcapitata

EC10 (72 h) 0.73 mg/l, Pseudokirchneriella subcapitata

Information on: pyraclostrobin (ISO); methyl N-{2-[1-(4-chlorophenyl)-1H-pyrazol-3-

yloxymethyl]phenyl}(N-methoxy)carbamate

Chronic toxicity to fish:

No observed effect concentration (98 d) approx. 0.00235 mg/l, Oncorhynchus mykiss (OECD

Guideline 210, Flow through.)

Information on: pyraclostrobin (ISO); methyl N-{2-[1-(4-chlorophenyl)-1H-pyrazol-3yloxymethyl]phenyl}(N-methoxy)carbamate

Chronic toxicity to aquatic invertebrates:

No observed effect concentration (21 d) 0.004 mg/l, Daphnia magna (OECD Guideline 202, part 2, semistatic)

The details of the toxic effect relate to the nominal concentration.

No observed effect concentration (28 d) 0.00128 mg/l, Mysidopsis bahia (OPP 72-4 (EPA-Guideline), Flow through.)

The statement of the toxic effect relates to the analytically determined concentration.

Persistence and degradability

Assessment biodegradation and elimination (H2O):

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: pyraclostrobin (ISO); methyl N-{2-[1-(4-chlorophenyl)-1H-pyrazol-3-

vloxymethyl]phenyl}(N-methoxy)carbamate

Assessment biodegradation and elimination (H2O):

Not readily biodegradable (by OECD criteria).

Information on: boscalid (iso), water moist

Assessment biodegradation and elimination (H2O):

No data available concerning biodegradation and elimination.

Bioaccumulative potential

Assessment bioaccumulation potential:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: pyraclostrobin (ISO); methyl N-{2-[1-(4-chlorophenyl)-1H-pyrazol-3-

yloxymethyl]phenyl}(N-methoxy)carbamate

Bioaccumulation potential:

Bioconcentration factor: 379 - 507, Oncorhynchus mykiss (OECD-Guideline 305)

Date / Revised: 02.12.2022 Version: 1.0

Product: Bellis Active

(ID no. 30661991/SDS_CPA_ZA/EN)

Date of print 19.02.2025

Accumulation in organisms is not to be expected.

Information on: boscalid (iso), water moist

Bioaccumulation potential:

Bioconcentration factor: 57 - 70 (28 d), Oncorhynchus mykiss

Does not accumulate in organisms.

Mobility in soil

Assessment transport between environmental compartments:

Adsorption in soil: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: pyraclostrobin (ISO); methyl N-{2-[1-(4-chlorophenyl)-1H-pyrazol-3-

yloxymethyl]phenyl}(N-methoxy)carbamate

Assessment transport between environmental compartments:

Adsorption in soil: Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.

Information on: boscalid (iso), water moist

Assessment transport between environmental compartments:

Adsorption in soil: Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.

Results of PBT and vPvB assessment

The product does not contain a substance fulfilling the PBT (persistent/bioaccumulative/toxic) criteria or the vPvB (very persistent/very bioaccumulative) criteria.

Other adverse effects

The product does not contain substances that are listed in the Montreal Protocol on substances that deplete the ozone layer.

Additional information

Other ecotoxicological advice:

Do not discharge product into the environment without control.

13. Disposal Considerations

Waste treatment methods

Must be sent to a suitable incineration plant, observing local regulations.

Contaminated packaging:

Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

Date / Revised: 02.12.2022 Version: 1.0

Product: Bellis Active

(ID no. 30661991/SDS_CPA_ZA/EN)

Date of print 19.02.2025

14. Transport Information

Land transport

ADR

UN number or ID number: UN3082

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, UN proper shipping name:

N.O.S. (PYRACLOSTROBIN)

Transport hazard class(es): 9, EHSM

Packing group: Ш Environmental hazards: yes

Special precautions for

user: None known

RID

UN number or ID number: UN3082

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, UN proper shipping name:

N.O.S. (PYRACLOSTROBIN)

Transport hazard class(es): 9, EHSM

Packing group: Ш Environmental hazards: yes

Special precautions for

None known

user:

Inland waterway transport

ADN

UN number or ID number: UN3082

UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (PYRACLOSTROBIN)

Transport hazard class(es): 9, EHSM

Packing group: Ш Environmental hazards: ves

Special precautions for None known

user:

Transport in inland waterway vessel

Not evaluated

Sea transport

IMDG

UN number or ID number: UN 3082

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, UN proper shipping name:

N.O.S. (PYRACLOSTROBIN)

Date / Revised: 02.12.2022 Version: 1.0

Product: Bellis Active

(ID no. 30661991/SDS_CPA_ZA/EN)

Date of print 19.02.2025

Transport hazard class(es): 9, EHSM

Packing group: III Environmental hazards: yes

Marine pollutant: YES

Special precautions for

user:

EmS: F-A; S-F

Air transport

IATA/ICAO

UN number or ID number: UN 3082

UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (PYRACLOSTROBIN)

Transport hazard class(es): 9, EHSM Packing group: III Environmental hazards: yes

Environmental hazards: yes
Special precautions for None known

user:

Maritime transport in bulk according to IMO instruments

Maritime transport in bulk is not intended.

Further information

Product may be shipped as non-hazardous in suitable packages containing a net quantity of 5 L or less under the provisions of various regulatory agencies: ADR, RID, ADN: Special Provision 375; IMDG: 2.10.2.7; IATA: A197; TDG: Special Provision 99(2); 49CFR: §171.4 (c) (2) and also the Special Provision 375 in Appendix B which is regulated in China "Regulations Concerning Road Transportation of Dangerous Goods Part 3: Index of dangerous goods name and transportation requirements" (JT/T 617.3)

15. Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

To avoid risks to man and the environment, comply with the instructions for use.

16. Other Information

Full text of classifications, hazard symbols and hazard statements, if mentioned in section 2 or 3:

Acute Tox. Acute toxicity

Skin Corr./Irrit. Skin corrosion/irritation
Skin Sens. Skin sensitization

STOT SE Specific target organ toxicity — single exposure Aquatic Acute Hazardous to the aquatic environment - acute

Date / Revised: 02.12.2022 Version: 1.0

Product: Bellis Active

(ID no. 30661991/SDS_CPA_ZA/EN)

Date of print 19.02.2025

		Date of print 10.02.2020
Aquatic Chronic	Hazardous to the aquatic environment - chronic	
Eye Dam./Irrit.	Serious eye damage/eye irritation	
H315	Causes skin irritation.	
H331	Toxic if inhaled.	
H335	May cause respiratory irritation.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H401	Toxic to aquatic life.	
H411	Toxic to aquatic life with long lasting effects.	
H319	Causes serious eye irritation.	
H402	Harmful to aquatic life.	
H412	Harmful to aquatic life with long lasting effects.	
H318	Causes serious eye damage.	
H302	Harmful if swallowed.	
H317	May cause an allergic skin reaction.	

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

Vertical lines in the left hand margin indicate an amendment from the previous version.