

Safety data sheet

Page: 1/18

BASF Safety data sheet according to UN GHS 4th rev. Date / Revised: 04.05.2021 Product: **Priaxor**

Version: 4.0

(ID no. 30649562/SDS_CPA_00/EN)

Date of print 02.02.2022

1. Identification

Product identifier

Priaxor

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: crop protection product, fungicide

Details of the supplier of the safety data sheet

<u>Company:</u> BASF South Africa (Pty) Ltd 852 Sixteenth Road Midrand P O Box 2801 Halfway House 1685 SOUTH AFRICA

Telephone: +27 11 203 2400

Emergency telephone number

National emergency number: +27(011) 203 2573 International emergency number: Telephone: +49 180 2273-112

2. Hazards Identification

Classification of the substance or mixture

According to UN GHS criteria

Acute Tox. 4 (Inhalation - mist)

Page: 2/18

Version: 4.0

BASF Safety data sheet according to UN GHS 4th rev. Date / Revised: 04.05.2021 Product: **Priaxor**

(ID no. 30649562/SDS_CPA_00/EN)

Date of print 02.02.2022

Acute Tox. 4 (oral) Repr. Additional category for effects on or via lactation. STOT SE 3 (irritating to respiratory system) Aquatic Acute 1 Aquatic Chronic 1

For the classifications not written out in full in this section the full text can be found in section 16.

Label elements

Globally Harmonized System (GHS)

Pictogram:



Signal Word: Warning

| Hazard Statement: H302 + H332 H362 H335 H400 H410 | Harmful if swallowed or if inhaled May cause harm to breast-fed children. May cause respiratory irritation. Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects. | |
|--|---|--|
| Precautionary Statemen | t: | |
| P101 | If medical advice is needed, have product container or label at hand. | |
| P102 | Keep out of reach of children. | |
| P103 | Read carefully and follow all instructions. | |
| Precautionary Statemen | ts (Prevention): | |
| P271 | Use only outdoors or in a well-ventilated area. | |
| P202 | Do not handle until all safety precautions have been read and understood. | |
| P270 | Do not eat, drink or smoke when using this product. | |
| P263 | Avoid contact during pregnancy and while nursing. | |
| P264 | Wash contaminated body parts thoroughly after handling. | |
| P260 | Do not breathe mist. | |
| Precautionary Statements (Response): | | |
| P308 + P311 | IF exposed or concerned: Call a POISON CENTER or physician. | |
| P304 + P340 | IF INHALED: Remove person to fresh air and keep comfortable for breathing. | |
| P330 | Rinse mouth | |
| P391 | Collect spillage. | |

Precautionary Statements (Storage):

Page: 3/18

Version: 4.0

BASF Safety data sheet according to UN GHS 4th rev. Date / Revised: 04.05.2021 Product: **Priaxor**

(ID no. 30649562/SDS_CPA_00/EN)

| | Date of print 02.02.2022 |
|-----------------------|---|
| P403 + P233 | Store in a well-ventilated place. Keep container tightly closed. |
| P405 | Store locked up. |
| Precautionary Stateme | ents (Disposal): |
| P501 | Dispose of contents and container to hazardous or special waste collection point. |
| | |

Labeling of special preparations (GHS): May produce an allergic reaction. Contains: Propanoic acid, 2-hydroxy-, 2-ethylhexyl ester, (2S)-

According to UN GHS criteria

Hazard determining component(s) for labelling: pyraclostrobin (ISO); methyl N-{2-[1-(4-chlorophenyl)-1H-pyrazol-3-yloxymethyl]phenyl}(N-methoxy)carbamate, 1H-Pyrazole-4-carboxamide, 3-(difluoromethyl)-1-methyl-N-(3',4',5'-trifluoro[1,1'-biphenyl]-2-yl)-; Fluxapyroxad, Acetophenone, N,N-Dimethyldodecanamide

Other hazards

According to UN GHS criteria

See section 12 - Results of PBT and vPvB assessment.

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

3. Composition/Information on Ingredients

Substances

Not applicable

Mixtures

Chemical nature

crop protection product, Emulsifiable concentrate (EC), fungicide

Hazardous ingredients (GHS) According to UN GHS criteria

pyraclostrobin (ISO); methyl N-{2-[1-(4-chlorophenyl)-1H-pyrazol-3-yloxymethyl]phenyl}(N-methoxy)carbamate

Page: 4/18

Version: 4.0

BASF Safety data sheet according to UN GHS 4th rev. Date / Revised: 04.05.2021 Product: **Priaxor**

(ID no. 30649562/SDS_CPA_00/EN)

Date of print 02.02.2022

| | Date of print 02.02.20 |
|---|--|
| Content (W/W): 14,63 % CAS Number: 175013-18-0 INDEX-Number: 613-272-00-6 | Acute Tox. 3 (Inhalation - mist) Skin Corr./Irrit. 2 STOT SE 3 (irr. to respiratory syst.) Aquatic Acute 1 Aquatic Chronic 1 |
| | M-factor acute: 100 M-factor chronic: 10 H315, H331, H335, H400, H410 |
| 1H-Pyrazole-4-carboxamide, 3-(difluoromethyl)- Fluxapyroxad | -1-methyl-N-(3',4',5'-trifluoro[1,1'-biphenyl]-2-yl)-; |
| Content (W/W): 7,32 % CAS Number: 907204-31-3 | Repr. Add. cat. lact. Aquatic Acute 1 Aquatic Chronic 1 H362, H400, H410 |
| N,N-Dimethyldodecanamide Content (W/W): < 25 % CAS Number: 3007-53-2 EC-Number: 221-117-5 | Acute Tox. 5 (oral) Skin Corr./Irrit. 2 Eye Dam./Irrit. 2A STOT SE 3 (irr. to respiratory syst.) Aquatic Acute 1 Aquatic Chronic 3 M-factor acute: 1 H319, H315, H303, H335, H412, H400 |
| Propanoic acid, 2-hydroxy-, 2-ethylhexyl ester, Content (W/W): < 25 % CAS Number: 186817-80-1 | (2S)- Skin Corr./Irrit. 2 Eye Dam./Irrit. 2A Skin Sens. 1B Aquatic Acute 3 |
| Methyl-Oxirane, Blockpolymer with Oxirane, Mo Content (W/W): < 15 % CAS Number: 196823-11-7 | onoisotridecyl ether Acute Tox. 5 (oral) Skin Corr./Irrit. 3 Eye Dam./Irrit. 2A Aquatic Acute 2 H319, H316, H303, H401 |
| Acetophenone | |

Page: 5/18

BASF Safety data sheet according to UN GHS 4th rev. Date / Revised: 04.05.2021 Product: Priaxor

Version: 4.0

(ID no. 30649562/SDS_CPA_00/EN) Date of print 02.02.2022

| | Date of print 02.02.2022 |
|---|---|
| Content (W/W): < 15 % CAS Number: 98-86-2 EC-Number: 202-708-7 INDEX-Number: 606-042-00-1 | Asp. Tox. 2 Acute Tox. 4 (oral) Acute Tox. 5 (dermal) Eye Dam./Irrit. 2A Aquatic Acute 3 H319, H313, H302, H305, H402 |
| Poly(oxy-1,2-ethanediyl), .alpha[tris(1-phenyl Content (W/W): < 10 % CAS Number: 99734-09-5 | ethyl)phenyl]omegahydroxy- Acute Tox. 5 (oral) Aquatic Acute 3 Aquatic Chronic 3 H303, H402, H412 |
| Benzenesulfonic acid, mono-C11-13-branched Content (W/W): < 10 % CAS Number: 68953-96-8 EC-Number: 273-234-6 | alkyl derivs., calcium salts Acute Tox. 4 (dermal) Skin Corr./Irrit. 2 Eye Dam./Irrit. 1 Aquatic Acute 3 Aquatic Chronic 2 H318, H315, H312, H402, H411 |
| hydrocarbons obtained from distillation of aror | rosine — unspecified; [A complex combination of natic streams. It consists predominantly of aromatic inantly in the range of C9 thro ugh C16 and boiling in 330 oF to 554 oF).] Asp. Tox. 1 Aquatic Acute 2 Aquatic Chronic 2 H304, H401, H411 |
| Alcohols, C11-14-iso-, C13-rich, ethoxylated Content (W/W): < 1 % CAS Number: 78330-21-9 | Acute Tox. 4 (oral) Eye Dam./Irrit. 1 Aquatic Acute 1 Aquatic Chronic 2 H318, H302, H411, H400 |

For the classifications not written out in full in this section the full text can be found in section 16.

4. First-Aid Measures

Description of first aid measures

Page: 6/18

Version: 4.0

BASF Safety data sheet according to UN GHS 4th rev. Date / Revised: 04.05.2021 Product: **Priaxor**

(ID no. 30649562/SDS_CPA_00/EN)

Date of print 02.02.2022

First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Immediately remove contaminated clothing.

If inhaled: Keep patient calm, remove to fresh air, seek medical attention.

On skin contact: Wash thoroughly with soap and water

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open.

On ingestion: Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

Most important symptoms and effects, both acute and delayed

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far

Indication of any immediate medical attention and special treatment needed

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Extinguishing media

Suitable extinguishing media: water spray, foam, dry powder, carbon dioxide

Special hazards arising from the substance or mixture

Carbon monoxide, Carbon dioxide, Hydrogen chloride, Hydrogen fluoride, nitrogen oxides, sulfur oxides, halogenated compounds

The substances/groups of substances mentioned can be released in case of fire.

Advice for fire-fighters

Special protective equipment: Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:

Keep containers cool by spraying with water if exposed to fire. In case of fire and/or explosion do not breathe fumes. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

Page: 7/18

BASF Safety data sheet according to UN GHS 4th rev. Date / Revised: 04.05.2021 Product: **Priaxor**

Version: 4.0

(ID no. 30649562/SDS_CPA_00/EN)

Date of print 02.02.2022

6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

Do not breathe vapour/spray. Use personal protective clothing. Avoid contact with the skin, eyes and clothing.

Environmental precautions

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater.

Methods and material for containment and cleaning up

For small amounts: Pick up with suitable absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr).

For large amounts: Dike spillage. Pump off product.

Dispose of absorbed material in accordance with regulations. Collect waste in suitable containers, which can be labeled and sealed. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations. Wear suitable protective equipment.

7. Handling and Storage

Precautions for safe handling

No special measures necessary if stored and handled correctly. Ensure thorough ventilation of stores and work areas. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift.

Protection against fire and explosion:

Vapours may form ignitable mixture with air. Prevent electrostatic charge - sources of ignition should be kept well clear - fire extinguishers should be kept handy.

Conditions for safe storage, including any incompatibilities

Segregate from foods and animal feeds. Further information on storage conditions: Keep away from heat. Protect from direct sunlight.

Storage stability: Storage duration: 36 Months

Protect from temperatures below: -10 °C

Changes in the properties of the product may occur if substance/product is stored below indicated temperature for extended periods of time.

Protect from temperatures above: 40 °C

Changes in the properties of the product may occur if substance/product is stored above indicated temperature for extended periods of time.

Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

Page: 8/18

BASF Safety data sheet according to UN GHS 4th rev. Date / Revised: 04.05.2021 Product: **Priaxor**

Version: 4.0

(ID no. 30649562/SDS_CPA_00/EN) Date of print 02.02.2022

8. Exposure Controls/Personal Protection

Control parameters

Components with occupational exposure limits

98-86-2: Acetophenone

64742-94-5: Solvent naphtha (petroleum), heavy arom.

Exposure controls

Personal protective equipment

Respiratory protection:

Suitable respiratory protection for lower concentrations or short-term effect: Combination filter for gases/vapours of organic, inorganic, acid inorganic, alkaline compounds and toxic particles (e. g. EN 14387 Type ABEK-P3)

Hand protection:

Suitable chemical resistant safety gloves (EN ISO 374-1) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN ISO 374-1): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) etc.

Eye protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

General safety and hygiene measures

Wearing of closed work clothing is recommended. The statements on personal protective equipment in the instructions for use apply when handling crop-protection agents in final-consumer packing. Store work clothing separately. Keep away from food, drink and animal feeding stuffs.

9. Physical and Chemical Properties

Information on basic physical and chemical properties

Form:liquidColour:yellowOdour:strong, sweetishOdour threshold:Not determined since harmful by
inhalation.pH value:approx. 5 - 7
(1 %(m), 20 °C)crystallization temperature:approx. < -20 °C</td>

Page: 9/18

Version: 4.0

BASF Safety data sheet according to UN GHS 4th rev. Date / Revised: 04.05.2021 Product: **Priaxor**

(ID no. 30649562/SDS_CPA_00/EN)

Date of print 02.02.2022

| | Date of print 02.02.2022 |
|-----------------------------|--|
| boiling temperature: | approx. 202 °C |
| | Information applies to the solvent. |
| Flash point: | 99 °C |
| Evaporation rate: | |
| | not applicable |
| Flammability: | No dangerous quantities of flammable gases will be produced by |
| | contact with water. |
| Lower explosion limit: | |
| | As a result of our experience with this |
| | product and our knowledge of its |
| | composition we do not expect any |
| | hazard as long as the product is used |
| | appropriately and in accordance with |
| | the intended use. |
| Upper explosion limit: | |
| | As a result of our experience with this |
| | product and our knowledge of its |
| | composition we do not expect any |
| | hazard as long as the product is used appropriately and in accordance with |
| | the intended use. |
| Ignition temperature: | 351 °C |
| Vapour pressure: | approx. 0,02 hPa |
| | (20 °C) |
| | Information applies to the solvent. |
| Density: | approx. 1,03 g/cm3 |
| - | (20 °C) |
| Relative vapour density (| |
| | not applicable |
| Solubility in water: | emulsifiable |
| Partitioning coefficient n- | |
| Thermal decomposition: | not applicable 140 °C, 90 kJ/kg (DSC (DIN 51007)) |
| mermai decomposition. | (onset temperature) |
| | Not a substance liable to self-decomposition according to UN transport |
| | regulations, class 4.1. |
| Viscosity, dynamic: | approx. 14 mPa.s |
| - ,, - , | (40 °C, 10 1/s) |
| Explosion hazard: | not explosive |
| Fire promoting properties | s: not fire-propagating |
| - | |

Other information

Other Information: If necessary, information on other physical and chemical parameters is indicated in this section.

10. Stability and Reactivity

Reactivity

Page: 10/18

BASF Safety data sheet according to UN GHS 4th rev. Date / Revised: 04.05.2021 Product: **Priaxor**

Version: 4.0

(ID no. 30649562/SDS_CPA_00/EN)

Date of print 02.02.2022

No hazardous reactions if stored and handled as prescribed/indicated.

Chemical stability

The product is stable if stored and handled as prescribed/indicated.

Possibility of hazardous reactions

No hazardous reactions if stored and handled as prescribed/indicated.

Conditions to avoid

See SDS section 7 - Handling and storage.

Incompatible materials

Substances to avoid: strong acids, strong bases, strong oxidizing agents

Hazardous decomposition products

Hazardous decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated.

11. Toxicological Information

Information on toxicological effects

Acute toxicity

Assessment of acute toxicity:

Of moderate toxicity after single ingestion. Of moderate toxicity after short-term inhalation. Virtually nontoxic after a single skin contact. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Experimental/calculated data: LD50 rat (oral): > 500 - < 2.000 mg/kg (OECD Guideline 423)

LC50 rat (by inhalation): > 2,3 - < 4,8 mg/l 4 hAn aerosol was tested.

LD50 rat (dermal): > 5.000 mg/kg (OECD Guideline 402) No mortality was observed.

Irritation

Assessment of irritating effects:

Not irritating to the eyes. Not irritating to the skin. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Page: 11/18

BASF Safety data sheet according to UN GHS 4th rev. Date / Revised: 04.05.2021 Product: **Priaxor**

Version: 4.0

(ID no. 30649562/SDS_CPA_00/EN)

Date of print 02.02.2022

Experimental/calculated data: Skin corrosion/irritation rabbit: non-irritant (OECD Guideline 404)

Serious eye damage/irritation rabbit: non-irritant (OECD Guideline 405)

Respiratory/Skin sensitization

Assessment of sensitization:

There is no evidence of a skin-sensitizing potential. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Experimental/calculated data: Mouse Local Lymph Node Assay (LLNA) mouse: Non-sensitizing. (OECD Guideline 429)

Germ cell mutagenicity

Assessment of mutagenicity:

Mutagenicity tests revealed no genotoxic potential. The product has not been tested. The statement has been derived from the properties of the individual components.

Carcinogenicity

Assessment of carcinogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: 1H-Pyrazole-4-carboxamide, 3-(difluoromethyl)-1-methyl-N-(3',4',5'-trifluoro[1,1'biphenyl]-2-yl)-; Fluxapyroxad Assessment of carcinogenicity: Indication of possible carcinogenic effect in animal tests. The effect is caused by an animal specific

mechanism that has no human counter part.

Information on: Solvent naphtha (petroleum), heavy arom. Assessment of carcinogenicity:

Long-term exposure to highly irritating concentrations resulted in skin tumors in animals. A carcinogenic effect in humans can be excluded after brief skin contact. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

·

Reproductive toxicity

Assessment of reproduction toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: 1H-Pyrazole-4-carboxamide, 3-(difluoromethyl)-1-methyl-N-(3',4',5'-trifluoro[1,1'-biphenyl]-2-yl)-; Fluxapyroxad

Assessment of reproduction toxicity:

The results of animal studies gave no indication of a fertility impairing effect. May cause harm to children via breast-feeding.

Page: 12/18

Version: 4.0

BASF Safety data sheet according to UN GHS 4th rev. Date / Revised: 04.05.2021 Product: **Priaxor**

(ID no. 30649562/SDS_CPA_00/EN)

Date of print 02.02.2022

Developmental toxicity

Assessment of teratogenicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: N,N-Dimethyldodecanamide

Assessment of teratogenicity:

The substance did not cause malformations in animal studies; however, toxicity to development was observed at high doses that were toxic to the parental animals. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Specific target organ toxicity (single exposure)

Assessment of STOT single: Causes temporary irritation of the respiratory tract.

Remarks: The product has not been tested. The statement has been derived from the properties of the individual components.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: 1H-Pyrazole-4-carboxamide, 3-(difluoromethyl)-1-methyl-N-(3',4',5'-trifluoro[1,1'biphenyl]-2-yl)-; Fluxapyroxad Assessment of repeated dose toxicity: Adaptive effects were observed after repeated exposure in animal studies.

Information on: pyraclostrobin (ISO); methyl N-{2-[1-(4-chlorophenyl)-1H-pyrazol-3yloxymethyl]phenyl}(N-methoxy)carbamate Assessment of repeated dose toxicity: After repeated exposure the prominent effect is local irritation. The substance may cause damage to the olfactory epithelium after repeated inhalation.

Information on: Propanoic acid, 2-hydroxy-, 2-ethylhexyl ester, (2S)-Assessment of repeated dose toxicity: After repeated exposure the prominent effect is local irritation.

Information on: N,N-Dimethyldodecanamide Assessment of repeated dose toxicity: After repeated exposure the prominent effect is local irritation. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Information on: Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts Assessment of repeated dose toxicity:

Page: 13/18

BASF Safety data sheet according to UN GHS 4th rev. Date / Revised: 04.05.2021 Product: **Priaxor**

Version: 4.0

(ID no. 30649562/SDS_CPA_00/EN)

Date of print 02.02.2022

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition. The substance may cause damage to the kidney after repeated ingestion of high doses, as shown in animal studies.

Aspiration hazard

No aspiration hazard expected.

The product has not been tested. The statement has been derived from the properties of the individual components.

Other relevant toxicity information

Misuse can be harmful to health.

12. Ecological Information

Toxicity

Assessment of aquatic toxicity: Very toxic to aquatic life with long lasting effects.

Toxicity to fish: LC50 (96 h) 0,046 mg/l, Oncorhynchus mykiss (Directive 92/69/EEC, C.1)

Aquatic invertebrates:

EC50 (48 h) 0,307 mg/l, Daphnia magna (Screening (style of OECD 202), static) The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Aquatic plants: EC50 (72 h) 3,67 mg/l (growth rate), Pseudokirchneriella subcapitata (Guideline 92/69/EEC, C.3, static)

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

EC10 (72 h) 1,69 mg/l, Pseudokirchneriella subcapitata (OECD Guideline 201) The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Information on: pyraclostrobin (ISO); methyl N-{2-[1-(4-chlorophenyl)-1H-pyrazol-3yloxymethyl]phenyl}(N-methoxy)carbamate Chronic toxicity to fish: No observed effect concentration (98 d) approx. 0,00235 mg/l, Oncorhynchus mykiss (OECD Guideline 210, Flow through.)

Information on: pyraclostrobin (ISO); methyl N-{2-[1-(4-chlorophenyl)-1H-pyrazol-3yloxymethyl]phenyl}(N-methoxy)carbamate

Page: 14/18

Version: 4.0

BASF Safety data sheet according to UN GHS 4th rev. Date / Revised: 04.05.2021 Product: **Priaxor**

(ID no. 30649562/SDS_CPA_00/EN)

Date of print 02.02.2022

Chronic toxicity to aquatic invertebrates: No observed effect concentration (21 d) 0,004 mg/l, Daphnia magna (OECD Guideline 202, part 2, semistatic) The details of the toxic effect relate to the nominal concentration.

No observed effect concentration (28 d) 0,00128 mg/l, Mysidopsis bahia (OPP 72-4 (EPA-Guideline), Flow through.) The statement of the toxic effect relates to the analytically determined concentration.

Persistence and degradability

Assessment biodegradation and elimination (H2O): The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: 1H-Pyrazole-4-carboxamide, 3-(difluoromethyl)-1-methyl-N-(3',4',5'-trifluoro[1,1'biphenyl]-2-yl)-; Fluxapyroxad Assessment biodegradation and elimination (H2O): Not readily biodegradable (by OECD criteria).

Information on: pyraclostrobin (ISO); methyl N-{2-[1-(4-chlorophenyl)-1H-pyrazol-3yloxymethyl]phenyl}(N-methoxy)carbamate Assessment biodegradation and elimination (H2O): Not readily biodegradable (by OECD criteria).

Bioaccumulative potential

Assessment bioaccumulation potential: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: 1H-Pyrazole-4-carboxamide, 3-(difluoromethyl)-1-methyl-N-(3',4',5'-trifluoro[1,1'biphenyl]-2-yl)-; Fluxapyroxad Bioaccumulation potential: Bioconcentration factor: 36 - 37 (28 d), Lepomis macrochirus (OECD-Guideline 305) Does not accumulate in organisms.

Information on: pyraclostrobin (ISO); methyl N-{2-[1-(4-chlorophenyl)-1H-pyrazol-3yloxymethyl]phenyl}(N-methoxy)carbamate Bioaccumulation potential: Bioconcentration factor: 379 - 507, Oncorhynchus mykiss (OECD-Guideline 305) Accumulation in organisms is not to be expected.

Mobility in soil

Assessment transport between environmental compartments:

Page: 15/18

Version: 4.0

BASF Safety data sheet according to UN GHS 4th rev. Date / Revised: 04.05.2021 Product: **Priaxor**

(ID no. 30649562/SDS_CPA_00/EN)

Date of print 02.02.2022

Adsorption in soil: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: 1H-Pyrazole-4-carboxamide, 3-(difluoromethyl)-1-methyl-N-(3',4',5'-trifluoro[1,1'biphenyl]-2-yl)-; Fluxapyroxad Assessment transport between environmental compartments: Adsorption in soil: Following exposure to soil, adsorption to solid soil particles is probable, therefore

Adsorption in soil: Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.

Information on: pyraclostrobin (ISO); methyl N-{2-[1-(4-chlorophenyl)-1H-pyrazol-3yloxymethyl]phenyl}(N-methoxy)carbamate Assessment transport between environmental compartments: Adsorption in soil: Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.

Results of PBT and vPvB assessment

The product does not contain a substance fulfilling the PBT (persistent/bioaccumulative/toxic) criteria or the vPvB (very persistent/very bioaccumulative) criteria.

Other adverse effects

The product does not contain substances that are listed in the Montreal Protocol on substances that deplete the ozone layer.

Additional information

Other ecotoxicological advice: Do not discharge product into the environment without control.

13. Disposal Considerations

Waste treatment methods

Must be sent to a suitable incineration plant, observing local regulations.

Contaminated packaging: Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

14. Transport Information

Land transport

ADR

Page: 16/18

Version: 4.0

BASF Safety data sheet according to UN GHS 4th rev. Date / Revised: 04.05.2021 Product: **Priaxor**

(ID no. 30649562/SDS_CPA_00/EN)

| | (ID no. 30649562/SDS_CPA_00/EN) |
|-----------------------------|---|
| | Date of print 02.02.2022 |
| UN number | UN3082 |
| UN proper shipping name: | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, |
| | N.O.S. (contains PYRACLOSTROBIN, SOLVENT NAPHTHA) |
| Transport hazard class(es): | 9, EHSM |
| Packing group: | |
| Environmental hazards: | yes |
| Special precautions for | |
| user: | None known |
| RID | |
| UN number | UN3082 |
| LIN proper shipping pame: | |

| UNITURIDE | 0113002 |
|-----------------------------|---|
| UN proper shipping name: | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, |
| | N.O.S. (contains PYRACLOSTROBIN, SOLVENT NAPHTHA) |
| Transport hazard class(es): | 9, EHSM |
| Packing group: | III |
| Environmental hazards: | yes |
| Special precautions for | None known |
| user: | |

Inland waterway transport

| UN number | UN3082 |
|-----------------------------|---|
| UN proper shipping name: | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, |
| | N.O.S. (contains PYRACLOSTROBIN, SOLVENT NAPHTHA) |
| Transport hazard class(es): | 9, EHSM |
| Packing group: | III |
| Environmental hazards: | yes |
| Special precautions for | None known |
| user: | |

<u>Transport in inland waterway vessel</u> Not evaluated

<u>Sea transport</u>

IMDG

| UN number: UN proper shipping name: | UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains PYRACLOSTROBIN, SOLVENT NAPHTHA) |
|--|--|
| Transport hazard class(es): | 9, EHSM |
| Packing group: | III |
| Environmental hazards: | yes |
| | Marine pollutant: YES |
| Special precautions for | None known |

Page: 17/18

BASF Safety data sheet according to UN GHS 4th rev. Date / Revised: 04.05.2021 Product: **Priaxor**

Version: 4.0

(ID no. 30649562/SDS_CPA_00/EN)

Date of print 02.02.2022

user:

Air transport

IATA/ICAO

| UN number: | |
|-----------------------------|---|
| UN proper shipping name: | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains PYRACLOSTROBIN, SOLVENT NAPHTHA) |
| Transport hazard class(es): | 9, EHSM |
| Packing group: | III |
| Environmental hazards: | yes |
| Special precautions for | None known |
| user: | |

Transport in bulk according to Annex II of MARPOL and the IBC Code

| Regulation: | Not evaluated |
|---------------------|---------------|
| Shipment approved: | Not evaluated |
| Pollution name: | Not evaluated |
| Pollution category: | Not evaluated |
| Ship Type: | Not evaluated |

Further information

Product may be shipped as non-hazardous in suitable packages containing a net quantity of 5 L or less under the provisions of various regulatory agencies: ADR, RID, ADN: Special Provision 375; IMDG: 2.10.2.7; IATA: A197; TDG: Special Provision 99(2); 49CFR: §171.4 (c) (2).

15. Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

To avoid risks to man and the environment, comply with the instructions for use.

16. Other Information

| Full text of classifications, hazard symbols and hazard statements, if mentioned in section 2 or 3: | | |
|---|--|--|
| Acute Tox. | Acute toxicity | |
| Repr. | Reproductive toxicity | |
| STOT SE | Specific target organ toxicity — single exposure | |
| Aquatic Acute | Hazardous to the aquatic environment - acute | |
| Aquatic Chronic | Hazardous to the aquatic environment - chronic | |

Page: 18/18

Version: 4.0

(ID no. 30649562/SDS_CPA_00/EN)

Date of print 02.02.2022

| Skin Corr./Irrit. | Skin corrosion/irritation |
|-------------------|---|
| Eye Dam./Irrit. | Serious eye damage/eye irritation |
| Skin Sens. | Skin sensitization |
| Asp. Tox. | Aspiration hazard |
| H315 | Causes skin irritation. |
| H331 | Toxic if inhaled. |
| H335 | May cause respiratory irritation. |
| H400 | Very toxic to aquatic life. |
| H410 | Very toxic to aquatic life with long lasting effects. |
| H362 | May cause harm to breast-fed children. |
| H319 | Causes serious eye irritation. |
| H303 | May be harmful if swallowed. |
| H412 | Harmful to aquatic life with long lasting effects. |
| H316 | Causes mild skin irritation. |
| H401 | Toxic to aquatic life. |
| H313 | May be harmful in contact with skin. |
| H302 | Harmful if swallowed. |
| H305 | May be harmful if swallowed and enters airways. |
| H402 | Harmful to aquatic life. |
| H318 | Causes serious eye damage. |
| H312 | Harmful in contact with skin. |
| H411 | Toxic to aquatic life with long lasting effects. |
| H304 | May be fatal if swallowed and enters airways. |

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

Vertical lines in the left hand margin indicate an amendment from the previous version.