

Safety data sheet

Page: 1/15

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 18.05.2021

Product: **Dash HC**

Version: 2.2

(ID no. 30062624/SDS_GEN_00/EN)

Date of print 03.02.2022

1. Identification

Product identifier

Dash HC

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: adjuvant

Details of the supplier of the safety data sheet

Company:

BASF South Africa (Pty) Ltd
852 Sixteenth Road
Midrand
P O Box 2801
Halfway House 1685
SOUTH AFRICA

Telephone: +27 11 203 2400

Emergency telephone number

National emergency number:

+27(011) 203 2573

International emergency number:

Telephone: +49 180 2273-112

2. Hazards Identification

Classification of the substance or mixture

According to UN GHS criteria

Asp. Tox. 1

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 18.05.2021

Version: 2.2

Product: **Dash HC**

(ID no. 30062624/SDS_GEN_00/EN)

Date of print 03.02.2022

Flam. Liq. 4
Skin Corr./Irrit. 2
Eye Dam./Irrit. 1
STOT SE 3 (Vapours may cause drowsiness and dizziness.)
Aquatic Acute 3
Aquatic Chronic 2

For the classifications not written out in full in this section the full text can be found in section 16.

Label elements

Globally Harmonized System (GHS)

Pictogram:



Signal Word:

Danger

Hazard Statement:

H227	Combustible liquid.
H318	Causes serious eye damage.
H315	Causes skin irritation.
H304	May be fatal if swallowed and enters airways.
H336	May cause drowsiness or dizziness.
H402	Harmful to aquatic life.
H411	Toxic to aquatic life with long lasting effects.

Precautionary Statement:

P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read carefully and follow all instructions.

Precautionary Statements (Prevention):

P280	Wear protective gloves and eye protection or face protection.
P271	Use only outdoors or in a well-ventilated area.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P261	Avoid breathing mist or vapour or spray.
P264	Wash contaminated body parts thoroughly after handling.

Precautionary Statements (Response):

BASF Safety data sheet according to UN GHS 4th rev.
Date / Revised: 18.05.2021
Product: **Dash HC**

Version: 2.2

(ID no. 30062624/SDS_GEN_00/EN)

Date of print 03.02.2022

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER or physician.
P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P302 + P352 IF ON SKIN: Wash with plenty of soap and water.
P391 Collect spillage.
P331 Do NOT induce vomiting.
P362 + P364 Take off contaminated clothing and wash it before reuse.
P370 + P378 In case of fire: Use water spray, dry powder, foam or carbon dioxide for extinction.

Precautionary Statements (Storage):

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.
P405 Store locked up.

Precautionary Statements (Disposal):

P501 Dispose of contents and container to hazardous or special waste collection point.

According to UN GHS criteria

Hazard determining component(s) for labelling: Solvent naphtha (petroleum), heavy arom., Oxirane, methyl-, polymer with oxirane, mono-C10-16-alkyl ethers, phosphates

Other hazards

According to UN GHS criteria

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

See section 12 - Results of PBT and vPvB assessment.

3. Composition/Information on Ingredients

Substances

Not applicable

Mixtures

Chemical nature

adjuvant, Emulsifiable concentrate (EC)

Hazardous ingredients (GHS)

According to UN GHS criteria

BASF Safety data sheet according to UN GHS 4th rev.
Date / Revised: 18.05.2021
Product: **Dash HC**

Version: 2.2

(ID no. 30062624/SDS_GEN_00/EN)

Date of print 03.02.2022

Solvent naphtha (petroleum), heavy arom.

Content (W/W): < 50 %
CAS Number: 64742-94-5
EC-Number: 265-198-5

Asp. Tox. 1
Flam. Liq. 4
STOT SE 3 (drowsiness and dizziness)
Aquatic Acute 2
Aquatic Chronic 2
H227, H304, H336, H401, H411

Oxirane, methyl-, polymer with oxirane, mono-C10-16-alkyl ethers, phosphates

Content (W/W): < 30 %
CAS Number: 68649-29-6

Acute Tox. 5 (oral)
Skin Corr./Irrit. 2
Eye Dam./Irrit. 1
Aquatic Acute 2
H318, H315, H303, H401

For the classifications not written out in full in this section the full text can be found in section 16.

4. First-Aid Measures

Description of first aid measures

First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Immediately remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention. Immediately administer a corticosteroid from a controlled/metered dose inhaler.

On skin contact:

Immediately wash thoroughly with plenty of water, apply sterile dressings, consult a skin specialist.

On contact with eyes:

Immediately wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

On ingestion:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention. Do not induce vomiting due to aspiration hazard.

Most important symptoms and effects, both acute and delayed

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far

BASF Safety data sheet according to UN GHS 4th rev.
Date / Revised: 18.05.2021
Product: **Dash HC**

Version: 2.2

(ID no. 30062624/SDS_GEN_00/EN)

Date of print 03.02.2022

Indication of any immediate medical attention and special treatment needed

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures**Extinguishing media**

Suitable extinguishing media:
water spray, carbon dioxide, foam, dry powder

Special hazards arising from the substance or mixture

Carbon monoxide, Carbon dioxide, Hydrogen chloride, nitrogen oxides, sulfur oxides, silica compounds, halogenated compounds

The substances/groups of substances mentioned can be released in case of fire.

Advice for fire-fighters

Special protective equipment:
Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:

Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations. In case of fire and/or explosion do not breathe fumes. Keep containers cool by spraying with water if exposed to fire.

6. Accidental Release Measures**Personal precautions, protective equipment and emergency procedures**

Do not breathe vapour/spray. Use personal protective clothing. Avoid contact with the skin, eyes and clothing.

Environmental precautions

Do not discharge into drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

Methods and material for containment and cleaning up

For small amounts: Pick up with suitable absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr).

For large amounts: Dike spillage. Pump off product.

Dispose of absorbed material in accordance with regulations. Collect waste in suitable containers, which can be labeled and sealed. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations. Wear suitable protective equipment.

7. Handling and Storage**Precautions for safe handling**

BASF Safety data sheet according to UN GHS 4th rev.
Date / Revised: 18.05.2021
Product: **Dash HC**

Version: 2.2

(ID no. 30062624/SDS_GEN_00/EN)

Date of print 03.02.2022

No special measures necessary if stored and handled correctly. Ensure thorough ventilation of stores and work areas. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift.

Protection against fire and explosion:

Vapours may form ignitable mixture with air. Prevent electrostatic charge - sources of ignition should be kept well clear - fire extinguishers should be kept handy.

Conditions for safe storage, including any incompatibilities

Segregate from foods and animal feeds.

Further information on storage conditions: Keep away from heat. Protect from direct sunlight.

Storage stability:

Storage duration: 60 Months

Protect from temperatures below: 0 °C

Changes in the properties of the product may occur if substance/product is stored below indicated temperature for extended periods of time.

Protect from temperatures above: 40 °C

Changes in the properties of the product may occur if substance/product is stored above indicated temperature for extended periods of time.

Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

8. Exposure Controls/Personal Protection

Control parameters

Components with occupational exposure limits

64742-94-5: Solvent naphtha (petroleum), heavy arom.

Exposure controls

Personal protective equipment

Respiratory protection:

Suitable respiratory protection for lower concentrations or short-term effect: Combination filter for gases/vapours of organic, inorganic, acid inorganic, alkaline compounds and toxic particles (e. g. EN 14387 Type ABEK-P3)

Hand protection:

Suitable chemical resistant safety gloves (EN ISO 374-1) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN ISO 374-1): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) etc.

Eye protection:

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 18.05.2021

Version: 2.2

Product: **Dash HC**

(ID no. 30062624/SDS_GEN_00/EN)

Date of print 03.02.2022

Tightly fitting safety goggles (splash goggles) (e.g. EN 166)

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

General safety and hygiene measures

Wearing of closed work clothing is recommended. Handle in accordance with good industrial hygiene and safety practice. Store work clothing separately. Keep away from food, drink and animal feeding stuffs.

9. Physical and Chemical Properties

Information on basic physical and chemical properties

Form:	liquid	
Colour:	light yellow to orange	
Odour:	aromatic	
Odour threshold:		
	Not determined due to potential health hazard by inhalation.	
pH value:	approx. 2 - 4 (CIPAC standard water D, 1 %(m), approx. 20 °C)	
crystallization temperature:	< -20 °C	
onset of boiling:	> 178 °C (1.013 hPa)	
Flash point:	Information applies to the solvent. approx. 71 °C	(Directive 92/69/EEC, A.9)
Evaporation rate:		
	not applicable	
Lower explosion limit:	0,6 %(V) Information applies to the solvent.	
Upper explosion limit:	7 %(V) Information applies to the solvent.	
Ignition temperature:	approx. 320 °C	(Directive 92/69/EEC, A.15)
Vapour pressure:	approx. 1 hPa (20 °C) Information applies to the solvent.	
Density:	approx. 0,93 g/cm ³ (approx. 20 °C)	(OECD Guideline 109)
Relative vapour density (air):	not applicable	
Solubility in water:	emulsifiable	
Partitioning coefficient n-octanol/water (log Kow):	not applicable	
Thermal decomposition:	90 °C, 160 kJ/kg (onset temperature)	

BASF Safety data sheet according to UN GHS 4th rev.
Date / Revised: 18.05.2021
Product: **Dash HC**

Version: 2.2

(ID no. 30062624/SDS_GEN_00/EN)

Date of print 03.02.2022

	Not a substance liable to self-decomposition according to UN transport regulations, class 4.1.	
Viscosity, dynamic:	approx. 11,4 mPa.s (20 °C, 100 1/s)	(OECD 114)
Viscosity, kinematic:	7,6 mm ² /s (40 °C)	(OECD 114)
Explosion hazard:	Based on the chemical structure there is no indication of explosive properties.	
Fire promoting properties:	Based on its structural properties the product is not classified as oxidizing.	

Other information

Surface tension: approx. 31 mN/m
(25 °C; 100 %(V))

10. Stability and Reactivity

Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Corrosion to metals: Corrosive effects to metal are not anticipated.

Chemical stability

The product is stable if stored and handled as prescribed/indicated.

Possibility of hazardous reactions

No hazardous reactions if stored and handled as prescribed/indicated.

Conditions to avoid

See SDS section 7 - Handling and storage.

Incompatible materials

Substances to avoid:
strong acids, strong bases, strong oxidizing agents

Hazardous decomposition products

Hazardous decomposition products:
No hazardous decomposition products if stored and handled as prescribed/indicated.

11. Toxicological Information

Information on toxicological effects

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 18.05.2021

Product: **Dash HC**

Version: 2.2

(ID no. 30062624/SDS_GEN_00/EN)

Date of print 03.02.2022

Acute toxicity

Assessment of acute toxicity:

Virtually nontoxic after a single ingestion. Virtually nontoxic by inhalation. Virtually nontoxic after a single skin contact. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Experimental/calculated data:

LD50 rat (oral): > 2.200 mg/kg (OECD Guideline 401)

No mortality was observed.

LC50 rat (by inhalation): > 5,6 mg/l 4 h (OECD Guideline 403)

No mortality was observed.

LD50 rat (dermal): > 2.000 mg/kg (OECD Guideline 402)

No mortality was observed.

Irritation

Assessment of irritating effects:

Skin contact causes irritation. May cause severe damage to the eyes. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Experimental/calculated data:

Skin corrosion/irritation rabbit: Irritant. (OECD Guideline 404)

Serious eye damage/irritation rabbit: Risk of serious damage to eyes. (OECD Guideline 405)

Respiratory/Skin sensitization

Assessment of sensitization:

There is no evidence of a skin-sensitizing potential.

Experimental/calculated data:

Guinea pig maximization test guinea pig: Non-sensitizing. (OECD Guideline 406)

Germ cell mutagenicity

Assessment of mutagenicity:

The product has not been tested. The statement has been derived from the properties of the individual components. Mutagenicity tests revealed no genotoxic potential.

Carcinogenicity

Assessment of carcinogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components. The results of various animal studies gave no indication of a carcinogenic effect.

Reproductive toxicity

Assessment of reproduction toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components. The results of animal studies gave no indication of a fertility impairing effect.

Developmental toxicity

Assessment of teratogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components. Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals.

Specific target organ toxicity (single exposure)

Assessment of STOT single:

Possible narcotic effects (drowsiness or dizziness).

Remarks: The product has not been tested. The statement has been derived from the properties of the individual components.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components. No substance-specific organotoxicity was observed after repeated administration to animals.

Aspiration hazard

May also damage the lung at swallowing (aspiration hazard).

The product has not been tested. The statement has been derived from the properties of the individual components.

Other relevant toxicity information

Misuse can be harmful to health.

12. Ecological Information

Toxicity

Assessment of aquatic toxicity:

Harmful to aquatic life. Toxic to aquatic life with long lasting effects.

Toxicity to fish:

LC50 (96 h) 22 mg/l, *Oncorhynchus mykiss* (OECD 203; ISO 7346; 84/449/EEC, C.1)

BASF Safety data sheet according to UN GHS 4th rev.
Date / Revised: 18.05.2021
Product: **Dash HC**

Version: 2.2

(ID no. 30062624/SDS_GEN_00/EN)

Date of print 03.02.2022

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Aquatic invertebrates:

EC50 (48 h) 37,8 mg/l, *Daphnia magna* (OECD Guideline 202, part 1, static)

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Aquatic plants:

EC50 (72 h) 92,3 mg/l (growth rate), *Pseudokirchneriella subcapitata* (OECD Guideline 201, static)

EC10 (72 h) 23,9 mg/l (growth rate), *Pseudokirchneriella subcapitata* (OECD Guideline 201, static)

Information on: Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified; [A complex combination of hydrocarbons obtained from distillation of aromatic streams. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of C9 through C16 and boiling in the range of approximately 165 °C to 290 °C (330 °F to 554 °F).]

Chronic toxicity to fish:

*NOEL (28 d) 0,441 mg/l, *Oncorhynchus mykiss**

Information on: Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified; [A complex combination of hydrocarbons obtained from distillation of aromatic streams. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of C9 through C16 and boiling in the range of approximately 165 °C to 290 °C (330 °F to 554 °F).]

Chronic toxicity to aquatic invertebrates:

*NOEL (21 d) 0,771 mg/l, *Daphnia magna**

Persistence and degradability

Assessment biodegradation and elimination (H₂O):

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Information on: Solvent naphtha (petroleum), heavy arom.

Assessment biodegradation and elimination (H₂O):

Not readily biodegradable (by OECD criteria). Inherently biodegradable.

Bioaccumulative potential

Assessment bioaccumulation potential:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Solvent naphtha (petroleum), heavy arom.

Assessment bioaccumulation potential:

The product contains components with potential for bioaccumulation

Mobility in soil

Assessment transport between environmental compartments:

Adsorption in soil: Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected. The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Solvent naphtha (petroleum), heavy arom.

Results of PBT and vPvB assessment

The product does not contain a substance fulfilling the PBT (persistent/bioaccumulative/toxic) criteria or the vPvB (very persistent/very bioaccumulative) criteria.

Other adverse effects

The product does not contain substances that are listed in the Montreal Protocol on substances that deplete the ozone layer.

Additional information

Other ecotoxicological advice:

Do not discharge product into the environment without control.

13. Disposal Considerations

Waste treatment methods

Must be disposed of or incinerated in accordance with local regulations.

Contaminated packaging:

Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

14. Transport Information

Land transport

ADR

UN number

UN3082

UN proper shipping name:

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
N.O.S. (contains SOLVENT NAPHTHA)

Transport hazard class(es):

9, EHSM

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 18.05.2021

Version: 2.2

Product: **Dash HC**

(ID no. 30062624/SDS_GEN_00/EN)

Date of print 03.02.2022

Packing group: III
Environmental hazards: yes
Special precautions for user: None known

RID

UN number: UN3082
UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains SOLVENT NAPHTHA)
Transport hazard class(es): 9, EHSM
Packing group: III
Environmental hazards: yes
Special precautions for user: None known

Inland waterway transport**ADN**

UN number: UN3082
UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains SOLVENT NAPHTHA)
Transport hazard class(es): 9, EHSM
Packing group: III
Environmental hazards: yes
Special precautions for user: None known

Transport in inland waterway vessel

Not evaluated

Sea transport**IMDG**

UN number: UN 3082
UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains SOLVENT NAPHTHA)
Transport hazard class(es): 9, EHSM
Packing group: III
Environmental hazards: yes
Marine pollutant: YES
Special precautions for user: None known

Air transport

BASF Safety data sheet according to UN GHS 4th rev.
 Date / Revised: 18.05.2021
 Product: **Dash HC**

Version: 2.2

(ID no. 30062624/SDS_GEN_00/EN)

Date of print 03.02.2022

IATA/ICAO

UN number: UN 3082
 UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
 N.O.S. (contains SOLVENT NAPHTHA)
 Transport hazard class(es): 9, EHSM
 Packing group: III
 Environmental hazards: yes
 Special precautions for user: None known

Transport in bulk according to Annex II of MARPOL and the IBC Code

Regulation: Not evaluated
 Shipment approved: Not evaluated
 Pollution name: Not evaluated
 Pollution category: Not evaluated
 Ship Type: Not evaluated

Further information

Product may be shipped as non-hazardous in suitable packages containing a net quantity of 5 L or less under the provisions of various regulatory agencies: ADR, RID, ADN: Special Provision 375; IMDG: 2.10.2.7; IATA: A197; TDG: Special Provision 99(2); 49CFR: §171.4 (c) (2).

15. Regulatory Information**Safety, health and environmental regulations/legislation specific for the substance or mixture**

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

16. Other Information

Full text of classifications, hazard symbols and hazard statements, if mentioned in section 2 or 3:

Asp. Tox.	Aspiration hazard
Flam. Liq.	Flammable liquids
Skin Corr./Irrit.	Skin corrosion/irritation
Eye Dam./Irrit.	Serious eye damage/eye irritation
STOT SE	Specific target organ toxicity — single exposure
Aquatic Acute	Hazardous to the aquatic environment - acute
Aquatic Chronic	Hazardous to the aquatic environment - chronic
Acute Tox.	Acute toxicity
H227	Combustible liquid.

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 18.05.2021

Version: 2.2

Product: **Dash HC**

(ID no. 30062624/SDS_GEN_00/EN)

Date of print 03.02.2022

H304	May be fatal if swallowed and enters airways.
H336	May cause drowsiness or dizziness.
H401	Toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.
H318	Causes serious eye damage.
H315	Causes skin irritation.
H303	May be harmful if swallowed.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

Vertical lines in the left hand margin indicate an amendment from the previous version.