

Safety data sheet

Page: 1/15

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 28.12.2015

Version: 1.0

Product: **Eragon**

(ID no. 30497825/SDS_CPA_00/EN)

Date of print 23.01.2018

1. Identification

Product identifier

Eragon

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: crop protection product, herbicide

Details of the supplier of the safety data sheet

Company:

BASF SE

67056 Ludwigshafen

GERMANY

Operating Division Crop Protection

Telephone: +49 621 60-27777

E-mail address: Produktinformation-Pflanzenschutz@basf.com

Emergency telephone number

International emergency number:

Telephone: +49 180 2273-112

2. Hazards Identification

Classification of the substance or mixture

According to UN GHS criteria

Repr. 2 (unborn child)

Aquatic Acute 1

Aquatic Chronic 1

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 28.12.2015

Version: 1.0

Product: **Eragon**

(ID no. 30497825/SDS_CPA_00/EN)

Date of print 23.01.2018

For the classifications not written out in full in this section the full text can be found in section 16.

Label elements

Globally Harmonized System (GHS)

Pictogram:



Signal Word:

Warning

Hazard Statement:

H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H361	Suspected of damaging the unborn child.

Precautionary Statements (Prevention):

P201	Obtain special instructions before use.
P281	Use personal protective equipment as required.

Precautionary Statements (Response):

P308 + P313	IF exposed or concerned: Get medical advice/attention.
P391	Collect spillage.

Precautionary Statements (Storage):

P405	Store locked up.
------	------------------

Precautionary Statements (Disposal):

P501	Dispose of contents/container to hazardous or special waste collection point.
------	---

According to UN GHS criteria

Hazard determining component(s) for labelling: Saflufenacil

Other hazards

According to UN GHS criteria

See section 12 - Results of PBT and vPvB assessment.

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 28.12.2015

Product: **Eragon**

Version: 1.0

(ID no. 30497825/SDS_CPA_00/EN)

Date of print 23.01.2018

3. Composition/Information on Ingredients

Substances

Not applicable

Mixtures

Chemical nature

crop protection product, herbicide, water dispersible granules

Hazardous ingredients (GHS)

According to UN GHS criteria

Saflufenacil

Content (W/W): 70 %
CAS Number: 372137-35-4Repr. 2 (unborn child)
Aquatic Acute 1
Aquatic Chronic 1
H400, H410, H361

surfactant blend

Content (W/W): < 10 %

Skin Corr./Irrit. 2
Eye Dam./Irrit. 2A
STOT SE 3 (irr. to respiratory syst.)
H319, H315, H335

sodium alkylnaphthalene sulphonate, formaldehyde condensate

Content (W/W): < 10 %

Acute Tox. 4 (Inhalation - dust)
Skin Corr./Irrit. 3
Eye Dam./Irrit. 2A
H319, H315

Sodium alkylnaphthalenesulfonate blend

Content (W/W): < 5 %

Skin Corr./Irrit. 2
Eye Dam./Irrit. 1
H318, H315

Ammonium sulphate

Content (W/W): < 20 %
CAS Number: 7783-20-2
EC-Number: 231-984-1Acute Tox. 5 (oral)
Aquatic Acute 3
H303, H402

Sodium diisopropylnaphthalenesulphonate

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 28.12.2015

Version: 1.0

Product: **Eragon**

(ID no. 30497825/SDS_CPA_00/EN)

Date of print 23.01.2018

Content (W/W): < 5 %

CAS Number: 1322-93-6

EC-Number: 215-343-3

Acute Tox. 4 (oral)

Skin Corr./Irrit. 2

Eye Dam./Irrit. 2A

H319, H315, H302

For the classifications not written out in full in this section the full text can be found in section 16.

4. First-Aid Measures

Description of first aid measures

Remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

On skin contact:

Wash thoroughly with soap and water.

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open.

On ingestion:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

Most important symptoms and effects, both acute and delayed

Symptoms: The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11., Further important symptoms and effects are so far not known.

Indication of any immediate medical attention and special treatment needed

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Extinguishing media

Suitable extinguishing media:

water spray, foam, dry powder

Unsuitable extinguishing media for safety reasons:

water jet, carbon dioxide

Special hazards arising from the substance or mixture

carbon monoxide, Carbon dioxide, ammonia, anhydrous, Hydrogen chloride, nitrogen oxides, sulfur oxides, organochloric compounds

The substances/groups of substances mentioned can be released in case of fire.

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 28.12.2015

Version: 1.0

Product: **Eragon**

(ID no. 30497825/SDS_CPA_00/EN)

Date of print 23.01.2018

Advice for fire-fighters

Special protective equipment:

Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:

In case of fire and/or explosion do not breathe fumes. Keep containers cool by spraying with water if exposed to fire. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

Avoid dust formation. Use personal protective clothing. Avoid contact with the skin, eyes and clothing.

Environmental precautions

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater.

Methods and material for containment and cleaning up

For small amounts: Contain with dust binding material and dispose of.

For large amounts: Sweep/shovel up.

Avoid raising dust. Dispose of absorbed material in accordance with regulations. Collect waste in suitable containers, which can be labeled and sealed. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations.

Reference to other sections

Information regarding exposure controls/personal protection and disposal considerations can be found in section 8 and 13.

7. Handling and Storage

Precautions for safe handling

No special measures necessary if stored and handled correctly. Ensure thorough ventilation of stores and work areas. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift.

Protection against fire and explosion:

Dust can form an explosive mixture with air. Prevent electrostatic charge - sources of ignition should be kept well clear - fire extinguishers should be kept handy. Avoid dust formation.

Dust explosion class: Dust explosion class 1 (Kst-value >0 up to 200 bar m s-1).

Conditions for safe storage, including any incompatibilities

Segregate from foods and animal feeds.

Further information on storage conditions: Protect against moisture. Keep away from heat. Protect from direct sunlight.

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 28.12.2015

Product: **Eragon**

Version: 1.0

(ID no. 30497825/SDS_CPA_00/EN)

Date of print 23.01.2018

Storage stability:

Storage duration: 24 Months

Protect from temperatures above: 50 °C

Changes in the properties of the product may occur if substance/product is stored above indicated temperature for extended periods of time.

Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

8. Exposure Controls/Personal Protection

Control parameters

Components with occupational exposure limits

1322-93-6: Sodium diisopropyl-naphthalenesulphonate

7783-20-2: Ammonium sulphate

Exposure controls

Personal protective equipment

Respiratory protection:

Suitable respiratory protection for higher concentrations or long-term effect: Particle filter with medium efficiency for solid and liquid particles (e.g. EN 143 or 149, Type P2 or FFP2)

Hand protection:

Suitable chemical resistant safety gloves (EN 374) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN 374): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) etc.

Eye protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

General safety and hygiene measures

The statements on personal protective equipment in the instructions for use apply when handling crop-protection agents in final-consumer packing. Wearing of closed work clothing is recommended. Keep away from food, drink and animal feeding stuffs. Store work clothing separately.

9. Physical and Chemical Properties

Information on basic physical and chemical properties

Form: solid, granules
 Colour: light brown
 Odour: odourless
 Odour threshold: not applicable, odour not perceivable
 pH value: approx. 4 - 6
 (10 g/l, 25 °C)

Information on: Saflufenacil

melting range: 189,9 - 193,4 °C (OECD Guideline 102)
Thermal decomposition above the indicated temperature is possible.

 Boiling point: The product is a non-volatile solid.

Flash point: not applicable

Evaporation rate: not applicable

Flammability: not highly flammable

Lower explosion limit: For solids not relevant for classification and labelling.

Upper explosion limit: As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.

Vapour pressure: The product has not been tested.

Density: approx. 1,61 g/cm³
 (20 °C)

Relative vapour density (air): not applicable

Solubility in water: dispersible

Information on: Saflufenacil

Partitioning coefficient n-octanol/water (log Kow): 2,6
(20 °C; pH value: 1,7)

 Self ignition: Temperature: 371 °C (Method: Directive 92/69/EEC, A.16)

Thermal decomposition: 200 °C, 140 kJ/kg (DSC (OECD 113))
 250 °C, 310 kJ/kg (DSC (OECD 113))
 355 °C, 100 kJ/kg (DSC (OECD 113))
 Not a substance liable to self-decomposition according to UN transport regulations, class 4.1.

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 28.12.2015

Version: 1.0

Product: **Eragon**

(ID no. 30497825/SDS_CPA_00/EN)

Date of print 23.01.2018

Viscosity, dynamic: not applicable
Explosion hazard: not explosive
Fire promoting properties: not fire-propagating

Other information

Bulk density: 540 - 600 kg/m³
(20 °C, 1.013 hPa)
585 - 645 kg/m³
(20 °C, 1.013 hPa)
Apparent density after tamping

Other Information:

If necessary, information on other physical and chemical parameters is indicated in this section.

10. Stability and Reactivity

Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Chemical stability

The product is stable if stored and handled as prescribed/indicated.

Possibility of hazardous reactions

No hazardous reactions if stored and handled as prescribed/indicated.
The product is chemically stable.

Conditions to avoid

See MSDS section 7 - Handling and storage.

Incompatible materials

Substances to avoid:
strong oxidizing agents, strong acids, strong bases

Hazardous decomposition products

Hazardous decomposition products:
No hazardous decomposition products if stored and handled as prescribed/indicated.

11. Toxicological Information

Information on toxicological effects

Acute toxicity

Assessment of acute toxicity:

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 28.12.2015

Version: 1.0

Product: **Eragon**

(ID no. 30497825/SDS_CPA_00/EN)

Date of print 23.01.2018

Virtually nontoxic after a single skin contact. Virtually nontoxic by inhalation. Virtually nontoxic after a single ingestion.

Experimental/calculated data:

LD50 rat (oral): > 2.000 mg/kg

LC50 (by inhalation): > 5 mg/l 4 h

LD50 rat (dermal): > 2.000 mg/kg

Irritation

Assessment of irritating effects:

Not irritating to the eyes. Not irritating to the skin.

Experimental/calculated data:

Skin corrosion/irritation rabbit: non-irritant

Serious eye damage/irritation rabbit: non-irritant

Respiratory/Skin sensitization

Assessment of sensitization:

There is no evidence of a skin-sensitizing potential.

Experimental/calculated data:

modified Buehler test guinea pig: Skin sensitizing effects were not observed in animal studies.

Germ cell mutagenicity

Assessment of mutagenicity:

The product has not been tested. The statement has been derived from the properties of the individual components. Mutagenicity tests revealed no genotoxic potential.

Carcinogenicity

Assessment of carcinogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components. The results of various animal studies gave no indication of a carcinogenic effect.

Reproductive toxicity

Assessment of reproduction toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components. The results of animal studies gave no indication of a fertility impairing effect.

Developmental toxicity

Assessment of teratogenicity:

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 28.12.2015

Product: **Eragon**

Version: 1.0

(ID no. 30497825/SDS_CPA_00/EN)

Date of print 23.01.2018

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Saflufenacil

Assessment of teratogenicity:

Indications of possible developmental toxicity/teratogenicity were seen in animal studies.

Specific target organ toxicity (single exposure)

Assessment of STOT single:

The available information is not sufficient for evaluation.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components. No substance-specific organotoxicity was observed after repeated administration to animals.

Aspiration hazard

No aspiration hazard expected.

The product has not been tested. The statement has been derived from the properties of the individual components.

Other relevant toxicity information

Misuse can be harmful to health.

12. Ecological Information

Toxicity

Assessment of aquatic toxicity:

Very toxic to aquatic life with long lasting effects.

Toxicity to fish:

LC50 (96 h) > 100 mg/l, *Oncorhynchus mykiss*

Aquatic invertebrates:

(48 h) > 100 mg/l, *Daphnia magna* (static)

Aquatic plants:

EC50 (72 h) 0,1157 mg/l (growth rate), *Pseudokirchneriella subcapitata*

Persistence and degradability

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 28.12.2015

Version: 1.0

Product: **Eragon**

(ID no. 30497825/SDS_CPA_00/EN)

Date of print 23.01.2018

Assessment biodegradation and elimination (H₂O):

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Saflufenacil

Assessment biodegradation and elimination (H₂O):

Not readily biodegradable (by OECD criteria).

Bioaccumulative potential

Assessment bioaccumulation potential:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Saflufenacil

Assessment bioaccumulation potential:

Because of the n-octanol/water distribution coefficient (log Pow) accumulation in organisms is not to be expected.

Mobility in soil

Assessment transport between environmental compartments:

Adsorption in soil: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Saflufenacil

Assessment transport between environmental compartments:

Adsorption in soil: Following exposure to soil, the product trickles away and can - dependant on degradation - be transported to deeper soil areas with larger water loads.

Results of PBT and vPvB assessment

The product does not contain a substance fulfilling the PBT (persistent/bioaccumulative/toxic) criteria or the vPvB (very persistent/very bioaccumulative) criteria.

Other adverse effects

The product does not contain substances that are listed in the Montreal Protocol on substances that deplete the ozone layer.

Additional information

Other ecotoxicological advice:

Do not discharge product into the environment without control.

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 28.12.2015

Product: **Eragon**

Version: 1.0

(ID no. 30497825/SDS_CPA_00/EN)

Date of print 23.01.2018

13. Disposal Considerations

Waste treatment methods

Must be sent to a suitable incineration plant, observing local regulations.

Contaminated packaging:

Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

14. Transport Information

Land transport

ADR

UN number: UN3077
UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
(contains SAFLUFENACIL)
Transport hazard class(es): 9, EHSM
Packing group: III
Environmental hazards: yes
Special precautions for user: Tunnel code: E

RID

UN number: UN3077
UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
(contains SAFLUFENACIL)
Transport hazard class(es): 9, EHSM
Packing group: III
Environmental hazards: yes
Special precautions for user: None known

Inland waterway transport

ADN

UN number: UN3077
UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
(contains SAFLUFENACIL)
Transport hazard class(es): 9, EHSM
Packing group: III
Environmental hazards: yes
Special precautions for user: None known

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 28.12.2015

Version: 1.0

Product: **Eragon**

(ID no. 30497825/SDS_CPA_00/EN)

Date of print 23.01.2018

Transport in inland waterway vessel

Not evaluated

Sea transport

IMDG

UN number: UN 3077
UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
(contains SAFLUFENACIL)
Transport hazard class(es): 9, EHS
Packing group: III
Environmental hazards: yes
Marine pollutant: YES
Special precautions for user: None known

Air transport

IATA/ICAO

UN number: UN 3077
UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
(contains SAFLUFENACIL)
Transport hazard class(es): 9, EHS
Packing group: III
Environmental hazards: yes
Special precautions for user: None known

UN number

See corresponding entries for "UN number" for the respective regulations in the tables above.

UN proper shipping name

See corresponding entries for "UN proper shipping name" for the respective regulations in the tables above.

Transport hazard class(es)

See corresponding entries for "Transport hazard class(es)" for the respective regulations in the tables above.

Packing group

See corresponding entries for "Packing group" for the respective regulations in the tables above.

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 28.12.2015

Version: 1.0

Product: **Eragon**

(ID no. 30497825/SDS_CPA_00/EN)

Date of print 23.01.2018

Environmental hazards

See corresponding entries for "Environmental hazards" for the respective regulations in the tables above.

Special precautions for user

See corresponding entries for "Special precautions for user" for the respective regulations in the tables above.

Transport in bulk according to Annex II of MARPOL and the IBC Code

Regulation:	Not evaluated
Shipment approved:	Not evaluated
Pollution name:	Not evaluated
Pollution category:	Not evaluated
Ship Type:	Not evaluated

15. Regulatory Information**Safety, health and environmental regulations/legislation specific for the substance or mixture**

For the user of this plant-protective product applies: 'To avoid risks to man and the environment, comply with the instructions for use.' (Directive 1999/45/EC, Article 10, No. 1.2)

16. Other Information

Full text of classifications, hazard symbols and hazard statements, if mentioned in section 2 or 3:

Repr.	Reproductive toxicity
Aquatic Acute	Hazardous to the aquatic environment - acute
Aquatic Chronic	Hazardous to the aquatic environment - chronic
Skin Corr./Irrit.	Skin corrosion/irritation
Eye Dam./Irrit.	Serious eye damage/eye irritation
STOT SE	Specific target organ toxicity — single exposure
Acute Tox.	Acute toxicity
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H361	Suspected of damaging the unborn child.
H319	Causes serious eye irritation.
H315	Causes skin irritation.
H335	May cause respiratory irritation.
H318	Causes serious eye damage.
H303	May be harmful if swallowed.
H402	Harmful to aquatic life.
H302	Harmful if swallowed.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. The data do not describe the product's properties (product specification). Neither should any agreed property nor the suitability of the product for

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 28.12.2015

Version: 1.0

Product: **Eragon**

(ID no. 30497825/SDS_CPA_00/EN)

Date of print 23.01.2018

any specific purpose be deduced from the data contained in the safety data sheet. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

Vertical lines in the left hand margin indicate an amendment from the previous version.