

Safety data sheet

Page: 1/16

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 28.12.2021 Version: 4.0

Product: Fastac SC

(ID no. 30262577/SDS_CPA_00/EN)

Date of print 02.02.2022

1. Identification

Product identifier

Fastac SC

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: crop protection product, insecticide

Details of the supplier of the safety data sheet

Company:
BASF South Africa (Pty) Ltd
852 Sixteenth Road
Midrand
P O Box 2801
Halfway House 1685
SOUTH AFRICA

Telephone: +27 11 203 2400

Emergency telephone number

National emergency number: +27(011) 203 2573 International emergency number: Telephone: +49 180 2273-112

2. Hazards Identification

Classification of the substance or mixture

According to UN GHS criteria

Acute Tox. 4 (oral)

Date / Revised: 28.12.2021 Version: 4.0

Product: Fastac SC

(ID no. 30262577/SDS_CPA_00/EN)

Date of print 02.02.2022

Skin Corr./Irrit. 3 Aquatic Acute 1 Aquatic Chronic 1

For the classifications not written out in full in this section the full text can be found in section 16.

Label elements

Globally Harmonized System (GHS)

Pictogram:





Signal Word: Warning

Hazard Statement:

H316 Causes mild skin irritation. H302 Harmful if swallowed. H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statement:

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

Precautionary Statements (Prevention):

P270 Do not eat, drink or smoke when using this product.
P264 Wash contaminated body parts thoroughly after handling.

P262 Do not get in eyes, on skin, or on clothing.

Precautionary Statements (Response):

P301 + P312 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you

feel unwell.

P330 Rinse mouth P391 Collect spillage.

P332 + P313 If skin irritation occurs: Get medical attention.

Precautionary Statements (Disposal):

P501 Dispose of contents and container to hazardous or special waste

collection point.

Labeling of special preparations (GHS):

May cause paraesthesia. Contains: α -cypermethrin (ISO); racemate comprising (R)- α -cyano-3-phenoxybenzyl (1S,3S)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxyl ate; (S)- α -cyano-3-phenoxybenzyl(1R, 3R)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate

May produce an allergic reaction. Contains: 1,2-Benzisothiazol-3(2H)-one

According to UN GHS criteria

Date / Revised: 28.12.2021 Version: 4.0

Product: Fastac SC

(ID no. 30262577/SDS_CPA_00/EN)

Date of print 02.02.2022

Hazard determining component(s) for labelling: α-cypermethrin (ISO); racemate comprising (R)-αcyano-3-phenoxybenzyl (1S,3S)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxyl ate; (S)-αcyano-3-phenoxybenzyl(1R, 3R)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate

Other hazards

According to UN GHS criteria

See section 12 - Results of PBT and vPvB assessment.

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

3. Composition/Information on Ingredients

Substances

Not applicable

Mixtures

Chemical nature

crop protection product, insecticide, suspension concentrate (SC)

Hazardous ingredients (GHS)

According to UN GHS criteria

α-cypermethrin (ISO); racemate comprising (R)-α-cyano-3-phenoxybenzyl (1S,3S)-3-(2,2dichlorovinyl)-2,2-dimethylcyclopropanecarboxyl ate; (S)-α-cyano-3-phenoxybenzyl(1R, 3R)-3-(2,2dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate

> Content (W/W): 9,85 % Acute Tox. 4 (Inhalation - dust)

CAS Number: 67375-30-8 Acute Tox. 3 (oral) EC-Number: 257-842-9 Skin Corr./Irrit. 3

NDEX-Number: 607-422-00-X STOT SE 3 (irr. to respiratory syst.)

STOT RE (Nervous system) 2

Aquatic Acute 1 Aquatic Chronic 1 M-factor acute: 10000 M-factor chronic: 1000

H301, H316, H332, H335, H373, H400, H410

Distillates (petroleum), hydrotreated heavy paraffinic

Content (W/W): < 15 % Asp. Tox. 1 CAS Number: 64742-54-7 H304

EC-Number: 265-157-1

Poly(oxy-1,2-ethanediyl), .alpha.-[2,4,6-tris(1,1-dimethylethyl)phenyl]-.omega.-hydroxy-

Date / Revised: 28.12.2021 Version: 4.0

Product: Fastac SC

(ID no. 30262577/SDS_CPA_00/EN)

Date of print 02.02.2022

Content (W/W): < 5 % CAS Number: 9046-09-7

Acute Tox. 4 (oral) Eye Dam./Irrit. 1 Aquatic Acute 2 Aquatic Chronic 2 H318, H302, H401, H411

Alcohols, C12- 15, ethoxylated, phosphates (>1 <2.5 mol EO)

Content (W/W): < 3 % Acute Tox. 4 (oral)
CAS Number: 68071-35-2 Skin Corr./Irrit. 2
EC-Number: 500-185-2 Eye Dam./Irrit. 1
Aquatic Acute 3
Aquatic Chronic 3

H318, H315, H302, H402, H412

1,2-Benzisothiazol-3(2H)-one

Content (W/W): < 0,05 % Acute Tox. 4 (oral)
CAS Number: 2634-33-5 Skin Corr./Irrit. 2
EC-Number: 220-120-9 Eye Dam./Irrit. 1
INDEX-Number: 613-088-00-6 Skin Sens. 1
Aquatic Acute 1

Aquatic Acute 1 Aquatic Chronic 1 M-factor acute: 1 M-factor chronic: 1

H318, H315, H302, H317, H400, H410

Specific concentration limit: Skin Sens. 1: >= 0,05 %

Bronopol

Content (W/W): < 0,05 % Acute Tox. 3 (Inhalation - dust)

CAS Number: 52-51-7
EC-Number: 200-143-0
INDEX-Number: 603-085-00-8
Skin Corr./Irrit. 2
Eye Dam./Irrit. 1

STOT SE 3 (irr. to respiratory syst.)

Aquatic Acute 1
Aquatic Chronic 2
M-factor acute: 10
M-factor chronic: 1

H318, H315, H312, H335, H301 + H331, H411,

H400

Propane-1,2-diol

Content (W/W): < 10 % CAS Number: 57-55-6 EC-Number: 200-338-0

For the classifications not written out in full in this section the full text can be found in section 16.

Date / Revised: 28.12.2021 Version: 4.0

Product: Fastac SC

(ID no. 30262577/SDS_CPA_00/EN)

Date of print 02.02.2022

4. First-Aid Measures

Description of first aid measures

Remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

On skin contact:

Wash thoroughly with soap and water

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

On ingestion:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

Most important symptoms and effects, both acute and delayed

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far

Indication of any immediate medical attention and special treatment needed

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Extinguishing media

Suitable extinguishing media:

water spray, carbon dioxide, foam, dry powder

Special hazards arising from the substance or mixture

Carbon monoxide, Carbon dioxide, Hydrogen chloride, Hydrogen bromide, nitrogen oxides, halogenated compounds, silica compounds, Phosphorus compounds, sulfur oxides, cyanides The substances/groups of substances mentioned can be released in case of fire.

Advice for fire-fighters

Special protective equipment:

Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:

In case of fire and/or explosion do not breathe fumes. Keep containers cool by spraying with water if exposed to fire. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

Date / Revised: 28.12.2021 Version: 4.0

Product: Fastac SC

(ID no. 30262577/SDS_CPA_00/EN)

Date of print 02.02.2022

Use personal protective clothing. Avoid contact with the skin, eyes and clothing. Do not breathe vapour/spray.

Environmental precautions

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater.

Methods and material for containment and cleaning up

For small amounts: Pick up with suitable absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr).

For large amounts: Dike spillage. Pump off product.

Dispose of absorbed material in accordance with regulations. Collect waste in suitable containers, which can be labeled and sealed. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations.

7. Handling and Storage

Precautions for safe handling

No special measures necessary if stored and handled correctly. Ensure thorough ventilation of stores and work areas. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift.

Protection against fire and explosion:

No special precautions necessary. The substance/product is non-combustible. Product is not explosive.

Conditions for safe storage, including any incompatibilities

Segregate from foods and animal feeds.

Further information on storage conditions: Keep away from heat. Protect from direct sunlight.

Storage stability:

Storage duration: 36 Months

Protect from temperatures below: -5 °C

The product can crystallize below the limit temperature.

Protect from temperatures above: 40 °C

Changes in the properties of the product may occur if substance/product is stored above indicated temperature for extended periods of time.

Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

8. Exposure Controls/Personal Protection

Control parameters

Components with occupational exposure limits

Date / Revised: 28.12.2021 Version: 4.0

Product: Fastac SC

(ID no. 30262577/SDS_CPA_00/EN)

Date of print 02.02.2022

57-55-6: Propane-1,2-diol 67375-30-8: alpha-Cypermethrin

64742-54-7: Distillates (petroleum), hydrotreated heavy paraffinic

Exposure controls

Personal protective equipment

Respiratory protection:

Suitable respiratory protection for higher concentrations or long-term effect: Combination filter for gases/vapours of organic, inorganic, acid inorganic and alkaline compounds (e.g. EN 14387 Type ABEK).

Hand protection:

Suitable chemical resistant safety gloves (EN ISO 374-1) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN ISO 374-1): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) etc.

Eye protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

General safety and hygiene measures

The statements on personal protective equipment in the instructions for use apply when handling crop-protection agents in final-consumer packing. Wearing of closed work clothing is recommended. Store work clothing separately. Keep away from food, drink and animal feeding stuffs.

9. Physical and Chemical Properties

Information on basic physical and chemical properties

Form: liquid Colour: white Odour: aliphatic

Odour threshold:

Not determined due to potential

health hazard by inhalation.

pH value: approx. 5 - 7 (1 g/l, 20 °C)

approx. -5,3 °C

crystallization temperature: approx. 100 °C Boiling point:

Information applies to the solvent.

Flash point:

Non-flammable.

Evaporation rate:

not applicable

Flammability: not applicable

Date / Revised: 28.12.2021 Version: 4.0

Product: Fastac SC

(ID no. 30262577/SDS_CPA_00/EN)

Date of print 02.02.2022

Lower explosion limit:

As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with

the intended use.

Upper explosion limit:

As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with

the intended use.

Ignition temperature: 394 °C

Vapour pressure: approx. 23 hPa

(20 °C)

Information applies to the solvent.

Density: approx. 1,02 g/cm3 (OECD Guideline 109)

(20 °C)

Relative vapour density (air):

not applicable

Solubility in water: dispersible

Partitioning coefficient n-octanol/water (log Kow):

not applicable

Thermal decomposition: 95 °C, 20 kJ/kg (DSC (OECD 113))

195 °C, 50 kJ/kg (DSC (OECD 113)) 295 °C, 350 kJ/kg (DSC (OECD 113))

Not a substance liable to self-decomposition according to UN transport

regulations, class 4.1.

Viscosity, dynamic: approx. 125 mPa.s (OECD 114)

(20 °C, 100 1/s)

Viscosity, kinematic: approx. 55,9 mm2/s (OECD 114)

(40 °C)

Explosion hazard: not explosive

Fire promoting properties: not fire-propagating

SADT: > 75 °C

Other information

Other Information:

If necessary, information on other physical and chemical parameters is indicated in this section.

10. Stability and Reactivity

Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Chemical stability

The product is stable if stored and handled as prescribed/indicated.

Possibility of hazardous reactions

No hazardous reactions if stored and handled as prescribed/indicated.

Date / Revised: 28.12.2021 Version: 4.0

Product: Fastac SC

(ID no. 30262577/SDS_CPA_00/EN)

Date of print 02.02.2022

Conditions to avoid

See SDS section 7 - Handling and storage.

Incompatible materials

Substances to avoid:

strong bases, strong acids, strong oxidizing agents

Hazardous decomposition products

Hazardous decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated.

11. Toxicological Information

Information on toxicological effects

Acute toxicity

Assessment of acute toxicity:

Of moderate toxicity after single ingestion. Virtually nontoxic after a single skin contact. Virtually nontoxic by inhalation. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Experimental/calculated data:

LD50 rat (oral): 1.768 mg/kg (OECD Guideline 401)

LC50 rat (by inhalation): > 4,6 mg/l 4 h (OECD Guideline 403)

Highest concentration technically achievable. No mortality was observed. An aerosol was tested.

LD50 rat (dermal): > 5.000 mg/kg (OECD Guideline 402)

Irritation

Assessment of irritating effects:

Skin contact causes slight irritation. Not irritating to the eyes. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Serious eye damage/irritation rabbit: non-irritant (OECD Guideline 405)

Information on: Alcohols, C12- 15, ethoxylated, phosphates (>1 <2.5 mol EO)

Assessment of irritating effects:

Skin contact causes irritation. May cause severe damage to the eyes.

Information on: α -cypermethrin (ISO); racemate comprising (R)- α -cyano-3-phenoxybenzyl (1S,3S)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxyl ate; (S)- α -cyano-3-phenoxybenzyl(1R, 3R)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate

Experimental/calculated data:

Skin corrosion/irritation rabbit: Irritant. (OECD Guideline 404)

Respiratory/Skin sensitization

Date / Revised: 28.12.2021 Version: 4.0

Product: Fastac SC

(ID no. 30262577/SDS_CPA_00/EN)

Date of print 02.02.2022

Assessment of sensitization:

There is no evidence of a skin-sensitizing potential. The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: α -cypermethrin (ISO); racemate comprising (R)- α -cyano-3-phenoxybenzyl (1S,3S)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxyl ate; (S)- α -cyano-3-phenoxybenzyl(1R, 3R)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate

Experimental/calculated data:

Guinea pig maximization test guinea pig: Non-sensitizing. (OECD Guideline 406)

Germ cell mutagenicity

Assessment of mutagenicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Bronopol

Assessment of mutagenicity:

The substance was mutagenic in a mammalian cell culture test system. No mutagenic effect was found in various tests with bacteria and mammals.

Carcinogenicity

Assessment of carcinogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components. The results of various animal studies gave no indication of a carcinogenic effect.

Reproductive toxicity

Assessment of reproduction toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components. The results of animal studies gave no indication of a fertility impairing effect.

Developmental toxicity

Assessment of teratogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components. Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals.

Specific target organ toxicity (single exposure)

Assessment of STOT single:

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

Remarks: The product has not been tested. The statement has been derived from the properties of the individual components.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Date / Revised: 28.12.2021 Version: 4.0

Product: Fastac SC

(ID no. 30262577/SDS_CPA_00/EN)

Date of print 02.02.2022

Assessment of repeated dose toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: α -cypermethrin (ISO); racemate comprising (R)- α -cyano-3-phenoxybenzyl (1S,3S)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxyl ate; (S)- α -cyano-3-phenoxybenzyl(1R, 3R)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate

Assessment of repeated dose toxicity:

Repeated oral exposure may affect certain organs. Damages the peripheral nerve system.

Information on: Bronopol

Assessment of repeated dose toxicity:

After repeated exposure the prominent effect is local irritation.

Aspiration hazard

No aspiration hazard expected.

The product has not been tested. The statement has been derived from the properties of the individual components.

Other relevant toxicity information

Misuse can be harmful to health.

12. Ecological Information

Toxicity

Assessment of aquatic toxicity:

Very toxic to aquatic life with long lasting effects.

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: α -cypermethrin (ISO); racemate comprising (R)- α -cyano-3-phenoxybenzyl (1S,3S)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxyl ate; (S)- α -cyano-3-phenoxybenzyl(1R, 3R)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate

Toxicity to fish:

LC50 (96 h) 0,00093 mg/l, Pimephales promelas (OPP 72-1 (EPA-Guideline), Flow through.)

Information on: α-cypermethrin (ISO); racemate comprising (R)-α-cyano-3-phenoxybenzyl (1S,3S)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxyl ate; (S)-α-cyano-3-phenoxybenzyl(1R, 3R)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate

Aquatic invertebrates:

EC50 (48 h) 12,6 ng/l, Chironomus riparius

Information on: α -cypermethrin (ISO); racemate comprising (R)- α -cyano-3-phenoxybenzyl (1S,3S)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxyl ate; (S)- α -cyano-3-phenoxybenzyl(1R, 3R)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate

Aquatic plants:

EC50 (7 d) > 0,00139 mg/l (growth rate), Lemna gibba (OECD Guideline 201)

Date / Revised: 28.12.2021 Version: 4.0

Product: Fastac SC

(ID no. 30262577/SDS_CPA_00/EN)

Date of print 02.02.2022

No observed effect concentration (7 d) > 0,00139 mg/l (growth rate), Lemna gibba (OECD guideline 221, static)

EC50 (72 h) > 0,027 mg/l (growth rate), Anabaena flos-aquae (OECD Guideline 201)

Information on: α -cypermethrin (ISO); racemate comprising (R)- α -cyano-3-phenoxybenzyl (1S,3S)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxyl ate; (S)- α -cyano-3-phenoxybenzyl(1R, 3R)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate

Chronic toxicity to fish:

No observed effect concentration (34 d) 0,03 μg/L, Pimephales promelas (OPP 72-4 (EPA-Guideline), Flow through.)

Information on: α -cypermethrin (ISO); racemate comprising (R)- α -cyano-3-phenoxybenzyl (1S,3S)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxyl ate; (S)- α -cyano-3-phenoxybenzyl(1R, 3R)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate

Chronic toxicity to aquatic invertebrates:

No observed effect concentration (21 d) 0,03 μg/L, Daphnia magna (OPP 72-4 (EPA-Guideline), semistatic)

.....

Persistence and degradability

Assessment biodegradation and elimination (H2O):

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: α -cypermethrin (ISO); racemate comprising (R)- α -cyano-3-phenoxybenzyl (1S,3S)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxyl ate; (S)- α -cyano-3-phenoxybenzyl(1R, 3R)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate

Assessment biodegradation and elimination (H2O):

Not readily biodegradable (by OECD criteria).

Bioaccumulative potential

Assessment bioaccumulation potential:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: α -cypermethrin (ISO); racemate comprising (R)- α -cyano-3-phenoxybenzyl (1S,3S)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxyl ate; (S)- α -cyano-3-phenoxybenzyl(1R, 3R)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate

Bioaccumulation potential:

Bioconcentration factor: 155 - 910 (73 d), Cyprinus carpio (OECD Guideline 305 C)

Mobility in soil

Assessment transport between environmental compartments:

Adsorption in soil: The product has not been tested. The statement has been derived from the properties of the individual components.

Date / Revised: 28.12.2021 Version: 4.0

Product: Fastac SC

(ID no. 30262577/SDS_CPA_00/EN)

Date of print 02.02.2022

Information on: α -cypermethrin (ISO); racemate comprising (R)- α -cyano-3-phenoxybenzyl (1S,3S)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxyl ate; (S)- α -cyano-3-phenoxybenzyl(1R, 3R)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate

Assessment transport between environmental compartments:

Adsorption in soil: Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.

Results of PBT and vPvB assessment

The product does not contain a substance fulfilling the PBT (persistent/bioaccumulative/toxic) criteria or the vPvB (very persistent/very bioaccumulative) criteria.

Other adverse effects

The product does not contain substances that are listed in the Montreal Protocol on substances that deplete the ozone layer.

Additional information

Other ecotoxicological advice:

Do not discharge product into the environment without control.

13. Disposal Considerations

Waste treatment methods

Must be sent to a suitable incineration plant, observing local regulations.

Contaminated packaging:

Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

14. Transport Information

Land transport

ADR

UN number or ID number: UN3082

UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (contains ALPHA-CYPERMETHRIN, TRIBUTYL PHENOL

POLYGLYCOL ETHER)

Transport hazard class(es): 9, EHSM

Packing group: III Environmental hazards: yes

Special precautions for

user: None known

RID

Date / Revised: 28.12.2021 Version: 4.0

Product: Fastac SC

(ID no. 30262577/SDS_CPA_00/EN)

Date of print 02.02.2022

UN number or ID number: UN3082

UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (contains ALPHA-CYPERMETHRIN, TRIBUTYL PHENOL

POLYGLYCOL ETHER)

Transport hazard class(es): 9, EHSM

Packing group: III Environmental hazards: yes

Special precautions for None known

user:

Inland waterway transport

ADN

UN number or ID number: UN3082

UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (contains ALPHA-CYPERMETHRIN, TRIBUTYL PHENOL

POLYGLYCOL ETHER)

Transport hazard class(es): 9, EHSM

Packing group: III Environmental hazards: yes

Special precautions for No

user:

None known

Transport in inland waterway vessel

Not evaluated

Sea transport

IMDG

UN number or ID number: UN 3082

UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (contains ALPHA-CYPERMETHRIN, TRIBUTYL PHENOL

POLYGLYCOL ETHER)

Transport hazard class(es): 9, EHSM

Packing group:

Environmental hazards: yes

Marine pollutant: YES

Special precautions for

user:

None known

Air transport

IATA/ICAO

UN number or ID number: UN 3082

UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (contains ALPHA-CYPERMETHRIN, TRIBUTYL PHENOL

POLYGLYCOL ETHER)

Transport hazard class(es): 9, EHSM

Packing group: III

Date / Revised: 28.12.2021 Version: 4.0

Product: Fastac SC

(ID no. 30262577/SDS_CPA_00/EN)

Date of print 02.02.2022

Environmental hazards: yes

Special precautions for None known

user:

Maritime transport in bulk according to IMO instruments

Maritime transport in bulk is not intended.

Further information

Product may be shipped as non-hazardous in suitable packages containing a net quantity of 5 L or less under the provisions of various regulatory agencies: ADR, RID, ADN: Special Provision 375; IMDG: 2.10.2.7; IATA: A197; TDG: Special Provision 99(2); 49CFR: §171.4 (c) (2) and also the Special Provision 375 in Appendix B which is regulated in China "Regulations Concerning Road Transportation of Dangerous Goods Part 3: Index of dangerous goods name and transportation requirements" (JT/T 617.3)

15. Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

To avoid risks to man and the environment, comply with the instructions for use.

16. Other Information

Full text of classifications, hazard symbols and hazard statements, if mentioned in section 2 or 3:

Acute Tox. Acute toxicity

Skin Corr./Irrit. Skin corrosion/irritation

Aquatic Acute Hazardous to the aquatic environment - acute
Aquatic Chronic Hazardous to the aquatic environment - chronic
STOT SE Specific target organ toxicity — single exposure
STOT RE Specific target organ toxicity — repeated exposure

Asp. Tox. Aspiration hazard

Eye Dam./Irrit. Serious eye damage/eye irritation

Skin Sens.

H301 Skin sensitization

Toxic if swallowed.

H316 Causes mild skin irritation.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

H373 May cause damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.
H304 May be fatal if swallowed and enters airways.

H318 Causes serious eye damage.

H302 Harmful if swallowed. H401 Toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

H315 Causes skin irritation. H402 Harmful to aquatic life.

H412 Harmful to aquatic life with long lasting effects.

Page: 16/16

Safety data sheet according to UN GHS 4th rev.

Date / Revised: 28.12.2021 Version: 4.0

Product: Fastac SC

(ID no. 30262577/SDS_CPA_00/EN)

Date of print 02.02.2022

H317 May cause an allergic skin reaction.

H312 Harmful in contact with skin.
H301 + H331 Toxic if swallowed or if inhaled

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

Vertical lines in the left hand margin indicate an amendment from the previous version.