

# Safety data sheet

Page: 1/16

BASF BASF Safety data sheet according to UN GHS 4th rev. Date / Revised: 01.10.2021 Product: **Frontier Optima** 

Version: 4.0

(ID no. 30508044/SDS\_CPA\_00/EN) Date of print 02.02.2022

1. Identification

Product identifier

# **Frontier Optima**

### Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: crop protection product, herbicide

#### Details of the supplier of the safety data sheet

<u>Company:</u> BASF South Africa (Pty) Ltd 852 Sixteenth Road Midrand P O Box 2801 Halfway House 1685 SOUTH AFRICA

Telephone: +27 11 203 2400

#### **Emergency telephone number**

National emergency number: +27(011) 203 2573 International emergency number: Telephone: +49 180 2273-112

# 2. Hazards Identification

# Classification of the substance or mixture

According to UN GHS criteria

Acute Tox. 4 (oral)

Page: 2/16

BASF Safety data sheet according to UN GHS 4th rev. Date / Revised: 01.10.2021 Product: **Frontier Optima** 

Version: 4.0

(ID no. 30508044/SDS\_CPA\_00/EN) Date of print 02.02.2022

Skin Corr./Irrit. 2 Eye Dam./Irrit. 2A Skin Sens. 1B STOT SE 3 (irritating to respiratory system) Aquatic Acute 1 Aquatic Chronic 1

For the classifications not written out in full in this section the full text can be found in section 16.

### Label elements

Globally Harmonized System (GHS)

Pictogram:



Signal Word: Warning

Hazard Stateme	ent:
H319	Causes serious eye irritation.
H315	Causes skin irritation.
H302	Harmful if swallowed.
H317	May cause an allergic skin reaction.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
Precautionary S	Statement:
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read carefully and follow all instructions.
Precautionary S	Statements (Prevention):
P280	Wear protective gloves and eye protection or face protection.
P261	Avoid breathing mist or vapour or spray.
P271	Use only outdoors or in a well-ventilated area.
P272	Contaminated work clothing should not be allowed out of the workplace.
P270	Do not eat, drink or smoke when using this product.
P264	Wash contaminated body parts thoroughly after handling.

Precautionary Statements (Response):

Page: 3/16

Version: 4.0

BASF Safety data sheet according to UN GHS 4th rev. Date / Revised: 01.10.2021 Product: **Frontier Optima** 

(ID no. 30508044/SDS\_CPA\_00/EN)

	Date of print 02.02.2022
P312	Call a POISON CENTER or physician if you feel unwell.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove
	contact lenses, if present and easy to do. Continue rinsing.
P304 + P340	IF INHALED: Remove person to fresh air and keep comfortable for
	breathing.
P302 + P352	IF ON SKIN: Wash with plenty of soap and water.
P333 + P313	If skin irritation or rash occurs: Get medical attention.
P330	Rinse mouth
P391	Collect spillage.
P332 + P313	If skin irritation occurs: Get medical attention.
P362 + P364	Take off contaminated clothing and wash it before reuse.
P337 + P313	If eye irritation persists: Get medical attention.
Precautionary Statemer	nts (Storage):
P403 + P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.
Precautionary Statemer	nts (Disposal):
P501	Dispose of contents and container to hazardous or special waste
	collection point.

#### According to UN GHS criteria

Hazard determining component(s) for labelling: dimethenamid-P, Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified; [A complex combination of hydrocarbons obtained from distillation of aromatic streams. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of C9 thro ugh C16 and boiling in the range of approximately 165 oC to 290 oC (330 oF to 554 oF).], Oxirane, methyl-, polymer with oxirane, monobutyl ether, Biphenyl

#### Other hazards

#### According to UN GHS criteria

See section 12 - Results of PBT and vPvB assessment.

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

# 3. Composition/Information on Ingredients

#### Substances

Not applicable

#### **Mixtures**

Chemical nature

BASF Safety data sheet according to UN GHS 4th rev. Date / Revised: 01.10.2021 Product: **Frontier Optima** 

Version: 4.0

(ID no. 30508044/SDS\_CPA\_00/EN)

Date of print 02.02.2022

crop protection product, herbicide, Emulsifiable concentrate (EC)

Hazardous ingredients (GHS) According to UN GHS criteria

dimethenamid-P Content (W/W): 64 % CAS Number: 163515-14-8

Acute Tox. 4 (oral) Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1 M-factor acute: 10 M-factor chronic: 10 H302, H317, H400, H410

Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified; [A complex combination of hydrocarbons obtained from distillation of aromatic streams. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of C9 thro ugh C16 and boiling in the range of approximately 165 oC to 290 oC (330 oF to 554 oF).]

Content (W/W): < 30 % CAS Number: 64742-94-5 Asp. Tox. 1 Aquatic Acute 2 Aquatic Chronic 2 H304, H401, H411

2-Methylnaphthalene Content (W/W): < 15 %

CAS Number: 91-57-6 EC-Number: 202-078-3 Acute Tox. 4 (oral) Aquatic Chronic 2 H302, H411

1-Methylnaphthalene

Content (W/W): < 10 % CAS Number: 90-12-0 EC-Number: 201-966-8

Asp. Tox. 1 Acute Tox. 4 (oral) Aquatic Acute 2 Aquatic Chronic 2 H302, H304, H401, H411

 

 POE (6) Tridecyl ether phosphate, reaction product with POE (5) soya amine Content (W/W): < 10 %</td>
 Skin Corr./Irrit. 2

 Skin Corr./Irrit. 2
 Skin Corr./Irrit. 2

Eye Dam./Irrit. 2A H319, H315

Oxirane, methyl-, polymer with oxirane, monobutyl ether

Page: 5/16

BASF Safety data sheet according to UN GHS 4th rev. Date / Revised: 01.10.2021 Product: **Frontier Optima** 

INDEX-Number: 601-042-00-8

Version: 4.0

(ID no. 30508044/SDS\_CPA\_00/EN)

Date of print 02.02.2022

	Content (W/W): < 5 % CAS Number: 9038-95-3	Acute Tox. 4 (oral) Skin Corr./Irrit. 2 Eye Dam./Irrit. 2A H319, H315, H302	
Biphenyl			
	Content (W/W): < 3 %	Acute Tox. 5 (oral)	
	CAS Number: 92-52-4	Skin Corr./Irrit. 2	
	EC-Number: 202-163-5	Eye Dam./Irrit. 2A	

Aquatic Acute 1 Aquatic Chronic 3 M-factor acute: 1 M-factor chronic: 1

STOT SE 3 (irr. to respiratory syst.)

H319, H315, H303, H335, H412, H400

For the classifications not written out in full in this section the full text can be found in section 16.

#### 4. First-Aid Measures

#### **Description of first aid measures**

First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Immediately remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

On skin contact: Wash thoroughly with soap and water

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

On ingestion: Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

#### Most important symptoms and effects, both acute and delayed

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far

#### Indication of any immediate medical attention and special treatment needed

Page: 6/16

Version: 4.0

BASF Safety data sheet according to UN GHS 4th rev. Date / Revised: 01.10.2021 Product: **Frontier Optima** 

(ID no. 30508044/SDS\_CPA\_00/EN)

Date of print 02.02.2022

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

# 5. Fire-Fighting Measures

#### Extinguishing media

Suitable extinguishing media: water spray, foam, dry powder, carbon dioxide

#### Special hazards arising from the substance or mixture

Carbon monoxide, Hydrogen chloride, Carbon dioxide, nitrogen oxides, organochloric compounds, sulfur oxides, phosphorus oxides The substances/groups of substances mentioned can be released in case of fire.

#### Advice for fire-fighters

Special protective equipment: Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:

In case of fire and/or explosion do not breathe fumes. Keep containers cool by spraying with water if exposed to fire. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

#### 6. Accidental Release Measures

#### Personal precautions, protective equipment and emergency procedures

Do not breathe vapour/spray. Use personal protective clothing. Avoid contact with the skin, eyes and clothing.

#### **Environmental precautions**

Do not discharge into drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

#### Methods and material for containment and cleaning up

For small amounts: Pick up with suitable absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr).

For large amounts: Dike spillage. Pump off product.

Dispose of absorbed material in accordance with regulations. Collect waste in suitable containers, which can be labeled and sealed. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations. Wear suitable protective equipment.

#### 7. Handling and Storage

#### Precautions for safe handling

No special measures necessary if stored and handled correctly. Ensure thorough ventilation of stores and work areas. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift.

Page: 7/16

BASF Safety data sheet according to UN GHS 4th rev. Date / Revised: 01.10.2021 Product: **Frontier Optima** 

Version: 4.0

(ID no. 30508044/SDS\_CPA\_00/EN) Date of print 02.02.2022

Protection against fire and explosion:

Vapours may form ignitable mixture with air. Prevent electrostatic charge - sources of ignition should be kept well clear - fire extinguishers should be kept handy.

#### Conditions for safe storage, including any incompatibilities

Segregate from foods and animal feeds. Further information on storage conditions: Keep away from heat. Protect from direct sunlight.

Storage stability: Storage duration: 60 Months

Protect from temperatures below: -10 °C Changes in the properties of the product may occur if substance/product is stored below indicated temperature for extended periods of time. Protect from temperatures above: 40 °C Changes in the properties of the product may occur if substance/product is stored above indicated temperature for extended periods of time.

#### Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

# 8. Exposure Controls/Personal Protection

#### **Control parameters**

Components with occupational exposure limits

92-52-4: Biphenyl 64742-94-5: Solvent naphtha (petroleum), heavy arom. 90-12-0: 1-Methylnaphthalene 91-57-6: 2-Methylnaphthalene

#### Exposure controls

Personal protective equipment

Respiratory protection: Suitable respiratory protection for higher concentrations or long-term effect: Combination filter for gases/vapours of organic, inorganic, acid inorganic, alkaline compounds and toxic particles (e. g. EN 14387 Type ABEK-P3)

Hand protection:

Suitable chemical resistant safety gloves (EN ISO 374-1) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN ISO 374-1): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) etc.

Eye protection:

Page: 8/16

BASF Safety data sheet according to UN GHS 4th rev. Date / Revised: 01.10.2021 Product: **Frontier Optima** 

Version: 4.0

(ID no. 30508044/SDS\_CPA\_00/EN)

Date of print 02.02.2022

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

General safety and hygiene measures

The statements on personal protective equipment in the instructions for use apply when handling crop-protection agents in final-consumer packing. Wearing of closed work clothing is recommended. Store work clothing separately. Keep away from food, drink and animal feeding stuffs.

# 9. Physical and Chemical Properties

#### Information on basic physical and chemical properties

Form: Colour: Odour: Odour threshold:	liquid brown aromatic	
	Not determined due to potential health hazard by inhalation.	
pH value:	approx. 2 - 4 (1 %(m), 20 °C)	
Melting point:	(1,75(11), 20, 0)	
Boiling point:	The product has not been tested. approx. 122,6 °C (9,3 Pa)	
	Information based on the main components.	
Flash point:	Non-flammable.	
Evaporation rate:	Non-nammable.	
	not applicable	
Flammability:	not applicable	
Lower explosion limit:	approx. 0,6 %(V) Information applies to the solvent.	
Upper explosion limit:	approx. 7,0 %(V)	
	Information applies to the solvent.	
Ignition temperature:	approx. 391 °C	(Regulation 440/2008/EC,
Vapour pressure:	approx. < 1 mmHg (25 °C)	A.15)
Density:	(25°C) approx. 1,13 g/cm3 (20 °C)	
Relative vapour density		
Solubility in water:	not applicable emulsifiable, insoluble	

Page: 9/16

BASF Safety data sheet according to UN GHS 4th rev. Date / Revised: 01.10.2021 Product: **Frontier Optima** 

Version: 4.0

(ID no. 30508044/SDS\_CPA\_00/EN)

Date of print 02.02.2022

Dertitioning coefficient a	e etere el/weter (le e Kew)	
Partitioning coefficient n-o	The statements are based on the properties of the individual	
Information on: dimethen Partitioning coefficient n-	components. a <i>mid-P</i> octanol/water (log Kow): 1,89	
Thermal decomposition:	- 230 °C, 370 kJ/kg (DSC (OECD 113)) 380 °C, > 230 kJ/kg (DSC (OECD 113) Not a substance liable to self-decomp regulations, class 4.1.	3))
Viscosity, dynamic:	approx. 43,6 mPa.s (20 °C)	
Viscosity, kinematic:	22 mm2/s (40 °C)	
Explosion hazard:	not explosive	(Regulation 440/2008/EC, A.14)
Fire promoting properties	: not fire-propagating	(Regulation 440/2008/EC, A.21)
SADT:	> 75 °C	

#### Other information

Other Information:

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

# 10. Stability and Reactivity

#### Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

#### **Chemical stability**

The product is stable if stored and handled as prescribed/indicated.

#### Possibility of hazardous reactions

No hazardous reactions if stored and handled as prescribed/indicated.

#### Conditions to avoid

See SDS section 7 - Handling and storage.

#### Incompatible materials

Substances to avoid: strong acids, strong bases, strong oxidizing agents

#### Hazardous decomposition products

Page: 10/16

Version: 4.0

BASF Safety data sheet according to UN GHS 4th rev. Date / Revised: 01.10.2021 Product: **Frontier Optima** 

(ID no. 30508044/SDS\_CPA\_00/EN)

Date of print 02.02.2022

Hazardous decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated.

# **11. Toxicological Information**

#### Information on toxicological effects

#### Acute toxicity

Assessment of acute toxicity:

Of moderate toxicity after single ingestion. Virtually nontoxic by inhalation. Virtually nontoxic after a single skin contact. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Experimental/calculated data: LD50 rat (oral): > 500 mg/kg (OECD Guideline 423)

LC50 rat (by inhalation): > 5,6 mg/l 4 h (OECD Guideline 403) No mortality was observed.

LD50 rat (dermal): > 5.000 mg/kg (OECD Guideline 402) No mortality was observed.

**Irritation** 

Assessment of irritating effects:

Eye contact causes irritation. Skin contact causes irritation. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Experimental/calculated data: Skin corrosion/irritation rabbit: Irritant. (OECD Guideline 404)

Serious eye damage/irritation rabbit: Irritant. (OECD Guideline 405)

#### Respiratory/Skin sensitization

Assessment of sensitization:

Sensitization after skin contact possible. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Experimental/calculated data: modified Buehler test guinea pig: sensitizing (OECD Guideline 406)

#### Germ cell mutagenicity

Assessment of mutagenicity:

The product has not been tested. The statement has been derived from the properties of the individual components. Mutagenicity tests revealed no genotoxic potential.

Page: 11/16

#### BASF Safety data sheet according to UN GHS 4th rev. Date / Revised: 01.10.2021 Product: **Frontier Optima**

Version: 4.0

(ID no. 30508044/SDS\_CPA\_00/EN) Date of print 02.02.2022

#### **Carcinogenicity**

Assessment of carcinogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components. The results of various animal studies gave no indication of a carcinogenic effect.

#### Reproductive toxicity

Assessment of reproduction toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components. The results of animal studies gave no indication of a fertility impairing effect.

#### **Developmental toxicity**

Assessment of teratogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components. Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals.

#### Specific target organ toxicity (single exposure)

Assessment of STOT single: Causes temporary irritation of the respiratory tract.

Remarks: The product has not been tested. The statement has been derived from the properties of the individual components.

#### Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: dimethenamid-P Assessment of repeated dose toxicity: Adaptive effects were observed after repeated exposure in animal studies.

Information on: Biphenyl Assessment of repeated dose toxicity: The substance may cause damage to the kidney after repeated ingestion of high doses, as shown in animal studies.

\_\_\_\_\_

#### Aspiration hazard

No aspiration hazard expected.

The product has not been tested. The statement has been derived from the properties of the individual components.

Page: 12/16

BASF Safety data sheet according to UN GHS 4th rev. Date / Revised: 01.10.2021 Product: **Frontier Optima** 

Version: 4.0

(ID no. 30508044/SDS\_CPA\_00/EN)

Date of print 02.02.2022

Other relevant toxicity information

Misuse can be harmful to health.

# **12. Ecological Information**

### Toxicity

Assessment of aquatic toxicity: Very toxic to aquatic life with long lasting effects. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Toxicity to fish: LC50 (96 h) 7,94 mg/l, Oncorhynchus mykiss (OECD Guideline 203)

Aquatic invertebrates: EC50 (48 h) 17,1 mg/l, Daphnia magna (OECD Guideline 202, part 1)

Aquatic plants: EC50 (72 h) 0,1327 mg/l (growth rate), Desmodesmus subspicatus (OECD Guideline 201)

EC10 (72 h) 0,0245 mg/l (growth rate), Desmodesmus subspicatus

EC50 (7 d) 0,0085 mg/l (growth rate), Lemna gibba

No observed effect concentration (7 d) 0,003 mg/l (growth rate), Lemna gibba

Information on: dimethenamid-P Chronic toxicity to fish: No observed effect concentration (90 d) 0,120 mg/l, Oncorhynchus mykiss

Information on: dimethenamid-P Chronic toxicity to aquatic invertebrates: No observed effect concentration (21 d) 0,680 mg/l, Daphnia magna

#### Persistence and degradability

Assessment biodegradation and elimination (H2O): The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: dimethenamid-P Assessment biodegradation and elimination (H2O): Not readily biodegradable (by OECD criteria).

#### **Bioaccumulative potential**

Page: 13/16

Version: 4.0

BASF Safety data sheet according to UN GHS 4th rev. Date / Revised: 01.10.2021 Product: **Frontier Optima** 

(ID no. 30508044/SDS\_CPA\_00/EN)

Date of print 02.02.2022

Assessment bioaccumulation potential: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: dimethenamid-P Bioaccumulation potential: No significant accumulation in organisms is expected as a result of the distribution coefficient of noctanol/water (log Pow).

### Mobility in soil

Assessment transport between environmental compartments: Adsorption in soil: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: dimethenamid-P Assessment transport between environmental compartments: Adsorption in soil: Following exposure to soil, the product trickles away and can - dependant on degradation - be transported to deeper soil areas with larger water loads.

#### Results of PBT and vPvB assessment

The product does not contain a substance fulfilling the PBT (persistent/bioaccumulative/toxic) criteria or the vPvB (very persistent/very bioaccumulative) criteria.

#### Other adverse effects

The product does not contain substances that are listed in the Montreal Protocol on substances that deplete the ozone layer.

#### Additional information

Other ecotoxicological advice: Do not discharge product into the environment without control.

# **13. Disposal Considerations**

### Waste treatment methods

Must be sent to a suitable incineration plant, observing local regulations.

Contaminated packaging:

Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

Page: 14/16

BASF Safety data sheet according to UN GHS 4th rev. Date / Revised: 01.10.2021 Product: **Frontier Optima** 

Version: 4.0

(ID no. 30508044/SDS\_CPA\_00/EN) Date of print 02.02.2022

# **14. Transport Information**

### Land transport

ADR

UN number UN proper shipping name: Transport hazard class(es): Packing group: Environmental hazards: Special precautions for user:	UN3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains SOLVENT NAPHTHA, DIMETHENAMID-P) 9, EHSM III yes None known	
RID		
UN number UN proper shipping name:	UN3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains SOLVENT NAPHTHA, DIMETHENAMID-P)	
Transport hazard class(es): Packing group: Environmental hazards: Special precautions for user:	9, EHSM III yes None known	
Inland waterway transport ADN		
UN number UN proper shipping name:	UN3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains SOLVENT NAPHTHA, DIMETHENAMID-P)	
Transport hazard class(es): Packing group: Environmental hazards: Special precautions for user:	9, EHSM III yes None known	

Transport in inland waterway vessel Not evaluated

#### <u>Sea transport</u>

IMDG

Page: 15/16

Version: 4.0

BASF Safety data sheet according to UN GHS 4th rev. Date / Revised: 01.10.2021 Product: **Frontier Optima** 

(ID no. 30508044/SDS\_CPA\_00/EN) Date of print 02.02.2022

	Date of print of
UN number:	UN 3082
UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
	N.O.S. (contains SOLVENT NAPHTHA, DIMETHENAMID-P)
Transport hazard class(es):	9, EHSM
Packing group:	III
Environmental hazards:	yes
	Marine pollutant: YES
Special precautions for	None known
user:	

#### Air transport

IATA/ICAO

UN number: UN proper shipping name:	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains SOLVENT NAPHTHA, DIMETHENAMID-P)
Transport hazard class(es): Packing group:	,
Environmental hazards: Special precautions for	yes None known
user:	

### Transport in bulk according to Annex II of MARPOL and the IBC Code

Regulation:	Not evaluated
Shipment approved:	Not evaluated
Pollution name:	Not evaluated
Pollution category:	Not evaluated
Ship Type:	Not evaluated

#### **Further information**

Product may be shipped as non-hazardous in suitable packages containing a net quantity of 5 L or less under the provisions of various regulatory agencies: ADR, RID, ADN: Special Provision 375; IMDG: 2.10.2.7; IATA: A197; TDG: Special Provision 99(2); 49CFR: §171.4 (c) (2) and also the Special Provision 375 in Appendix B which is regulated in China "Regulations Concerning Road Transportation of Dangerous Goods Part 3: Index of dangerous goods name and transportation requirements" (JT/T 617.3)

# **15. Regulatory Information**

# Safety, health and environmental regulations/legislation specific for the substance or mixture

To avoid risks to man and the environment, comply with the instructions for use.

Page: 16/16

BASF Safety data sheet according to UN GHS 4th rev. Date / Revised: 01.10.2021 Product: **Frontier Optima** 

Version: 4.0

(ID no. 30508044/SDS\_CPA\_00/EN) Date of print 02.02.2022

16. Other Information

	ons, hazard symbols and hazard statements, if mentioned in section 2 or 3:
Acute Tox.	Acute toxicity
Skin Corr./Irrit.	Skin corrosion/irritation
Eye Dam./Irrit.	Serious eye damage/eye irritation
Skin Sens.	Skin sensitization
STOT SE	Specific target organ toxicity — single exposure
Aquatic Acute	Hazardous to the aquatic environment - acute
Aquatic Chronic	Hazardous to the aquatic environment - chronic
Asp. Tox.	Aspiration hazard
H302	Harmful if swallowed.
H317	May cause an allergic skin reaction.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H304	May be fatal if swallowed and enters airways.
H401	Toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.
H319	Causes serious eye irritation.
H315	Causes skin irritation.
H303	May be harmful if swallowed.
H335	May cause respiratory irritation.
H412	Harmful to aquatic life with long lasting effects.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

Vertical lines in the left hand margin indicate an amendment from the previous version.