

Safety data sheet

Page: 1/15

BASF Safety data sheet according to the United Nations' Globally Harmonized System (UN GHS)

Date / Revised: 17.10.2024

Version: 2.0

Product: **Hunter 24 SC**

(ID no. 30492340/SDS_CPA_ZA/EN)

Date of print 10.02.2025

1. Identification

Product identifier

Hunter 24 SC

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: crop protection product, insecticide

Uses advised against: RESTRICTED USE AGRICULTURAL REMEDY

THIS REMEDY IS RESTRICTED DUE TO ACUTE TOXICITY. THIS REMEDY MAY ONLY BE SOLD TO AND USED BY A REGISTERED PEST CONTROL OPERATOR, OR BY SOMEONE UNDER THE SUPERVISION OF A REGISTERED PEST CONTROL OPERATOR, AND ONLY FOR THOSE USES COVERED BY THE PEST CONTROL OPERATOR'S SCOPE OF REGISTRATION, AND ONLY AS DIRECTED ON THE LABEL.

Details of the supplier of the safety data sheet

Company:

BASF South Africa (Pty) Ltd
852 Sixteenth Road
Midrand
P O Box 2801
Halfway House 1685
SOUTH AFRICA

Telephone: +27 11 203 2400

Emergency telephone number

National emergency number:

+27 11 203 2420

International emergency number:

2. Hazards Identification

Classification of the substance or mixture

According to UN GHS criteria

Acute Tox. 3 (oral)
Acute Tox. 2 (Inhalation - mist)
Skin Irrit. 3
STOT SE (Central nervous system) 2
STOT RE (Central nervous system) 2
Aquatic Acute 1
Aquatic Chronic 1

For the classifications not written out in full in this section the full text can be found in section 16.

Label elements

Globally Harmonized System (GHS)

Pictogram:



Signal Word:

Danger

Hazard Statement:

H316	Causes mild skin irritation.
H330	Fatal if inhaled.
H301	Toxic if swallowed.
H371	May cause damage to organs (Central nervous system).
H373	May cause damage to organs (Central nervous system) through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Precautionary Statement:

P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read carefully and follow all instructions.

Precautionary Statements (Prevention):

Safety data sheet according to the United Nations' Globally Harmonized System (UN GHS)

Date / Revised: 17.10.2024

Version: 2.0

Product: **Hunter 24 SC**

(ID no. 30492340/SDS_CPA_ZA/EN)

Date of print 10.02.2025

P271	Use only outdoors or in a well-ventilated area.
P260	Do not breathe dust/gas/mist/vapours.
P284	In case of inadequate ventilation wear respiratory protection.
P264	Wash contaminated body parts thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.

Precautionary Statements (Response):

P310	Immediately call a POISON CENTER or physician.
P304 + P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P330	Rinse mouth.
P391	Collect spillage.

Precautionary Statements (Storage):

P403 + P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.

Precautionary Statements (Disposal):

P501	Dispose of contents and container to hazardous or special waste collection point.
------	-----------------------------------------------------------------------------------

Labeling of special preparations (GHS):

May produce an allergic reaction. Contains: 1,2-Benzisothiazol-3(2H)-one

According to UN GHS criteria

Hazard determining component(s) for labelling: chlorfenapyr (ISO); 4-bromo-2-(4-chlorophenyl)-1-ethoxymethyl-5-trifluoromethylpyrrole-3-carbonitrile

Other hazardsAccording to UN GHS criteria

See section 12 - Results of PBT and vPvB assessment.

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

3. Composition/Information on Ingredients**Substances**

Not applicable

MixturesChemical nature

crop protection product, insecticide, suspension concentrate (SC)

Safety data sheet according to the United Nations' Globally Harmonized System (UN GHS)

Date / Revised: 17.10.2024

Version: 2.0

Product: **Hunter 24 SC**

(ID no. 30492340/SDS_CPA_ZA/EN)

Date of print 10.02.2025

Hazardous ingredients (GHS)

According to UN GHS criteria

chlorfenapyr (ISO); 4-bromo-2-(4-chlorophenyl)-1-ethoxymethyl-5-trifluoromethylpyrrole-3-carbonitrile

Content (W/W): 21.4 %

CAS Number: 122453-73-0

INDEX-Number: 608-034-00-3

Acute Tox. 2 (Inhalation - dust)

Acute Tox. 3 (oral)

STOT SE (Central nervous system) 2

STOT RE (Central nervous system) 2

Aquatic Acute 1

Aquatic Chronic 1

M-factor acute: 100

M-factor chronic: 100

H330, H301, H371, H373, H400, H410

1,2-Benzisothiazol-3(2H)-one

Content (W/W): < 0.05 %

CAS Number: 2634-33-5

EC-Number: 220-120-9

Acute Tox. 4 (oral)

Skin Corr./Irrit. 2

Eye Dam./Irrit. 1

Skin Sens. 1

Aquatic Acute 1

Aquatic Chronic 1

M-factor acute: 1

M-factor chronic: 1

H318, H315, H302, H317, H400, H410

Specific concentration limit:

Skin Sens. 1: >= 0.05 %

Propane-1,2-diol

Content (W/W): < 10 %

CAS Number: 57-55-6

EC-Number: 200-338-0

For the classifications not written out in full in this section the full text can be found in section 16.

4. First-Aid Measures

Description of first aid measures

First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Immediately remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention. In case of intoxication, call a poison control center or physician for treatment advice, taking the packaging or the label of the product.

On skin contact:

Immediately wash thoroughly with soap and water, seek medical attention. In case of intoxication, call a poison control center or physician for treatment advice, taking the packaging or the label of the product.

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

On ingestion:

Immediately rinse mouth and then drink 200 - 300 ml water, do not induce vomiting, seek medical attention. If swallowed, seek medical advice immediately and show this container or label. Do not induce vomiting unless told to by a poison control center or doctor. Take patient to hospital immediately. In case of intoxication, call a poison control center or physician for treatment advice, taking the packaging or the label of the product. Medical monitoring for at least 7 days.

Most important symptoms and effects, both acute and delayed

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far, Symptoms of poisoning may only appear after several hours or several days.

Indication of any immediate medical attention and special treatment needed

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Extinguishing media

Suitable extinguishing media:

water spray, carbon dioxide, foam, dry powder

Unsuitable extinguishing media for safety reasons:

water jet

Special hazards arising from the substance or mixture

Carbon monoxide, Carbon dioxide, hydrogen chloride, Hydrogen bromide, nitrogen oxides, silicon oxides, halogenated compounds

The substances/groups of substances mentioned can be released in case of fire.

Advice for fire-fighters

Special protective equipment:

Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:

In case of fire and/or explosion do not breathe fumes. Keep containers cool by spraying with water if exposed to fire. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

Use personal protective clothing. Avoid contact with the skin, eyes and clothing. Do not breathe vapour/spray.

Environmental precautions

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater.

Methods and material for containment and cleaning up

For small amounts: Pick up with suitable absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr).

For large amounts: Dike spillage. Pump off product.

Collect waste in suitable containers, which can be labeled and sealed. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations. Dispose of absorbed material in accordance with regulations. Wear suitable protective equipment.

7. Handling and Storage

Precautions for safe handling

Ensure thorough ventilation of stores and work areas. No special measures necessary if stored and handled correctly. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift. Remove contaminated clothing and protective equipment before entering eating areas.

Protection against fire and explosion:

No special precautions necessary. The substance/product is non-combustible. Product is not explosive.

Conditions for safe storage, including any incompatibilities

Segregate from foods and animal feeds.

Further information on storage conditions: Keep away from heat. Protect from direct sunlight.

Storage stability:

Storage duration: 60 Months

Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

8. Exposure Controls/Personal Protection

Control parameters

Components with occupational exposure limits

Safety data sheet according to the United Nations' Globally Harmonized System (UN GHS)

Date / Revised: 17.10.2024

Version: 2.0

Product: **Hunter 24 SC**

(ID no. 30492340/SDS_CPA_ZA/EN)

Date of print 10.02.2025

122453-73-0: Chlorfenapyr

TWA value 0.3 mg/m³ (BASF recomm. occupational exposure limit)

Exposure controls

Personal protective equipment

Respiratory protection:

Suitable respiratory protection for lower concentrations or short-term effect: Combination filter for gases/vapours of organic, inorganic, acid inorganic, alkaline compounds and toxic particles (e. g. EN 14387 Type ABEK-P3)

Hand protection:

Suitable chemical resistant safety gloves (EN ISO 374-1) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN ISO 374-1): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) etc.

Eye protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

General safety and hygiene measures

The statements on personal protective equipment in the instructions for use apply when handling crop-protection agents in final-consumer packing. Wearing of closed work clothing is recommended. Store work clothing separately. Keep away from food, drink and animal feeding stuffs.

9. Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

State of matter:	liquid
Form:	liquid
Colour:	white to light brown
Odour:	sweetish, characteristic
Odour threshold:	Not determined since toxic by inhalation.
Freezing point:	approx. 0 °C (1,013.3 hPa) Information applies to the solvent.
Boiling point:	approx. 100 °C (1,013 mbar) Information applies to the solvent.
Flammability:	not applicable

Lower explosion limit:

As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.

Upper explosion limit:

As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.

Flash point:

Non-flammable.

(Regulation 440/2008/EC, A.9)

Auto-ignition temperature:

> 651 °C

(Regulation 440/2008/EC, A.15)

Thermal decomposition:

210 °C, 260 kJ/kg (DSC (OECD 113))
(onset temperature)

Not a substance liable to self-decomposition according to UN transport regulations, class 4.1.

pH value:

approx. 6 - 8
(approx. 25 °C)
(measured with the undiluted substance)

Viscosity, dynamic:

approx. 757 mPa.s
(20 °C)

Solubility in water:

dispersible

Partitioning coefficient n-octanol/water (log Kow):

not applicable

Vapour pressure:

approx. 23.3 hPa
(20 °C)

Information applies to the solvent.

Density:

approx. 1.13 g/cm³
(20 °C)

Relative vapour density (air):

not applicable

9.2. Other information**Information with regard to physical hazard classes**Explosives

Explosion hazard: not explosive

Oxidizing properties

Fire promoting properties: not fire-propagating

(Regulation 440/2008/EC, A.21)

Other safety characteristics

Other Information:

If necessary, information on other physical and chemical parameters is indicated in this section.

Evaporation rate:

not applicable

10. Stability and Reactivity

Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Chemical stability

The product is stable if stored and handled as prescribed/indicated.

Possibility of hazardous reactions

No hazardous reactions if stored and handled as prescribed/indicated.

Conditions to avoid

See SDS section 7 - Handling and storage.

Incompatible materials

Substances to avoid:

strong acids, strong bases, strong oxidizing agents

Hazardous decomposition products

Hazardous decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated.

11. Toxicological Information

Information on toxicological effects

Acute toxicity

Assessment of acute toxicity:

Of high toxicity after short-term inhalation. Of pronounced toxicity after single ingestion. Virtually nontoxic after a single skin contact.

Experimental/calculated data:

LD50 mouse (oral): > 50 - < 300 mg/kg

The data on toxicology refer to the active ingredient. Same product LD50 is assigned for precautionary reasons in view of human poisoning incidents

LC50 rat (by inhalation): 0.411 mg/l 4 h (OECD Guideline 403)

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition. An aerosol was tested.

LD50 rabbit (dermal): > 2,000 mg/kg

No mortality was observed.

Safety data sheet according to the United Nations' Globally Harmonized System (UN GHS)

Date / Revised: 17.10.2024

Version: 2.0

Product: **Hunter 24 SC**

(ID no. 30492340/SDS_CPA_ZA/EN)

Date of print 10.02.2025

Information on: chlorfenapyr (ISO); 4-bromo-2-(4-chlorophenyl)-1-ethoxymethyl-5-trifluoromethylpyrrole-3-carbonitrile

Experimental/calculated data:

LD50 mouse (oral): > 50 - < 300 mg/kg (OECD Guideline 401)

Irritation

Assessment of irritating effects:

Skin contact causes slight irritation. Not irritating to the eyes.

Experimental/calculated data:

Skin corrosion/irritation rabbit: Slightly irritating.

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Serious eye damage/irritation rabbit: non-irritant

Respiratory/Skin sensitization

Assessment of sensitization:

There is no evidence of a skin-sensitizing potential.

Experimental/calculated data:

modified Buehler test guinea pig: Non-sensitizing. (OECD Guideline 406)

Germ cell mutagenicity

Assessment of mutagenicity:

Mutagenicity tests revealed no genotoxic potential. The product has not been tested. The statement has been derived from the properties of the individual components.

Carcinogenicity

Assessment of carcinogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components. The results of various animal studies gave no indication of a carcinogenic effect.

Reproductive toxicity

Assessment of reproduction toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components. The results of animal studies gave no indication of a fertility impairing effect.

Developmental toxicity

Assessment of teratogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components. Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals.

Specific target organ toxicity (single exposure)

Assessment of STOT single:

A single exposure may have relevant toxic effects on organs.

Target organ: Central nervous system;

Remarks: The product has not been tested. The statement has been derived from the properties of the individual components.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: chlorfenapyr (ISO); 4-bromo-2-(4-chlorophenyl)-1-ethoxymethyl-5-trifluoromethylpyrrole-3-carbonitrile

Assessment of repeated dose toxicity:

Repeated exposure may affect certain organs. Affects the central nervous system.

Aspiration hazard

No aspiration hazard expected.

The product has not been tested. The statement has been derived from the properties of the individual components.

Other relevant toxicity information

Reported human health effects after incorporation: immediate symptoms after oral ingestion may comprise nausea, vomiting, sweating and abdominal pain. Subsequent symptoms emerging with a delay of a few days up to 10-14 days may include drowsiness, tachypnea, tachycardia or arrhythmia, hypertension, fever, diaphoresis, muscle fasciculation, muscle stiffness, weakness of limbs (sometimes leading to paralysis), hepatic and renal dysfunction, pancreatitis, and sudden disturbance of consciousness followed by coma and cardiac arrest. Misuse can be fatal.

12. Ecological Information

Toxicity

Assessment of aquatic toxicity:

Very toxic to aquatic life with long lasting effects.

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Toxicity to fish:

LC50 (96 h) 0.108 mg/l, *Oncorhynchus mykiss* (Flow through.)

Aquatic invertebrates:

EC50 (48 h) 0.0121 mg/l, *Daphnia magna* (static)

Aquatic plants:

EC50 (72 h) 4.09 mg/l, *Selenastrum capricornutum* (OECD Guideline 201)

Safety data sheet according to the United Nations' Globally Harmonized System (UN GHS)

Date / Revised: 17.10.2024

Version: 2.0

Product: **Hunter 24 SC**

(ID no. 30492340/SDS_CPA_ZA/EN)

Date of print 10.02.2025

Information on: chlorfenapyr (ISO); 4-bromo-2-(4-chlorophenyl)-1-ethoxymethyl-5-trifluoromethylpyrrole-3-carbonitrile

Chronic toxicity to fish:

No observed effect concentration (93 d) 0.003678 mg/l, Oncorhynchus mykiss

Information on: chlorfenapyr (ISO); 4-bromo-2-(4-chlorophenyl)-1-ethoxymethyl-5-trifluoromethylpyrrole-3-carbonitrile

Chronic toxicity to aquatic invertebrates:

No observed effect concentration (28 d) 0.000172 mg/l, Mysidopsis bahia

Persistence and degradability

Assessment biodegradation and elimination (H₂O):

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: chlorfenapyr (ISO); 4-bromo-2-(4-chlorophenyl)-1-ethoxymethyl-5-trifluoromethylpyrrole-3-carbonitrile

Assessment biodegradation and elimination (H₂O):

Not readily biodegradable (by OECD criteria).

Bioaccumulative potential

Assessment bioaccumulation potential:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: chlorfenapyr (ISO); 4-bromo-2-(4-chlorophenyl)-1-ethoxymethyl-5-trifluoromethylpyrrole-3-carbonitrile

Bioaccumulation potential:

Bioconcentration factor: 116, Cyprinus carpio

Accumulation in organisms is not to be expected.

Mobility in soil

Assessment transport between environmental compartments:

Adsorption in soil: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: chlorfenapyr (ISO); 4-bromo-2-(4-chlorophenyl)-1-ethoxymethyl-5-trifluoromethylpyrrole-3-carbonitrile

Assessment transport between environmental compartments:

Adsorption in soil: Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.

Results of PBT and vPvB assessment

The product does not contain a substance fulfilling the PBT (persistent/bioaccumulative/toxic) criteria or the vPvB (very persistent/very bioaccumulative) criteria.

Other adverse effects

The product does not contain substances that are listed in the Montreal Protocol on substances that deplete the ozone layer.

Additional information

Other ecotoxicological advice:

Do not discharge product into the environment without control.

13. Disposal Considerations

Waste treatment methods

Must be sent to a suitable incineration plant, observing local regulations.

Contaminated packaging:

Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

14. Transport Information

Land transport

ADR

UN number or ID number: UN2902

UN proper shipping name: PESTICIDE, LIQUID, TOXIC, N.O.S. (CHLORFENAPYR)

Transport hazard class(es): 6.1, EHSM

Packing group: III

Environmental hazards: yes

Special precautions for user: Tunnel code: E

RID

UN number or ID number: UN2902

UN proper shipping name: PESTICIDE, LIQUID, TOXIC, N.O.S. (CHLORFENAPYR)

Transport hazard class(es): 6.1, EHSM

Packing group: III

Safety data sheet according to the United Nations' Globally Harmonized System (UN GHS)

Date / Revised: 17.10.2024

Version: 2.0

Product: **Hunter 24 SC**

(ID no. 30492340/SDS_CPA_ZA/EN)

Date of print 10.02.2025

Environmental hazards: yes
Special precautions for user: None known

Inland waterway transport

ADN

UN number or ID number: UN2902
UN proper shipping name: PESTICIDE, LIQUID, TOXIC, N.O.S. (CHLORFENAPYR)

Transport hazard class(es): 6.1, EHSM
Packing group: III
Environmental hazards: yes
Special precautions for user: None known

Transport in inland waterway vessel

Not evaluated

Sea transport

IMDG

UN number or ID number: UN 2902
UN proper shipping name: PESTICIDE, LIQUID, TOXIC, N.O.S. (CHLORFENAPYR)

Transport hazard class(es): 6.1, EHSM
Packing group: III
Environmental hazards: yes
Marine pollutant: YES
Special precautions for user: EmS: F-A; S-A

Air transport

IATA/ICAO

UN number or ID number: UN 2902
UN proper shipping name: PESTICIDE, LIQUID, TOXIC, N.O.S. (CHLORFENAPYR)

Transport hazard class(es): 6.1
Packing group: III
Environmental hazards: No Mark as dangerous for the environment is needed
Special precautions for user: None known

Maritime transport in bulk according to IMO instrumentsMaritime transport in bulk is not intended.

15. Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

To avoid risks to man and the environment, comply with the instructions for use.

16. Other Information

Full text of classifications, hazard symbols and hazard statements, if mentioned in section 2 or 3:

Acute Tox.	Acute toxicity
Skin Irrit.	Skin irritation
STOT SE	Specific target organ toxicity — single exposure
STOT RE	Specific target organ toxicity — repeated exposure
Aquatic Acute	Hazardous to the aquatic environment - acute
Aquatic Chronic	Hazardous to the aquatic environment - chronic
Skin Corr./Irrit.	Skin corrosion/irritation
Eye Dam./Irrit.	Serious eye damage/eye irritation
Skin Sens.	Skin sensitization
H330	Fatal if inhaled.
H301	Toxic if swallowed.
H371	May cause damage to organs (Central nervous system).
H373	May cause damage to organs (Central nervous system) through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H318	Causes serious eye damage.
H315	Causes skin irritation.
H302	Harmful if swallowed.
H317	May cause an allergic skin reaction.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

Vertical lines in the left hand margin indicate an amendment from the previous version.