

Safety data sheet

Page: 1/18

BASF Safety data sheet according to Regulation (EC) No. 1907/2006

Date / Revised: 02.05.2014

Product: **INTELEX**

Version: 5.1

(ID no. 30646098/SDS_CPA_EU/EN)

Date of print 15.10.2015

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

INTELEX

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: crop protection product, herbicide

1.3. Details of the supplier of the safety data sheet

Company:

BASF SE

67056 Ludwigshafen

GERMANY

Operating Division Crop Protection

Telephone: +49 621 60-27777

E-mail address: Produktinformation-Pflanzenschutz@basf.com

1.4. Emergency telephone number

International emergency number:

Telephone: +49 180 2273-112

SECTION 2: Hazards Identification

2.1. Classification of the substance or mixture

According to Regulation (EC) No 1272/2008 [CLP]

Eye Dam./Irrit. 2

Skin Sens. 1B

Carc. 2

Repr. 2 (unborn child)

BASF Safety data sheet according to Regulation (EC) No. 1907/2006
 Date / Revised: 02.05.2014
 Product: **INTELEX**

Version: 5.1

(ID no. 30646098/SDS_CPA_EU/EN)

Date of print 15.10.2015

Aquatic Acute 1
 Aquatic Chronic 1

According to Directive 67/548/EEC or 1999/45/EC

Carc. Cat. 3
 Repr. Cat. 3

Possible Hazards:

Irritating to skin.

Limited evidence of a carcinogenic effect.

May cause sensitization by skin contact.

Possible risk of harm to the unborn child.

Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

For the classifications not written out in full in this section the full text can be found in section 16.

2.2. Label elements

Globally Harmonized System, EU (GHS)

Pictogram:



Signal Word:
 Warning

Hazard Statement:

H319	Causes serious eye irritation.
H317	May cause an allergic skin reaction.
H351	Suspected of causing cancer.
H361d	Suspected of damaging the unborn child.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
EUH401	To avoid risks to human health and the environment, comply with the instructions for use.

Precautionary Statements (Prevention):

P201	Obtain special instructions before use.
P261	Avoid breathing vapours.
P272	Contaminated work clothing should not be allowed out of the workplace.
P280	Wear protective gloves.
P264	Wash contaminated body parts thoroughly after handling.

Precautionary Statements (Response):

BASF Safety data sheet according to Regulation (EC) No. 1907/2006

Date / Revised: 02.05.2014

Version: 5.1

Product: **INTELEX**

(ID no. 30646098/SDS_CPA_EU/EN)

Date of print 15.10.2015

P302 + P352	IF ON SKIN: Wash with plenty of soap and water.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308 + P313	IF exposed or concerned: Get medical advice/attention.
P333 + P313	If skin irritation or rash occurs: Get medical advice/attention.
P363	Wash contaminated clothing before reuse.
P391	Collect spillage.

Precautionary Statements (Storage):

P405	Store locked up.
------	------------------

Precautionary Statements (Disposal):

P501	Dispose of contents/container to hazardous or special waste collection point.
------	---


According to Regulation (EC) No 1272/2008 [CLP]


Hazard determining component(s) for labelling: N,N-DIMETHYLDECAN-1-AMIDE, DIMETHENAMID-P

According to Directive 67/548/EEC or 1999/45/EC

EEC Directives

Hazard symbol(s)

Xn	Harmful.	
----	----------	---

N	Dangerous for the environment.	
---	--------------------------------	---

R-phrases(s)

R38	Irritating to skin.
R40	Limited evidence of a carcinogenic effect.
R43	May cause sensitization by skin contact.
R63	Possible risk of harm to the unborn child.
R50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

S-phrases(s)

S2	Keep out of the reach of children.
S13	Keep away from food, drink and animal feeding stuffs.
S20/21	When using do not eat, drink or smoke.
S29/35	Do not empty into drains, this material and its container must be disposed of in a safe way.
S36/37	Wear suitable protective clothing and gloves.
S46	If swallowed, seek medical advice immediately and show this container or label.
S57	Use appropriate container to avoid environmental contamination.

BASF Safety data sheet according to Regulation (EC) No. 1907/2006
 Date / Revised: 02.05.2014
 Product: **INTELEX**

Version: 5.1

(ID no. 30646098/SDS_CPA_EU/EN)

Date of print 15.10.2015

Hazard determining component(s) for labelling: N,N-DIMETHYLDECAN-1-AMIDE,
 DIMETHENAMID-P

2.3. Other hazards

According to Regulation (EC) No 1272/2008 [CLP]

See section 12 - Results of PBT and vPvB assessment.

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

SECTION 3: Composition/Information on Ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Chemical nature

crop protection product, herbicide, Emulsifiable concentrate (EC)

Hazardous ingredients (GHS)

according to Regulation (EC) No. 1272/2008

(S)-dimethenamid

Content (W/W): 55 %
 CAS Number: 163515-14-8

Acute Tox. 4 (oral)
 Skin Sens. 1B
 Aquatic Acute 1
 Aquatic Chronic 1
 M-factor acute: 1
 H302, H317, H400, H410

Saflufenacil

Content (W/W): 6.2 %
 CAS Number: 372137-35-4

Repr. 2 (unborn child)
 Aquatic Acute 1
 Aquatic Chronic 1
 H361d, H400, H410

Atlox AL 3307 LM

Content (W/W): < 15 %

Eye Dam./Irrit. 2
 H319

N,N-Dimethyldecan-1-amide

BASF Safety data sheet according to Regulation (EC) No. 1907/2006

Date / Revised: 02.05.2014

Version: 5.1

Product: **INTELEX**

(ID no. 30646098/SDS_CPA_EU/EN)

Date of print 15.10.2015

Content (W/W): < 15 %	Skin Corr./Irrit. 2
CAS Number: 14433-76-2	Eye Dam./Irrit. 2
EC-Number: 238-405-1	STOT SE 3 (irr. to respiratory syst.)
REACH registration number: 01-2119485027-36	Aquatic Chronic 3
	H319, H315, H335, H412

N,N-Dimethyloctanamide

Content (W/W): < 15 %	Skin Corr./Irrit. 2
CAS Number: 1118-92-9	Eye Dam./Irrit. 1
EC-Number: 214-272-5	STOT SE 3 (irr. to respiratory syst.)
REACH registration number: 01-2119974106-36	H318, H315, H335

solvent naphtha

Content (W/W): < 7 %	Asp. Tox. 1
CAS Number: 64742-94-5	Carc. 2
REACH registration number: 01-2119451151-53	Aquatic Chronic 2
	H304, H351, H411

naphthalene

Content (W/W): < 2 %	Acute Tox. 4 (oral)
CAS Number: 91-20-3	Carc. 2
EC-Number: 202-049-5	Aquatic Acute 1
INDEX-Number: 601-052-00-2	Aquatic Chronic 1
	M-factor acute: 1
	M-factor chronic: 1
	H302, H351, H400, H410

Hazardous ingredients

according to Directive 1999/45/EC

(S)-dimethenamid

Content (W/W): 55 %
CAS Number: 163515-14-8
Hazard symbol(s): Xn, N
R-phrases: 22, 43, 50/53

Saflufenacil

Content (W/W): 6.2 %
CAS Number: 372137-35-4
Hazard symbol(s): Xn, N
R-phrases: 63, 50/53
Repr. Cat. 3

Atlox AL 3307 LM

Content (W/W): < 15 %
Hazard symbol(s): Xi
R-phrases: 36

N,N-Dimethyldecan-1-amide

Content (W/W): < 15 %

CAS Number: 14433-76-2

EC-Number: 238-405-1

REACH registration number: 01-2119485027-36

Hazard symbol(s): Xi

R-phrase(s): 36/37/38

N,N-Dimethyloctanamide

Content (W/W): < 15 %

CAS Number: 1118-92-9

EC-Number: 214-272-5

REACH registration number: 01-2119974106-36

Hazard symbol(s): Xi

R-phrase(s): 41, 37/38

solvent naphtha

Content (W/W): < 7 %

CAS Number: 64742-94-5

REACH registration number: 01-2119451151-53

Hazard symbol(s): N, Xn

R-phrase(s): 40, 65, 66, 51/53

Carc. Cat. 3

naphthalene

Content (W/W): < 2 %

CAS Number: 91-20-3

EC-Number: 202-049-5

INDEX-Number: 601-052-00-2

Hazard symbol(s): Xn, N

R-phrase(s): 22, 40, 50/53

Carc. Cat. 3

For the classifications not written out in full in this section, including the indication of danger, the hazard symbols, the R phrases, and the hazard statements, the full text is listed in section 16.

SECTION 4: First-Aid Measures**4.1. Description of first aid measures**

Remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

On skin contact:

Wash thoroughly with soap and water.

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

On ingestion:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms: The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11., Further important symptoms and effects are so far not known.

4.3. Indication of any immediate medical attention and special treatment needed

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

SECTION 5: Fire-Fighting Measures

5.1. Extinguishing media

Suitable extinguishing media:

carbon dioxide, foam, dry powder, water spray

5.2. Special hazards arising from the substance or mixture

carbon monoxide, Carbon dioxide, sulphur dioxide, nitrogen dioxide, nitrogen oxide, hydrogen chloride, halogenated hydrocarbons, hydrogen fluoride, hydrocarbons

The substances/groups of substances mentioned can be released in case of fire.

5.3. Advice for fire-fighters

Special protective equipment:

Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:

In case of fire and/or explosion do not breathe fumes. Keep containers cool by spraying with water if exposed to fire. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

SECTION 6: Accidental Release Measures

6.1. Personal precautions, protective equipment and emergency procedures

Do not breathe vapour/spray. Use personal protective clothing. Avoid contact with the skin, eyes and clothing.

6.2. Environmental precautions

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater.

6.3. Methods and material for containment and cleaning up

For small amounts: Pick up with suitable absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr).

For large amounts: Dike spillage. Pump off product.
Dispose of absorbed material in accordance with regulations. Collect waste in suitable containers, which can be labeled and sealed. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations.

6.4. Reference to other sections

Information regarding exposure controls/personal protection and disposal considerations can be found in section 8 and 13.

SECTION 7: Handling and Storage

7.1. Precautions for safe handling

No special measures necessary if stored and handled correctly. Ensure thorough ventilation of stores and work areas. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift.

Protection against fire and explosion:

Vapours may form ignitable mixture with air. Prevent electrostatic charge - sources of ignition should be kept well clear - fire extinguishers should be kept handy.

7.2. Conditions for safe storage, including any incompatibilities

Segregate from foods and animal feeds.

Further information on storage conditions: Keep away from heat. Protect from direct sunlight.

Storage stability:

Storage duration: 24 Months

7.3. Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

SECTION 8: Exposure Controls/Personal Protection

8.1. Control parameters

Components with occupational exposure limits

91-20-3: naphthalene

TWA value 50 mg/m³ ; 10 ppm (OEL (EU))

indicative

64742-94-5: Solvent naphtha (petroleum), heavy arom.; Kerosine - unspecified

8.2. Exposure controls

Personal protective equipment

Respiratory protection:

Suitable respiratory protection for higher concentrations or long-term effect: Combination filter for gases/vapours of organic, inorganic, acid inorganic and alkaline compounds (e.g. EN 14387 Type ABEK).

Hand protection:

Suitable chemical resistant safety gloves (EN 374) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN 374): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) and other

Eye protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

General safety and hygiene measures

The statements on personal protective equipment in the instructions for use apply when handling crop-protection agents in final-consumer packing. Wearing of closed work clothing is recommended. Store work clothing separately. Keep away from food, drink and animal feeding stuffs.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Form:	liquid
Colour:	light brown, clear
Odour:	aromatic
Odour threshold:	Not determined due to potential health hazard by inhalation.
pH value:	approx. 4 - 5 (1 %(m), 25 °C)
Freezing point:	approx. -20 °C (1,013.3 hPa)
Boiling range:	Information applies to the solvent. approx. 232 - 278 °C
Flash point:	Information applies to the solvent. 112.8 °C
Evaporation rate:	not applicable
Flammability:	not highly flammable
Lower explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.

BASF Safety data sheet according to Regulation (EC) No. 1907/2006
 Date / Revised: 02.05.2014
 Product: **INTELEX**

Version: 5.1

(ID no. 30646098/SDS_CPA_EU/EN)

Date of print 15.10.2015

Upper explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.	
Ignition temperature:	approx. 491 °C	Information applies to the solvent.
Vapour pressure:	approx. 0.05 hPa (20 °C)	Information applies to the solvent.
Density:	approx. 1.092 g/cm ³ (20 °C)	
Relative density:	approx. 1.09 (20 °C)	(calculated)
Relative vapour density (air):	not applicable	
Solubility in water:	emulsifiable, insoluble	
<i>Information on: Saflufenacil</i>		
<i>Partitioning coefficient n-octanol/water (log Kow): 2.6</i> <i>(20 °C; pH value: 1.7)</i>		

Thermal decomposition:	No decomposition if stored and handled as prescribed/indicated.	
Viscosity, dynamic:	19.56 mPa.s (40 °C, 100 1/s)	
Explosion hazard:	not explosive	
Fire promoting properties:	not fire-propagating	

9.2. Other information

Other Information:

If necessary, information on other physical and chemical parameters is indicated in this section.

SECTION 10: Stability and Reactivity

10.1. Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

10.2. Chemical stability

The product is stable if stored and handled as prescribed/indicated.

10.3. Possibility of hazardous reactions

No hazardous reactions if stored and handled as prescribed/indicated.

10.4. Conditions to avoid

See MSDS section 7 - Handling and storage.

10.5. Incompatible materials

Substances to avoid:
strong oxidizing agents, strong bases, strong acids

10.6. Hazardous decomposition products

Hazardous decomposition products:
No hazardous decomposition products if stored and handled as prescribed/indicated.

SECTION 11: Toxicological Information

11.1. Information on toxicological effects

Acute toxicity

Assessment of acute toxicity:
Virtually nontoxic by inhalation. Virtually nontoxic after a single skin contact. Of low toxicity after single ingestion.

Experimental/calculated data:
LD50 rat (oral): > 2,000 mg/kg (OECD Guideline 423)

LC50 rat (by inhalation): > 5.77 mg/l (OECD Guideline 403)
An aerosol was tested.

LD50 rat (dermal): > 5,000 mg/kg (OECD Guideline 402)
No mortality was observed.

Irritation

Assessment of irritating effects:
Skin contact causes slight irritation. Eye contact causes irritation.

Experimental/calculated data:
Skin corrosion/irritation rabbit: Irritant. (OECD Guideline 404)

Serious eye damage/irritation rabbit: Slightly irritating. (OECD Guideline 405)

Respiratory/Skin sensitization

Assessment of sensitization:
Sensitization after skin contact possible.

Experimental/calculated data:
modified Buehler test guinea pig: Caused skin sensitization in animal studies.

Germ cell mutagenicity

Assessment of mutagenicity:

Mutagenicity tests revealed no genotoxic potential. The product has not been tested. The statement has been derived from the properties of the individual components.

Carcinogenicity

Assessment of carcinogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: solvent naphtha

Assessment of carcinogenicity:

Long-term exposure to highly irritating concentrations resulted in skin tumors in animals. A carcinogenic effect in humans can be excluded after brief skin contact. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Reproductive toxicity

Assessment of reproduction toxicity:

The results of animal studies gave no indication of a fertility impairing effect. The product has not been tested. The statement has been derived from the properties of the individual components.

Developmental toxicity

Assessment of teratogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Saflufenacil

Assessment of teratogenicity:

Indications of possible developmental toxicity/teratogenicity were seen in animal studies.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: (S)-dimethenamid

Assessment of repeated dose toxicity:

Adaptive effects were observed after repeated exposure in animal studies.

Other relevant toxicity information

Misuse can be harmful to health.

SECTION 12: Ecological Information

12.1. Toxicity

Assessment of aquatic toxicity:

Very toxic to aquatic organisms. May cause long-term adverse effects in the aquatic environment.

Toxicity to fish:

LC50 (96 h) 18 mg/l, *Oncorhynchus mykiss*

Aquatic invertebrates:

EC50 (48 h) 15 mg/l, *Daphnia magna*

Aquatic plants:

EC50 (72 h) 0.014 mg/l (growth rate), *Pseudokirchneriella subcapitata*

12.2. Persistence and degradability

Assessment biodegradation and elimination (H₂O):

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: (S)-dimethenamid

Assessment biodegradation and elimination (H₂O):

Not readily biodegradable (by OECD criteria).

Information on: Saflufenacil

Assessment biodegradation and elimination (H₂O):

Not readily biodegradable (by OECD criteria).

12.3. Bioaccumulative potential

Assessment bioaccumulation potential:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Saflufenacil

Assessment bioaccumulation potential:

Because of the n-octanol/water distribution coefficient (log Pow) accumulation in organisms is not to be expected.

Information on: (S)-dimethenamid

Bioaccumulation potential:

Because of the n-octanol/water distribution coefficient (log Pow) accumulation in organisms is not to be expected.

12.4. Mobility in soil

Assessment transport between environmental compartments:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: (S)-dimethenamid

Assessment transport between environmental compartments:

Following exposure to soil, the product trickles away and can - dependant on degradation - be transported to deeper soil areas with larger water loads.

Information on: Saflufenacil

Assessment transport between environmental compartments:

Following exposure to soil, the product trickles away and can - dependant on degradation - be transported to deeper soil areas with larger water loads.

12.5. Results of PBT and vPvB assessment

The product does not contain a substance fulfilling the PBT (persistent/bioaccumulative/toxic) criteria or the vPvB (very persistent/very bioaccumulative) criteria.

12.6. Other adverse effects

The product does not contain substances that are listed in Regulation (EC) 1005/2009 on substances that deplete the ozone layer.

12.7. Additional information

Other ecotoxicological advice:

Do not discharge product into the environment without control.

SECTION 13: Disposal Considerations

13.1. Waste treatment methods

Must be sent to a suitable incineration plant, observing local regulations.

Contaminated packaging:

Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

SECTION 14: Transport Information

Land transport

ADR

BASF Safety data sheet according to Regulation (EC) No. 1907/2006

Date / Revised: 02.05.2014

Version: 5.1

Product: **INTELEX**

(ID no. 30646098/SDS_CPA_EU/EN)

Date of print 15.10.2015

UN number UN3082
 UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains DIMETHENAMID-P, SOLVENT NAPHTHA)
 Transport hazard class(es): 9, EHS
 Packing group: III
 Environmental hazards: yes
 Special precautions for user: Tunnel code: E

RID

UN number UN3082
 UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains DIMETHENAMID-P, SOLVENT NAPHTHA)
 Transport hazard class(es): 9, EHS
 Packing group: III
 Environmental hazards: yes
 Special precautions for user: None known

Inland waterway transport**ADN**

UN number UN3082
 UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains DIMETHENAMID-P, SOLVENT NAPHTHA)
 Transport hazard class(es): 9, EHS
 Packing group: III
 Environmental hazards: yes
 Special precautions for user: None known
 Transport in inland waterway vessel: Not evaluated

Sea transport**IMDG**

UN number: UN 3082
 UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains DIMETHENAMID-P, SOLVENT NAPHTHA)
 Transport hazard class(es): 9, EHS
 Packing group: III
 Environmental hazards: yes
 Marine pollutant: YES
 Special precautions for user: None known

Air transport

BASF Safety data sheet according to Regulation (EC) No. 1907/2006

Date / Revised: 02.05.2014

Version: 5.1

Product: **INTELEX**

(ID no. 30646098/SDS_CPA_EU/EN)

Date of print 15.10.2015

IATA/ICAO

UN number:	UN 3082
UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains DIMETHENAMID-P, SOLVENT NAPHTHA)
Transport hazard class(es):	9, EHSM
Packing group:	III
Environmental hazards:	yes
Special precautions for user:	None known

14.1. UN number

See corresponding entries for "UN number" for the respective regulations in the tables above.

14.2. UN proper shipping name

See corresponding entries for "UN proper shipping name" for the respective regulations in the tables above.

14.3. Transport hazard class(es)

See corresponding entries for "Transport hazard class(es)" for the respective regulations in the tables above.

14.4. Packing group

See corresponding entries for "Packing group" for the respective regulations in the tables above.

14.5. Environmental hazards

See corresponding entries for "Environmental hazards" for the respective regulations in the tables above.

14.6. Special precautions for user

See corresponding entries for "Special precautions for user" for the respective regulations in the tables above.

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Regulation:	Not evaluated
Shipment approved:	Not evaluated
Pollution name:	Not evaluated
Pollution category:	Not evaluated
Ship Type:	Not evaluated

SECTION 15: Regulatory Information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**Prohibitions, Restrictions and Authorizations

BASF Safety data sheet according to Regulation (EC) No. 1907/2006
 Date / Revised: 02.05.2014
 Product: **INTELEX**

Version: 5.1

(ID no. 30646098/SDS_CPA_EU/EN)

Date of print 15.10.2015

Annex XVII of Regulation (EC) No 1907/2006: Number on List: 28, 29, 36, 40, 48

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

15.2. Chemical Safety Assessment

Advice on product handling can be found in sections 7 and 8 of this safety data sheet.

SECTION 16: Other Information

For proper and safe use of this product, please refer to the approval conditions laid down on the product label.

Full text of the classifications, including the indication of danger, the hazard symbols, the R phrases, and the hazard statements, if mentioned in section 2 or 3:

Xn	Harmful.
N	Dangerous for the environment.
Xi	Irritant.
22	Harmful if swallowed.
43	May cause sensitization by skin contact.
50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
63	Possible risk of harm to the unborn child.
36	Irritating to eyes.
36/37/38	Irritating to eyes, respiratory system and skin.
41	Risk of serious damage to eyes.
37/38	Irritating to respiratory system and skin.
40	Limited evidence of a carcinogenic effect.
65	Also harmful: may cause lung damage if swallowed.
66	Repeated exposure may cause skin dryness or cracking.
51/53	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
Eye Dam./Irrit.	Serious eye damage/eye irritation
Skin Sens.	Skin sensitization
Carc.	Carcinogenicity
Repr.	Reproductive toxicity
Aquatic Acute	Hazardous to the aquatic environment - acute
Aquatic Chronic	Hazardous to the aquatic environment - chronic
Acute Tox.	Acute toxicity
Skin Corr./Irrit.	Skin corrosion/irritation
STOT SE	Specific target organ toxicity — single exposure
Asp. Tox.	Aspiration hazard
Carc. Cat. 3	Carcinogenic substances Category 3: Substances which cause concern for man owing to possible carcinogenic effects.
Repr. Cat. 3	Reprotoxic substances (fertility or development) Category 3: Substances which cause concern for humans owing to possible developmental toxic effects or substances which cause concern for human fertility.
H302	Harmful if swallowed.
H317	May cause an allergic skin reaction.

BASF Safety data sheet according to Regulation (EC) No. 1907/2006

Date / Revised: 02.05.2014

Version: 5.1

Product: **INTELEX**

(ID no. 30646098/SDS_CPA_EU/EN)

Date of print 15.10.2015

H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H361d	Suspected of damaging the unborn child.
H319	Causes serious eye irritation.
H315	Causes skin irritation.
H335	May cause respiratory irritation.
H412	Harmful to aquatic life with long lasting effects.
H318	Causes serious eye damage.
H304	May be fatal if swallowed and enters airways.
H351	Suspected of causing cancer.
H411	Toxic to aquatic life with long lasting effects.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. The data do not describe the product's properties (product specification). Neither should any agreed property nor the suitability of the product for any specific purpose be deduced from the data contained in the safety data sheet. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

Vertical lines in the left hand margin indicate an amendment from the previous version.