

Safety data sheet

Page: 1/14

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 02.12.2022 Version: 1.0

Product: **Treevix**

(ID no. 30660524/SDS_CPA_ZA/EN)

Date of print 04.03.2025

1. Identification

Product identifier

Treevix

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: crop protection product, herbicide

Details of the supplier of the safety data sheet

Company:
BASF South Africa (Pty) Ltd
852 Sixteenth Road
Midrand
P O Box 2801
Halfway House 1685
SOUTH AFRICA

Telephone: +27 11 203 2400

Emergency telephone number

National emergency number: +27 11 203 2420 International emergency number:

Telephone: +49 180 2273-112

2. Hazards Identification

Classification of the substance or mixture

According to UN GHS criteria

Repr. 2 (unborn child)

Date / Revised: 02.12.2022 Version: 1.0

Product: **Treevix**

(ID no. 30660524/SDS_CPA_ZA/EN)

Date of print 04.03.2025

Aquatic Acute 1 Aquatic Chronic 1

For the classifications not written out in full in this section the full text can be found in section 16.

Label elements

Globally Harmonized System (GHS)

Pictogram:





Signal Word: Warning

Hazard Statement:

Suspected of damaging the unborn child. H361

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statement:

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

Read carefully and follow all instructions. P103

Precautionary Statements (Prevention):

Wear protective gloves, protective clothing and eve protection or face P280

protection.

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and

understood.

Precautionary Statements (Response): P391

Collect spillage.

IF exposed or concerned: Get medical attention. P308 + P313

Precautionary Statements (Storage):

P405 Store locked up.

Precautionary Statements (Disposal):

P501 Dispose of contents and container to hazardous or special waste

collection point.

According to UN GHS criteria

Hazard determining component(s) for labelling: saflufenacil (ISO); N´-{2-chloro-4fluoro-5-[1,2,3,6tetrahydro-3-methyl-2,6-dioxo-4-(trifluoromethyl)pyrimedin-1-yl]benzoyl}-N-isopropyl-Nmethylsulfamide

Other hazards

Date / Revised: 02.12.2022 Version: 1.0

Product: Treevix

(ID no. 30660524/SDS_CPA_ZA/EN)

Date of print 04.03.2025

According to UN GHS criteria

See section 12 - Results of PBT and vPvB assessment.

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

3. Composition/Information on Ingredients

Substances

Not applicable

Mixtures

Chemical nature

crop protection product, herbicide, water dispersible granules

Hazardous ingredients (GHS)

According to UN GHS criteria

saflufenacil (ISO); N'-{2-chloro-4fluoro-5-[1,2,3,6-tetrahydro-3-methyl-2,6-dioxo-4-

(trifluoromethyl)pyrimedin-1-yl]benzoyl}-N-isopropyl-N-methylsulfamide

Content (W/W): 70 % Repr. 2 (unborn child) CAS Number: 372137-35-4 Aquatic Acute 1

Aquatic Chronic 1 H361, H400, H410

Ammonium sulphate

Content (W/W): < 20 % Acute Tox. 4 (oral)
CAS Number: 7783-20-2 Acute Tox. 5 (dermal)
EC-Number: 231-984-1 Skin Corr./Irrit. 2

Eye Dam./Irrit. 2B

STOT SE 3 (irr. to respiratory syst.)

Aquatic Acute 3

H320, H315, H313, H302, H335, H402

Lignin, alkali, reaction products with disodium sulfite and formaldehyde

Content (W/W): < 5 % Eye Dam./Irrit. 2A

CAS Number: 105859-97-0 STOT SE 3 (irr. to respiratory syst.)

H319, H335

Residues (petroleum), catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts

Date / Revised: 02.12.2022 Version: 1.0

Product: Treevix

(ID no. 30660524/SDS_CPA_ZA/EN)

Date of print 04.03.2025

Content (W/W): < 5 % CAS Number: 68425-94-5 Eye Dam./Irrit. 2A Aquatic Acute 3 Aquatic Chronic 3 H319, H402, H412

Sodium diisopropylnaphthalenesulphonate

Content (W/W): < 3 % CAS Number: 1322-93-6 EC-Number: 215-343-3 Acute Tox. 4 (Inhalation - dust)

Acute Tox. 4 (oral) Acute Tox. 5 (dermal) Eye Dam./Irrit. 1

STOT SE 3 (irr. to respiratory syst.)

Aquatic Acute 3 Aquatic Chronic 3

H318, H313, H335, H302 + H332, H402, H412

For the classifications not written out in full in this section the full text can be found in section 16.

4. First-Aid Measures

Description of first aid measures

Remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

On skin contact:

Wash thoroughly with soap and water

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open.

On ingestion:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

Most important symptoms and effects, both acute and delayed

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far

Indication of any immediate medical attention and special treatment needed

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Extinguishing media

Suitable extinguishing media: water spray, foam, dry powder

Date / Revised: 02.12.2022 Version: 1.0

Product: **Treevix**

(ID no. 30660524/SDS_CPA_ZA/EN)

Date of print 04.03.2025

Unsuitable extinguishing media for safety reasons: carbon dioxide

Special hazards arising from the substance or mixture

Carbon monoxide, Carbon dioxide, Ammonia, anhydrous, Hydrogen chloride, nitrogen oxides, sulfur oxides, halogenated compounds

The substances/groups of substances mentioned can be released in case of fire.

Advice for fire-fighters

Special protective equipment:

Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:

In case of fire and/or explosion do not breathe fumes. Keep containers cool by spraying with water if exposed to fire. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

Avoid dust formation. Use personal protective clothing. Avoid contact with the skin, eyes and clothing.

Environmental precautions

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater.

Methods and material for containment and cleaning up

For small amounts: Contain with dust binding material and dispose of.

For large amounts: Sweep/shovel up.

Avoid raising dust. Dispose of absorbed material in accordance with regulations. Collect waste in suitable containers, which can be labeled and sealed. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations.

7. Handling and Storage

Precautions for safe handling

No special measures necessary if stored and handled correctly. Ensure thorough ventilation of stores and work areas. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift.

Protection against fire and explosion:

Dust can form an explosive mixture with air. Prevent electrostatic charge - sources of ignition should be kept well clear - fire extinguishers should be kept handy. Avoid dust formation.

Conditions for safe storage, including any incompatibilities

Segregate from foods and animal feeds.

Further information on storage conditions: Protect against moisture. Keep away from heat. Protect from direct sunlight.

Storage stability:

Storage duration: 60 Months

Date / Revised: 02.12.2022 Version: 1.0

Product: **Treevix**

(ID no. 30660524/SDS_CPA_ZA/EN)

Date of print 04.03.2025

Protect from temperatures above: 50 °C

Changes in the properties of the product may occur if substance/product is stored above indicated temperature for extended periods of time.

Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

8. Exposure Controls/Personal Protection

Control parameters

Components with occupational exposure limits

372137-35-4: Benzamide, 2-chloro-5-[3,6-dihydro-3-methyl-2,6-dioxo-4-(trifluoromethyl)-1(2H)-pyrimidinyl]-4-fluoro-N-[[methyl(1-methylethyl)amino]sulfonyl]-

TWA value 0.824 mg/m3 (BASF recomm. occupational exposure limit)

Exposure controls

Personal protective equipment

Respiratory protection:

Suitable respiratory protection for lower concentrations or short-term effect: Particle filter with high efficiency for solid and liquid particles (e.g. EN 143 or 149, Type P3 or FFP3).

Hand protection:

Suitable chemical resistant safety gloves (EN ISO 374-1) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN ISO 374-1): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) etc.

Eye protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

General safety and hygiene measures

The statements on personal protective equipment in the instructions for use apply when handling crop-protection agents in final-consumer packing. Wearing of closed work clothing is recommended. Keep away from food, drink and animal feeding stuffs. Store work clothing separately.

9. Physical and Chemical Properties

Information on basic physical and chemical properties

Form: solid
Colour: light brown
Odour: odourless

Date / Revised: 02.12.2022 Version: 1.0

Product: **Treevix**

(ID no. 30660524/SDS_CPA_ZA/EN)

Date of print 04.03.2025

Odour threshold:

not applicable, odour not perceivable

pH value: approx. 4 - 6

(10 g/l, 25 °C)

melting range:

approx. 189.9 - 193.4 °C

Boiling point:

The product has not been tested.

Flash point:

not applicable, the product is a solid

Evaporation rate:

not applicable

Flammability:

not highly flammable

Lower explosion limit:

As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with

the intended use.

Upper explosion limit:

As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with

the intended use.

Vapour pressure:

The value has not be determined because of the high melting point.

Density: approx. 1.61 g/cm3

(20 °C)

Relative vapour density (air):

not applicable

Solubility in water: dispersible

Partitioning coefficient n-octanol/water (log Kow):

The statements are based on the properties of the individual

components.

Information on: saflufenacil (ISO); N´-{2-chloro-4fluoro-5-[1,2,3,6-tetrahydro-3-methyl-2,6-dioxo-4-(trifluoromethyl)pyrimedin-1-yl]benzoyl}-N-isopropyl-N-methylsulfamide

Partitioning coefficient n-octanol/water (log Kow): 2.6

(20 °C; pH value: 1.7)

Self ignition: Temperature: 371 °C (Method: Directive 92/69/EEC,

A.16)

Thermal decomposition: 200 °C, 140 kJ/kg (DSC (OECD 113))

(onset temperature)

250 °C, 310 kJ/kg (DSC (OECD 113))

(onset temperature)

355 °C, 100 kJ/kg (DSC (OECD 113))

(onset temperature)

Not a substance liable to self-decomposition according to UN transport

regulations, class 4.1.

Viscosity, dynamic:

not applicable, the product is a solid

Date / Revised: 02.12.2022 Version: 1.0

Product: **Treevix**

(ID no. 30660524/SDS_CPA_ZA/EN)

Date of print 04.03.2025

Explosion hazard: not explosive

Fire promoting properties: not fire-propagating

Other information

Self heating ability: It is not a substance capable of

spontaneous heating.

SADT: > 75 °C

Bulk density: 540 - 600 kg/m3

(20 °C, 1,013 hPa) 585 - 645 kg/m3 (20 °C, 1,013 hPa)

Apparent density after tamping

10. Stability and Reactivity

Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Chemical stability

The product is stable if stored and handled as prescribed/indicated.

Possibility of hazardous reactions

No hazardous reactions if stored and handled as prescribed/indicated.

The product is chemically stable.

Conditions to avoid

See SDS section 7 - Handling and storage.

Incompatible materials

Substances to avoid:

strong oxidizing agents, strong acids, strong bases

Hazardous decomposition products

Hazardous decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated.

11. Toxicological Information

Information on toxicological effects

Acute toxicity

Assessment of acute toxicity:

Virtually nontoxic after a single skin contact. Virtually nontoxic by inhalation. Virtually nontoxic after a single ingestion.

Experimental/calculated data: LD50 rat (oral): > 2,000 mg/kg

No mortality was observed.

Date / Revised: 02.12.2022 Version: 1.0

Product: **Treevix**

(ID no. 30660524/SDS_CPA_ZA/EN)

Date of print 04.03.2025

LC50 (by inhalation): > 5 mg/l 4 h

LD50 rat (dermal): > 2,000 mg/kg No mortality was observed.

Irritation

Assessment of irritating effects:

Not irritating to the eyes. Not irritating to the skin.

Experimental/calculated data:

Skin corrosion/irritation rabbit: non-irritant

Serious eye damage/irritation rabbit: non-irritant

Respiratory/Skin sensitization

Assessment of sensitization:

There is no evidence of a skin-sensitizing potential.

Experimental/calculated data:

modified Buehler test guinea pig: Non-sensitizing.

Germ cell mutagenicity

Assessment of mutagenicity:

Mutagenicity tests revealed no genotoxic potential. The product has not been tested. The statement has been derived from the properties of the individual components.

Carcinogenicity

Assessment of carcinogenicity:

The results of various animal studies gave no indication of a carcinogenic effect. The product has not been tested. The statement has been derived from the properties of the individual components.

Reproductive toxicity

Assessment of reproduction toxicity:

The results of animal studies gave no indication of a fertility impairing effect. The product has not been tested. The statement has been derived from the properties of the individual components.

Developmental toxicity

Assessment of teratogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: saflufenacil (ISO); N´-{2-chloro-4fluoro-5-[1,2,3,6-tetrahydro-3-methyl-2,6-dioxo-4-(trifluoromethyl)pyrimedin-1-yl]benzoyl}-N-isopropyl-N-methylsulfamide Assessment of teratogenicity:

Indications of possible developmental toxicity/teratogenicity were seen in animal studies.

Date / Revised: 02.12.2022 Version: 1.0

Product: **Treevix**

(ID no. 30660524/SDS_CPA_ZA/EN)

Date of print 04.03.2025

Specific target organ toxicity (single exposure)

Assessment of STOT single:

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

Remarks: The product has not been tested. The statement has been derived from the properties of the individual components.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

No substance-specific organtoxicity was observed after repeated administration to animals. The product has not been tested. The statement has been derived from the properties of the individual components.

Aspiration hazard

No aspiration hazard expected.

The product has not been tested. The statement has been derived from the properties of the individual components.

Other relevant toxicity information

Misuse can be harmful to health.

12. Ecological Information

Toxicity

Assessment of aquatic toxicity:

Very toxic to aquatic life with long lasting effects.

Toxicity to fish:

LC50 (96 h) > 100 mg/l, Oncorhynchus mykiss

Aquatic invertebrates:

EC50 (48 h) > 100 mg/l, Daphnia magna (static)

Aquatic plants:

EC50 (72 h) 0.1157 mg/l (growth rate), Pseudokirchneriella subcapitata

EC10 (72 h) 0.0387 mg/l (growth rate), Pseudokirchneriella subcapitata

Persistence and degradability

Assessment biodegradation and elimination (H2O):

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: saflufenacil (ISO); N´-{2-chloro-4fluoro-5-[1,2,3,6-tetrahydro-3-methyl-2,6-dioxo-4-(trifluoromethyl)pyrimedin-1-yl]benzoyl}-N-isopropyl-N-methylsulfamide
Assessment biodegradation and elimination (H2O):
Not readily biodegradable (by OECD criteria).

Date / Revised: 02.12.2022 Version: 1.0

Product: **Treevix**

(ID no. 30660524/SDS_CPA_ZA/EN)

Date of print 04.03.2025

Bioaccumulative potential

Assessment bioaccumulation potential:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: saflufenacil (ISO); N´-{2-chloro-4fluoro-5-[1,2,3,6-tetrahydro-3-methyl-2,6-dioxo-4-(trifluoromethyl)pyrimedin-1-yl]benzoyl}-N-isopropyl-N-methylsulfamide
Assessment bioaccumulation potential:

Because of the n-octanol/water distribution coefficient (log Pow) accumulation in organisms is not to be expected.

Mobility in soil

Assessment transport between environmental compartments:

Adsorption in soil: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: saflufenacil (ISO); N´-{2-chloro-4fluoro-5-[1,2,3,6-tetrahydro-3-methyl-2,6-dioxo-4-(trifluoromethyl)pyrimedin-1-yl]benzoyl}-N-isopropyl-N-methylsulfamide
Assessment transport between environmental compartments:

Adsorption in soil: Following exposure to soil, the product trickles away and can - dependant on degradation - be transported to deeper soil areas with larger water loads.

.

Results of PBT and vPvB assessment

The product does not contain a substance fulfilling the PBT (persistent/bioaccumulative/toxic) criteria or the vPvB (very persistent/very bioaccumulative) criteria.

Other adverse effects

The product does not contain substances that are listed in the Montreal Protocol on substances that deplete the ozone layer.

Additional information

Other ecotoxicological advice:

Do not discharge product into the environment without control.

13. Disposal Considerations

Waste treatment methods

Must be sent to a suitable incineration plant, observing local regulations.

Contaminated packaging:

Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

Date / Revised: 02.12.2022 Version: 1.0

Product: **Treevix**

(ID no. 30660524/SDS_CPA_ZA/EN)

Date of print 04.03.2025

14. Transport Information

Land transport

ADR

UN number or ID number: UN3077

UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

(SAFLUFENACIL)

Transport hazard class(es): 9, EHSM

Packing group: III Environmental hazards: yes

Special precautions for

user: None known

RID

UN number or ID number: UN3077

UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

(SAFLUFENACIL)

Transport hazard class(es): 9, EHSM

Packing group: III Environmental hazards: yes

Special precautions for

for None known

user:

Inland waterway transport

ADN

UN number or ID number: UN3077

UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

(SAFLUFENACIL)

Transport hazard class(es): 9, EHSM Packing group: III Environmental hazards: yes

Special precautions for None known

user:

Transport in inland waterway vessel

Not evaluated

Sea transport

IMDG

UN number or ID number: UN 3077

Date / Revised: 02.12.2022 Version: 1.0

Product: **Treevix**

(ID no. 30660524/SDS_CPA_ZA/EN)

Date of print 04.03.2025

UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

(SAFLUFENACIL)

Transport hazard class(es): 9, EHSM

Packing group: III

Environmental hazards: yes

Marine pollutant: YES

Special precautions for

user:

EmS: F-A; S-F

Air transport

IATA/ICAO

UN number or ID number: UN 3077

UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

(SAFLUFENACIL)

Transport hazard class(es): 9, EHSM

Packing group: III Environmental hazards: yes

Special precautions for None known

user:

Maritime transport in bulk according to IMO instruments

Maritime transport in bulk is not intended.

Further information

Product may be shipped as non-hazardous in suitable packages containing a net quantity of 5 kg or less under the provisions of various regulatory agencies: ADR, RID, ADN: Special Provision 375; IMDG: 2:10.2.7; IATA: A197; TDS: Special Provision 99(2); 49CFR: §171.4 (c) (2) and also the Special Provision 375 in Appendix B which is regulated in China "Regulations Concerning Road Transportation of Dangerous Goods Part 3: Index of dangerous goods name and transportation requirements" (JT/T 617.3)

15. Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

To avoid risks to man and the environment, comply with the instructions for use.

16. Other Information

Full text of classifications, hazard symbols and hazard statements, if mentioned in section 2 or 3:

Repr. Reproductive toxicity

Aquatic Acute Hazardous to the aquatic environment - acute
Aquatic Chronic Hazardous to the aquatic environment - chronic

Acute Tox. Acute toxicity

Date / Revised: 02.12.2022 Version: 1.0

Product: **Treevix**

(ID no. 30660524/SDS_CPA_ZA/EN)

Date of print 04.03.2025

Skin Corr./Irrit.	Skin corrosion/irritation	
Eye Dam./Irrit.	Serious eye damage/eye irritation	
STOT SE	Specific target organ toxicity — single exposure	
H361	Suspected of damaging the unborn child.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H320	Causes eye irritation.	
H315	Causes skin irritation.	
H313	May be harmful in contact with skin.	
H302	Harmful if swallowed.	
H335	May cause respiratory irritation.	
H402	Harmful to aquatic life.	
H319	Causes serious eye irritation.	
H412	Harmful to aquatic life with long lasting effects.	
H318	Causes serious eye damage.	
H302 + H332	Harmful if swallowed or if inhaled	

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

Vertical lines in the left hand margin indicate an amendment from the previous version.