

BASF
We create chemistry

Bellis® Active

Reg. No. L10777

Act No. 36 of 1947

**READ ATTACHED PACKAGE OR LEAFLET BEFORE USE
KEEP OUT OF REACH OF CHILDREN AND ANIMALS**

GROUP	7	11	FUNGICIDES
-------	---	----	------------

A suspension concentrate fungicide for the control of certain diseases in soya beans and sunflowers.

'n Suspensiekonsentraat swamdoder vir die beheer van sekere siektes in sojabone en sonneblom.

Causes skin irritation.
May cause an allergic skin reaction.
May cause respiratory irritation.
Harmful if swallowed or if inhaled.
Very toxic to aquatic life with long lasting effects.
Wear protective gloves.
Do not breathe mist or vapour.

WARNING



Active ingredients / Aktiewe bestanddele:
Boscalid (pyridine-carboxamide).....150 g/l
Pyraclostrobin (methoxy-carbamate).....250 g/l

Registered by:
BASF South Africa (Pty) Ltd
Co. Reg. No. 66/10235/07
852 Sixteenth Road
P.O. Box 2801
Halfway House 1685
+27 11 203 2400

Geregistreer deur:
BASF Suid-Afrika (Edms) Bpk
Mpy Reg. Nr 66/10235/07
852 Sestiende Laan
Posbus 2801
Halfweghuis 1685
+27 11 203 2400

Batch No. & Date manufactured: Refer to details printed on container
Lotnommer & Datum vervaardig: Verwys na besonderhede gedruk op houer

EMERGENCY NUMBER / NOODNOMMER: +27 82 446 8946

5 l



© = Registered trademark of BASF / Geregistreerde handelsmerk van BASF

81164625 ZA 2102



ENGLISH

WARNINGS

Hazard Statements

- Causes skin irritation.
- May cause an allergic skin reaction.
- May cause respiratory irritation.
- Harmful if swallowed or if inhaled.
- Very toxic to aquatic life with long lasting effects.

ALLOW THE FOLLOWING NUMBER OF DAYS BETWEEN LAST APPLICATION AND HARVEST:

Soya beans	70
Sunflowers	83

- **Soya beans:** Do not graze.
- Handle with care.
- May irritate the skin.
- Store in a cool, dry place away from food and feedstuffs.
- Keep in the original container.
- Keep out of reach of children, uninformed people and animals.
- RE-ENTRY INTERVAL: Do not enter treated area within 1 day after treatment unless wearing protective clothing.

Although this remedy has been tested under a large variety of conditions, the registration holder does not warrant that it will be efficacious under all conditions, because the action and effect thereof may be affected by factors, such as abnormal soil, climatic and storage conditions, quality of dilution water, compatibility with other substances not indicated on the label and the occurrence of resistance of the disease against the remedy concerned, as well as by the method, time and accuracy of application. The registration holder furthermore, does not accept responsibility for damage to crops, vegetation, the environment, harm to man or animal, or for lack of performance of the remedy concerned, due to the occurrence of conditions, which could not have been foreseen in terms of the registration. Consult the supplier in the event of any uncertainty.

PRECAUTIONS

Precautionary Statements

- If medical advice is needed, have product container or label at hand.
 - Keep out of reach of children.
 - Read carefully and follow all instructions.
 - Wear protective gloves.
 - Use only outdoors or in a well-ventilated area.
 - Do not breathe mist or vapour.
 - Contaminated work clothing should not be allowed out of the workplace.
 - Do not eat, drink or smoke when using this product.
 - Wash contaminated body parts thoroughly after handling.
 - Call a POISON CENTER or physician if you feel unwell.
 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.
 - IF ON SKIN: Wash with plenty of soap and water.
 - If skin irritation or rash occurs: Get medical attention.
 - Rinse mouth.
 - Collect spillage.
 - If skin irritation occurs: Get medical attention.
 - Take off contaminated clothing and wash it before reuse.
 - Store in a well-ventilated place. Keep container tightly closed.
 - Store locked up.
 - Dispose of contents and container to hazardous or special waste collection point.
- Do not smoke, eat or drink during mixing and spraying operations before washing hands and face thoroughly.
 - Do not contaminate springs, dams, rivers, eating utensils, food or feed.
 - Prevent drift onto other crops and grazing.
 - TRIPLE RINSE empty containers in the following manner. Invert the empty container over the spray or mixing tank and allow to drain for at least 30 seconds after the flow has slowed down to a drip. Thereafter, rinse the container three times with a volume of water equal to a minimum of 10% of that of the container. Add the rinse water to the contents of the spray tank before destroying the container by perforation and flattening, and dispose of it in a safe way. Never re-use the empty container for any other purpose.

RELEVANT SUBSTANCES

Hazardous ingredients According to UN GHS criteria	CAS number	Concentration (W/W)
pyraclostrobin (ISO); methyl N-{2-[1-(4-chlorophenyl)-1H-pyrazol-3-yloxymethyl]phenyl}(N-methoxy)carbamate	175013-18-0	21,9 %
boscalid (iso), water moist	188425-85-6	13,13 %
Residues (petroleum), catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts	68425-94-5	< 2 %
Benzenesulfonic acid, hydroxy-, polymer with formaldehyde, phenol and urea, sodium salt	102980-04-1	< 2 %
1,2-Benzisothiazol-3(2H)-one	2634-33-5	< 0,05 %
Propane-1,2-diol	57-55-6	< 5 %

FIRST AID TREATMENT

First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Immediately remove contaminated clothing.

ON CONTACT WITH EYES:	Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.
ON INGESTION:	Immediately rinse mouth and then drink 200 – 300 ml of water, seek medical attention.
ON SKIN CONTACT:	Wash thoroughly with soap and water.
IF INHALED:	Keep patient calm, remove to fresh air, seek medical attention.

TREATMENT: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

RESISTANCE WARNING

For resistance management, BELLIS® ACTIVE is a group codes 7 & 11 fungicide. Any fungal population may contain individuals naturally resistant to BELLIS® ACTIVE and other group codes 7 & 11 fungicides. The resistant individuals can eventually dominate the fungal population if these fungicides are used repeatedly and exclusively in programs. These resistant fungi may not be controlled by BELLIS® ACTIVE or any other group codes 7 & 11 fungicides.

To delay fungicide resistance:

- Avoid exclusive repeated use of fungicides from the same fungicide group codes.
- Integrate other control methods (chemical, cultural, biological) into disease control programs.

FOR SPECIFIC INFORMATION ON RESISTANCE MANAGEMENT, CONTACT THE REGISTRATION HOLDER BASF SOUTH AFRICA (PTY) LTD.

DIRECTIONS FOR USE: USE ONLY AS DIRECTED

Compatibility:

- **BELLIS® ACTIVE** is compatible with **EURO-LIGHTNING®PLUS** (L10316) on **CLEARFIELD®PLUS** sunflowers.
- When applied in combination, ensure that the correct timing of application and label instructions of both products are adhered to (refer to the respective labels for full particulars).
- Ensure that spray equipment is set up correctly to ensure proper coverage of both crop and weed targets.
- When tank mixing **BELLIS®ACTIVE** with **EURO-LIGHTNING®PLUS** add the required quantity of **BELLIS®ACTIVE** to the tank after adding the ammonium sulphate but prior to adding the **EURO-LIGHTNING®PLUS** to the tank. (*see further Mixing instructions below*)

Mixing instructions: Half fill the tank with clean water. Measure the required quantity of **BELLIS® ACTIVE** and pre-mix this with at least 10 ℓ water. Add this mixture to the water in the spray tank while agitating the mixture. Fill the spray tank with water while maintaining agitation to ensure thorough mixing of the spray mixture before spraying commences. Maintain agitation during the whole spraying operation. Prepared spray mixture must not be left in the spray tank for any length of time, e.g. overnight.

All spray applications must be made with suitable equipment that is in good working order and correctly calibrated to give the desired coverage for that method of application.

CROP	DISEASE	DOSAGE	DIRECTIONS FOR USE
SOYA BEANS	Soya bean rust <i>(Phakospora pachyrhizi)</i>	400 ml / ha	Spray preventively before the first signs of disease development is noticed (normally at onset of flowering) and repeat 21 – 28 days later. Apply the shorter interval of 21 days when conditions favour disease development. Ground application: Apply as a full cover spray in 200 – 400 ℓ water / ha. Use well maintained, quality application equipment, delivering a fine and evenly distributed spray pattern on the plant surface. Ensure good coverage of the plants.

CROP	DISEASE	DOSAGE	DIRECTIONS FOR USE
SUNFLOWERS	Alternaria leaf spot (<i>Alternaria helianthi</i>) Sunflower rust (<i>Puccinia helianthi</i>)	400 ml / ha	Apply preventively at the 6-8 leaf stage and repeat at early flowering. Ground application: Apply as a full cover spray in 200 – 400 l water / ha. Use well maintained, quality application equipment, delivering a fine and evenly distributed spray pattern on the plant surface. Ensure good coverage of the plants.

CONDITIONS OF SALE AND WARRANTY

The **Directions for Use** of this product reflect the opinion of experts based on field use and tests. The directions are believed to be reliable and must be followed carefully. However, it is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or use of this product in a manner inconsistent with its labeling, all of which are beyond the control of BASF South Africa (Pty) Ltd (“BASF”) or the Seller. To the extent consistent with applicable law, all such risks shall be assumed by the Buyer.

BASF warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the **Directions for Use**, subject to the inherent risks, referred to above.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BASF MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR MERCHANTABILITY OR ANY OTHER EXPRESS OR IMPLIED WARRANTY.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BUYER’S EXCLUSIVE REMEDY AND BASF’S EXCLUSIVE LIABILITY, WHETHER IN CONTRACT, TORT, NEGLIGENCE, STRICT LIABILITY, OR OTHERWISE, SHALL BE LIMITED TO REPAYMENT OF THE PURCHASE PRICE OF THE PRODUCT.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BASF AND THE SELLER DISCLAIM ANY LIABILITY FOR CONSEQUENTIAL, EXEMPLARY SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.

BASF and the Seller offer this product, and the Buyer and User accept it, subject to the foregoing **Conditions of the Sale and Warranty**, which may be varied only by agreement in writing signed by a duly authorized representative of BASF.

BELLIS®ACTIVE, CLEARFIELD®PLUS and **EURO-LIGHTNING®PLUS** are registered trademarks of BASF.

AFRIKAANS

WAARSKUWINGS

Gevaarverklarings

- Veroorsaak velirritasie.
- Mag allergiese velreaksie veroorsaak.
- Mag lugwegirritasie veroorsaak.
- Skadelik indien ingesluk of in aanraking met die vel.
- Baie giftig vir waterlewendende organismes met langdurige gevolge.

LAAT DIE VOLGENDE MINIMUM AANTAL DAE TOE, TUSSEN DIE LAASTE TOEDIENING EN OES:

Sojabone	70
Sonneblom	83

- **Sojabone:** Geen beweiding
- Hanteer versigtig.
- Stoor in 'n koel, droë plek weg van kos en voer.
- Stoor in oorspronklike houer.
- Hou buite bereik van kinders, ongeligte persone en diere.
- HERBETREDING: Moet nie behandelde gebied betree vir 1 dag na die bespuiting nie, tensy beskermende oorklere gedra word.

Alhoewel hierdie middel onder 'n groot verskeidenheid toestande getoets is, waarborg die registrasiehouer nie dat dit onder alle toestande doeltreffend sal wees nie, aangesien die werking en effek daarvan, deur faktore soos abnormale grond-, klimaats- en bergingstoestande, kwaliteit van verdunningswater, verenigbaarheid met ander stowwe wat nie op die etiket aangedui is nie, en die voorkoms van weerstand van die siekte teen die betrokke middel beïnvloed kan word, die metode, tyd en akkuraatheid van toediening kan ook die werking en doeltreffendheid van die middel beïnvloed. Verder aanvaar die registrasiehouer nie verantwoordelikheid vir skade aan gewasse, plantegroei en die omgewing nie, of vir nadelige effek op mens of dier nie, of vir onvoldoende prestasie van die betrokke middel weens die versuim van die gebruiker om etiketaanwysings na te kom nie, of weens toestande wat nie kragtens die registrasie voorsien kon word nie. Raadpleeg die verskaffer in geval van enige onsekerheid.

VOORSORGMATREËLS

Voorsorgverklarings

- Indien mediese advies benodig word, hou die produkhouer of -etiket byderhand.
 - Hou buite bereik van kinders
 - Dra beskermende handskoene / beskermende klere / oogbeskerming en gesigbeskerming
 - Gebruik slegs buitenshuis of in 'n goed geventileerde area.
 - Moet nie poeier/walm/gas/stuifsel/dampe/spuitstof inasem nie.
 - Besoedelde werksklere moet nie buite die werksplek toegelaat word nie.
 - Moet nie eet, drink of rook wanneer hierdie produk gebruik word nie.
 - Was hande en besoedelde liggaamsdele deeglik na hantering.
 - Skakel 'n GIFBEHEERSENTRUM of geneesheer indien u siek voel.
 - **INDIEN OP VEL:** Was met baie seep en water.
 - Indien velirritasie of uitslag ontstaan: Kry mediese hulp.
 - Spoel mond uit.
 - Maak stortsel bymekaar
 - Indien velirritasie ontstaan: Kry mediese hulp.
 - Berg in 'n goed geventileerde plek. Hou houer dig toe.
 - Berg agter slot en grendel.
 - Raak ontslae van inhoud/houer deur na 'n gevaarlike- of spesiale-afval insamelingsplek te besorg.
-
- Moenie eet, rook of drink terwyl gemeng of gespuit word nie en alvorens die hande en gesig nie eers gewas is nie.
 - Moenie fonteine, damme, riviere, eetgerei, voedsel of voer besoedel nie.
 - Vermoedlik van spuitstof na ander gewasse en weiveld.
 - Leë houers moet **DRIE KEER UITGESPOEL** word soos volg: Keer die leë houer om oor die spuittenk of mengbak en dreineer vir minstens 30 sekondes, nadat die vloeitot 'n gedrup verminder het. Spoel die houer daarna drie keer uit met 'n volume water, gelykstaande aan 'n minimum van 10% van die houer. Gooi die spoelwater by die inhoud van die spuittenk, voordat die houer op die voorgeskrewe wyse vernietig word.
 - Vernietig leë houer deur gate in te kap en plat te slaan en raak op 'n veilige wyse daarvan ontslae en moenie vir enige ander doel hergebruik nie.

RELEVANTE STOWWE

Gevaarlike bestanddele Volgens UN GHS kriteria	CAS nommer	Konsentrasie (W/W)
pyraclostrobin (ISO); methyl N-[2-[1-(4-chlorophenyl)-1H-pyrazol-3-yloxymethyl]phenyl](N-methoxy)carbamate	175013-18-0	21,9 %
boscalid (iso), water moist	188425-85-6	13,13 %
Residues (petroleum), catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts	68425-94-5	< 2 %
Benzenesulfonic acid, hydroxy-, polymer with formaldehyde, phenol and urea, sodium salt	102980-04-1	< 2 %
1,2-Benzisothiazol-3(2H)-one	2634-33-5	< 0,05 %
Propane-1,2-diol	57-55-6	< 5 %

NOODHULPBEHANDELING

Noodhulppersoneel moet aandag gee aan hul eie veiligheid. As die pasiënt waarskynlik bewusteloos sal raak, plaas en vervoer in 'n stabiele sywaartse posisie (herstelposisie). Verwyder onmiddellik besmette klere.

INDIEN IN DIE OË:	Spoel aangetaste oë vir ten minste 15 minute met lopende water, terwyl die ooglede oopgehou word. Raadpleeg 'n oogspesialis.
INDIEN INGESLUK:	Spoel mond dadelik uit en drink 200 – 300 ml water. Verkry mediese hulp.
INDIEN OP DIE VEL:	Was aangetaste area deeglik met seep en water.
INDIEN INGEASEM:	Hou pasiënt kalm en verwyder na vars lug. Verkry mediese hulp.

Behandeling: Behandel simptome (reinig, belangrikste funksies). Daar is geen spesifieke teenmiddel nie.

WAARSKUWING TEEN WEERSTAND

BELLIS® ACTIVE is 'n FRAC Groepkodes 7 & 11 swamdoder. Enige swampopulasie van 'n spesifieke soort mag individue insluit wat 'n natuurlike weerstand teen **BELLIS® ACTIVE** en enige ander groepkodes 7 & 11 swamdoders het. Indien hierdie swamdoders herhaaldelik en uitsluitlik in programme aangewend word, kan die weerstandige individue uiteindelik die swampopulasie oorheers. Hierdie weerstandige swamme sal waarskynlik nie deur **BELLIS® ACTIVE** of enige ander groepkodes 7 & 11 swamdoders beheer word nie.

Om weerstand teen swamdoders te vertraag:

- Vermoed die uitsluitlike, herhaaldelike gebruik van swamdoders in dieselfde swamdoder-groepkode. Wissel af met, of gebruik tenkmengels van produkte in verskillende onkruidoder-groepkodes.
- Integreer ander beheermaatreëls (chemies, bewerking en biologies) in swambeheerprogramme.

VIR SPESIFIEKE INLIGTING OOR WEERSTANDSBESTUUR, KONTAK DIE REGISTRASIEHOUER, BASF Suid-Afrika (Edms) Bpk.

GEBRUIKSAANWYSINGS: GEBRUIK SLEGS SOOS VOORGESKRYF

Vereenigbaarheid:

- **BELLIS® ACTIVE** is vereenigbaar met **EURO-LIGHTNING®PLUS** (L10316) op **CLEARFIELD®PLUS** sonneblomme.
- Wanneer **BELLIS® ACTIVE** en **EURO-LIGHTNING®PLUS** in kombinasie toegedien word, moet die toedieningstyd en etiketinstruksies van beide produkte gevolg word. (verwys na toepaslike etikette vir volle besonderhede).
- Verseker dat toedieningstoerusting goed gekalibreer is ten einde die verlangde bedekking te gee vir beide gewas en onkruid wat geteiken word.
- Wanneer **BELLIS® ACTIVE** en **EURO-LIGHTNING®PLUS** as n spuitmengsel gebruik word, moet die verlangde hoeveelheid **BELLIS® ACTIVE** by die tenkmengsel gevoeg word na die ammonium sulfaat, maar voordat die **EURO-LIGHTNING®PLUS** bygevoeg word (*sien verdere Menginstruksies hier onder*).

Menginstruksies:

Maak die spuittenk halfvol met skoon water. Meet die benodigde hoeveelheid **BELLIS® ACTIVE** af en meng dit vooraf met minstens 10 ℓ water. Voeg hierdie mengsel by die water in die spuittenk terwyl die mengsel geroer word. Vul die spuittenk met water terwyl daar nog steeds geroer word, ten einde deeglike vermenging van die spuitmengsel te verseker alvorens daar begin word met bespuiting. Handhaaf roering gedurende die hele spuitproses. Aangemaakte spuitmengsel moenie in die spuittenk gelaat word vir enige bepaalde tydperk, bv. oornag, nie.

Alle toedienings moet gemaak word met geskikte toerusting wat in goeie werkende toestand en korrek gekalibreer is, ten einde die verlangde bedekking te gee vir die betrokke toedieningsmetode.

GEWAS	SIEKTE	DOSIS	GEBRUIKSAANBEVELINGS
SOJABONE	Sjaboonroes (<i>Phakopsora pachyrhizi</i>)	400 ml/ha	Dien as 'n voorkomende behandeling toe voor die eerste simptome gewaar word (normaalweg met begin blom) en herhaal 21 – 28 dae later. Wanneer weerstoestande bevorderlik is vir die ontwikkeling van siekte, moet 'n korter spuitinterval van 3 weke gespuit word. Grondtoediening: Dien as 'n volbedekking in 200 – 400 l water/ha toe. Gebruik kwaliteit toerusting wat goed onderhou word en 'n fyn eweredige spuitpatroon op die plante lewer. Verseker goeie bedekking.
SONNEBLOMME	Alternaria blaavlek (<i>Alternaria helianthi</i>) Sonneblomroes (<i>Puccinia helianthi</i>)	400 ml/ha	Dien tydens die 6-8 blaarstadium as 'n voorkomende behandeling toe en herhaal tydens vroeë blomstadium. Grondtoediening: Dien as 'n volbedekking toe in 200 – 400 l water / ha. Gebruik kwaliteit spuittoerusting wat goed onderhou is en 'n fyn, egalige verspreide spuitpatroon op die plantoppervlak lewer. Verseker goeie plantbedekking

VERKOOPSVORWAARDES EN WAARBORG

Die **GEBRUIKSAANWYSINGS** van hierdie produk weerspieël die opinie van kundiges, gebaseer op gebruik in die veld en in proewe. Die aanwysings word as betroubaar geag en moet noukeurig nagekom word. Dit is egter onmoontlik om alle risiko's wat inherent met die gebruik van hierdie produk geassosieer word, uit te skakel. Gewasskade, oneffektiwiteit of ander onopsetlike gevolge mag voorkom as gevolg van faktore soos weerstoestande, teenwoordigheid van ander materiale, of wanneer die produk op 'n wyse wat teenstrydig met die etiket is, gebruik word; dit alles is buite die beheer van BASF Suid-Afrika (Edms) Bpk ("BASF") of die Verkoper. In die mate waarin dit in ooreenstemming met toepaslike wetgewing is, sal alle risiko's deur die Koper aanvaar word.

BASF waarborg dat hierdie produk aan die vereistes van die chemiese beskrywing op die etiket voldoen, en is redelikerwys geskik vir die gebruiksdoeleindes soos uiteengesit in die **GEBRUIKSAANWYSINGS**, onderhewig aan die inherente risiko's, soos hierbo na verwys.

IN DIE MATE WAT DIT MET TOEPASLIKE WETGEWING OOREENSTEM, GEE BASF GEEN ANDER UITDRUKKING OF GEIMPLISEERDE WAARBORG VAN GESKIKTHEID OF VERKOOPVERNUF OF ENIGE ANDER UITDRUKKING OF GEIMPLISEERDE WAARBORG NIE.

IN DIE MATE WAT DIT MET TOEPASLIKE WETGEWING OOREENSTEM, SAL DIE KOPER SE UITSLUITLIKE REGSMIDDEL EN BASF SE UITSLUITLIKE AANSPREEKLIKHEID, HETSY IN KONTRAK, ONREGMATIGHEID, NALATIGHEID, STRENG AANSPREEKLIKHEID, OF ANDERSINDS, BEPERK WORD TOT TERUGBETALING VAN DIE AANKOOPPRYS VAN DIE PRODUK.

IN DIE MATE WAT DIT MET TOEPASLIKE WETGEWING OOREENSTEM, DOEN BASF EN DIE VERKOPER, AFSTAND VAN ENIGE AANSPREEKLIKHEID TEN OPSIGTE VAN VOORTSPRUITENDE SKADE, SKADEVERGOEDING, SPESIALE OF INDIREKTE SKADE, UIT DIE GEBRUIK OF HANTERING VAN HIERDIE PRODUK.

BASF en die Verkoper bied hierdie produk aan, en die Aankoper en Gebruiker aanvaar dit, onderhewig aan die voorafgaande **Verkoopvoorwaardes en Waarborg**, wat slegs gewysig mag word deur 'n skriftelike ooreenkoms, wat na behore deur 'n gemagtigde verteenwoordiger van BASF onderteken is.

BELLIS®ACTIVE, CLEARFIELD®PLUS en **EURO-LIGHTNING®PLUS** is
Geregistreerde Handelsmerke van BASF.

BASF
We create chemistry

Bellis® Active

Reg. No. L10777

Act No. 36 of 1947

**READ ATTACHED PACKAGE OR LEAFLET BEFORE USE
KEEP OUT OF REACH OF CHILDREN AND ANIMALS**

GROUP	7	11	FUNGICIDES
-------	---	----	------------

A suspension concentrate fungicide for the control of certain diseases in soya beans and sunflowers.

'n Suspensiekonsentraat swamdoder vir die beheer van sekere siektes in sojabone en sonneblom.

Causes skin irritation.

May cause an allergic skin reaction.

May cause respiratory irritation.

Harmful if swallowed or if inhaled.

Very toxic to aquatic life with long lasting effects.

Wear protective gloves.

Do not breathe mist or vapour.

Active ingredients / Aktiewe bestanddele:

Boscalid (pyridine-carboxamide).....150 g/l

Pyraclostrobin (methoxy-carbamate).....250 g/l

Registered by:

BASF South Africa (Pty) Ltd

Co. Reg. No. 66/10235/07

852 Sixteenth Road

P.O. Box 2801

Halfway House 1685

+27 11 203 2400

Geregistreer deur:

BASF Suid-Afrika (Edms) Bpk

Mpy Reg. Nr 66/10235/07

852 Sestiende Laan

Posbus 2801

Halfweghuis 1685

+27 11 203 2400

WARNING



© = Registered trademark of BASF / Geregistreerde handelsmerk van BASF

81164625 ZA 2102



5 l