

Revycare®

Reg. No. L11409

Act No. 36 of 1947

**READ ATTACHED PACKAGE OR LEAFLET BEFORE USE
KEEP OUT OF REACH OF CHILDREN AND ANIMALS**

GROUP	3	11	FUNGICIDES
-------	---	----	------------

An emulsifiable concentrate contact and translaminar fungicide for the control of black spot on all citrus.

'n Emulgeerbare konsentraat kontak en translaminêre swamdoder vir die beheer van swartvlek op alle sitrus.

Hazard statements:

Causes serious eye damage.
Causes skin irritation.
May cause an allergic skin reaction.
May cause respiratory irritation.
Harmful if swallowed or if inhaled.
Very toxic to aquatic life with long lasting effects.

Precautionary statements:

Wear protective gloves and eye protection or face protection.
Use only outdoors or in a well-ventilated area.

Active ingredients / Aktiewe bestanddele:

Mefenotrifluconazole (triazole)... 100 g/l
Pyraclostrobin (methoxy-carbamate)... 100 g/l

Registered by:

BASF South Africa (Pty) Ltd
Co. Reg. No. 66/10235/07
852 Sixteenth Road
P.O. Box 2801
Halfway House 1685
+27 11 203 2400

Geregistreer deur:

BASF Suid-Afrika (Edms) Bpk
Mpy Reg. Nr 66/10235/07
852 Sestiende Laan
Posbus 2801
Halfweghuis 1685
+27 11 203 2400



Batch No. & Date manufactured: Refer to details printed on container
Lotnommer & Datum vervaardig: Verwys na besonderhede gedruk op houer

EMERGENCY NUMBER / NOODNOMMER: +27 82 446 8946

5 l



WARNINGS**Hazard Statements:**

- Causes serious eye damage.
- Causes skin irritation.
- May cause an allergic skin reaction.
- May cause respiratory irritation.
- Harmful if swallowed or if inhaled.
- Very toxic to aquatic life with long lasting effects.

ALLOW THE FOLLOWING MINIMUM NUMBER OF DAYS BETWEEN LAST APPLICATION AND HARVEST:

Citrus

14

- Handle with care.
- Keep out of reach of children, uninformed persons and animals.
- Store in a cool dry place away from food and feed.
- RE-ENTRY INTERVAL: Do not enter treated area within 1 day after treatment unless wearing protective clothing.

Although this remedy has been tested under a large variety of conditions, the registration holder does not warrant that it will be efficacious under all conditions, because the action and effect thereof may be affected by factors, such as abnormal soil, climatic and storage conditions, quality of dilution water, compatibility with other substances not indicated on the label and the occurrence of resistance of the disease against the remedy concerned, as well as by the method, time and accuracy of application. The registration holder furthermore, does not accept responsibility for damage to crops, vegetation, the environment, harm to man or animal, or for lack of performance of the remedy concerned, due to the occurrence of conditions, which could not have been foreseen in terms of the registration. Consult the supplier in the event of any uncertainty.

PRECAUTIONS

Precautionary Statements:

- If medical advice is needed, have product container or label at hand.
 - Keep out of reach of children.
 - Read carefully and follow all instructions.
 - Wear protective gloves and eye protection or face protection.
 - Use only outdoors or in a well-ventilated area.
 - Do not breathe mist or vapour.
 - Contaminated work clothing should not be allowed out of the workplace.
 - Do not eat, drink or smoke when using this product.
 - Wash contaminated body parts thoroughly after handling.
 - Immediately call a POISON CENTER or physician.
 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.
 - IF ON SKIN: Wash with plenty of soap and water.
 - Rinse mouth.
 - Collect spillage.
 - Take off contaminated clothing and wash it before reuse.
 - Store in a well-ventilated place. Keep container tightly closed.
 - Store locked up.
 - Dispose of contents and container to hazardous or special waste collection point.
-
- Wear protective clothing – rubber gloves and face shield when preparing spray mixture.
 - Wash with soap and water after use and accidental skin contact.
 - Avoid spray drift onto other crops, grazing, rivers and dams and any area not under treatment.
 - Prevent contamination of food, feedstuffs, drinking water and eating utensils.
 - TRIPLE RINSE THE EMPTY CONTAINER AS FOLLOWS: Invert the empty container over the spray or mixing tank and drain for at least 30 seconds after the flow has slowed down to dripping. Thereafter rinse the empty container three times in succession with one quarter of the container volume fresh water and decant the rinsate into the spray or mixing tank. Puncture the triple rinsed container and dispose of via an approved collector or recycler (www.croplife.co.za). Do not bury, burn or donate the container to any other parties that may use it as a container for food or beverages.
 - Clean applicator after use. Dispose of wash water where it will not contaminate crops, grazing, rivers and dams.

RELEVANT SUBSTANCES

Hazardous ingredients According to UN GHS criteria	CAS number	Concentration (w/w)
pyraclostrobin (ISO); methyl N-{2-[1-(4-chlorophenyl)-1H-pyrazol-3-yloxyethyl]phenyl}(N-methoxy)carbamate	175013-18-0	9,78 %
1H-1,2,4-Triazole-1-ethanol, α -[4-(4-chlorophenoxy)-2-(trifluoromethyl)phenyl]- α -methyl	1417782-03-6	9,78 %
N,N-Dimethyldecan-1-amide	14433-76-2	< 35 %
Propanoic acid, 2-hydroxy-, 2-ethylhexyl ester, (2S)-	186817-80-1	< 25 %
Alcohols, C12-18, ethoxylated propoxylated	69227-21-0	< 15 %
Methyl-Oxirane, Blockpolymer with Oxirane, Monoisotridecyl ether	196823-11-7	< 15 %
Poly(oxy-1,2-ethanediyl), .alpha.-[tris(1-phenylethyl)phenyl]-.omega.-hydroxy-	99734-09-5	< 5 %
2-Pyrrolidone	616-45-5	< 0,3 %

FIRST AID TREATMENT

First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Immediately remove contaminated clothing.

IF IN EYES:	Immediately wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.
IF SWALLOWED:	Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.
IF ON SKIN:	Immediately wash thoroughly with plenty of water, apply sterile dressings, consult a skin specialist.
IF INHALED:	Keep patient calm, remove to fresh air, seek medical attention. Immediately administer a corticosteroid from a controlled/metered dose inhaler.

Indication of any immediate medical attention and special treatment needed

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

RESISTANCE WARNING

For resistance management, REVYCARE® is a Group Codes 3 & 11 fungicide. Any fungal population may contain individuals naturally resistant to REVYCARE® and other Group Codes 3 & 11 fungicides. The resistant individuals can eventually dominate the fungal population if these fungicides are used repeatedly and exclusively in programs. These resistant fungi may not be controlled by REVYCARE® or any other Group Codes 3 & 11 fungicides.

To delay fungicide resistance:

- Avoid exclusive repeated use of fungicides from the same Fungicide Group Codes. Alternate or tank mix with registered products from different Fungicide Group Codes.
- For tank mixing or alternation with products in unrelated Fungicide Group Codes, refer to the applicable individual product labels.
- Integrate other control methods (chemical, cultural, biological) into disease control programmes.

FOR SPECIFIC INFORMATION ON RESISTANCE MANAGEMENT, CONTACT THE REGISTRATION HOLDER, BASF SOUTH AFRICA (PTY) LTD.

DIRECTIONS FOR USE: USE ONLY AS DIRECTED

Mixing instructions:

Measure the required volume of REVYCARE® and pre-mix in at least 10 ℓ of water before adding to the spray tank. Fill the spray tank with water to the final volume required while maintaining agitation to ensure thorough mixing of the spray mixture before spraying commences. Maintain agitation while spraying. Prepared spray mixture must not be left in the spray tank for any length of time, e.g. overnight.

CITRUS:

- Apply REVYCARE® as part of a preventive spray programme.
- The application of REVYCARE® should follow the application of a multisite contact fungicide registered for citrus black spot control applied at 100% petal drop at the registered rate to ensure protection for at least 21 days.
- Thereafter, apply three applications of REVYCARE® beginning 21 days later, followed by two applications as recommended in the table below.
- Refer to the respective multisite contact fungicide product label for recommendations regarding dosage rate and directions for use.
- Do not apply REVYCARE® to old neglected citrus trees, as the risk of developing Qol resistance on these trees is extremely high.

- **Lemons: All out-of-season fruit must be removed from the trees before starting the spray programme.**

All spray applications must be made with suitable equipment that is in good working order and correctly calibrated to give the desired coverage for that method of application.

CROP	DISEASE	DOSAGE RATE	DIRECTIONS FOR APPLICATION
CITRUS	Citrus black spot (<i>Phyllosticta citricarpa</i>)	12 mℓ REVCARE® / 100 ℓ water	<p>Apply as a full cover spray ensuring good coverage of all fruit.</p> <p>Apply REVCARE® as part of a preventive spray programme.</p> <p>Apply a multisite contact fungicide registered for citrus black spot control at 100% petal drop at the registered rate and follow with the first application of REVCARE® 21 days later.</p> <p>Apply a further two applications of REVCARE® at 42-day intervals thereafter.</p> <p>Apply a maximum of 3 applications of REVCARE® per season.</p> <p>Always refer to the DIRECTIONS FOR USE for CITRUS on the relevant labels of products used in the programme.</p>

Conditions of Sale and Warranty

The **DIRECTIONS FOR USE** of this product reflect the opinion of experts based on field use and tests. The directions are believed to be reliable and must be followed carefully. However, it is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or use of this product in a manner inconsistent with its labelling, all of which are beyond the control of BASF South Africa (Pty) Ltd (“BASF”) or the Seller. To the extent consistent with applicable law, all such risks shall be assumed by the Buyer.

BASF warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the **DIRECTIONS FOR USE**, subject to the inherent risks, referred to above.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BASF MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR MERCHANTABILITY OR ANY OTHER EXPRESS OR IMPLIED WARRANTY.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BUYER'S EXCLUSIVE REMEDY AND BASF'S EXCLUSIVE LIABILITY, WHETHER IN CONTRACT, TORT, NEGLIGENCE, STRICT LIABILITY, OR OTHERWISE, SHALL BE LIMITED TO REPAYMENT OF THE PURCHASE PRICE OF THE PRODUCT.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BASF AND THE SELLER DISCLAIM ANY LIABILITY FOR CONSEQUENTIAL, EXEMPLARY SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.

BASF and the Seller offer this product, and the Buyer and User accept it, subject to the foregoing **Conditions of the Sale and Warranty**, which may be varied only by agreement in writing signed by a duly authorized representative of BASF.

REVYCARE® is a registered trademark of BASF.

WAARSKUWINGS

Gevaarstellings:

- Verorsaak ernstige oogskade.
- Verorsaak velirritasie.
- Mag allergiese velreaksie veroorsaak.
- Mag lugwegirritasie veroorsaak.
- Skadelik indien ingesluk of ingeasem.
- Baie giftig vir waterlewende organismes met langdurige gevolge.

LAAT DIE VOLGENDE MINIMUM AANTAL DAE TOE TUSSEN DIE LAASTE TOEDIENING EN OES:

Sitrus	14
--------	----

- Hanteer versigtig.
- Hou buite bereik van kinders, oningeligte persone en diere.
- Berg in 'n koel, droë plek, weg van voedsel en voer.
- HERBETREDING: Moet nie behandelde gebied betree vir 1 dag na die bespuiting nie, tensy beskermende oorklere gedra word.

Alhoewel hierdie middel onder 'n groot verskeidenheid toestande getoets is, waarborg die registrasiehouer nie dat dit onder alle toestande doeltreffend sal wees nie, aangesien die werking en effek daarvan, deur faktore soos abnormale grond-, klimaats- en bergingstoestande, kwaliteit van verdunningswater, verenigbaarheid met ander stowwe wat nie op die etiket aangedui is nie, en die voorkoms van weerstand van die siekte teen die betrokke middel beïnvloed kan word, die metode, tyd en akkuraatheid van toediening kan ook die werking en doeltreffendheid van die middel beïnvloed. Verder aanvaar die registrasiehouer nie verantwoordelikheid vir skade aan gewasse, plantegroei en die omgewing nie, of vir nadelige effek op mens of dier nie, of vir onvoldoende prestasie van die betrokke middel weens die versuim van die gebruiker om etiketaanwysings na te kom nie, of weens toestande wat nie kragtens die registrasie voorsien kon word nie. Raadpleeg die verskaffer in geval van enige onsekerheid.

Voorsorgstellings:

- Indien mediese advies benodig word, hou die produkhouer of -etiket byderhand.
 - Hou buite bereik van kinders.
 - Lees sorgvuldig en volg alle instruksies.
 - Dra beskermende handskoene en oog- of gesigbeskerming.
 - Gebruik slegs buitenshuis of in 'n goed geventileerde area.
 - Moet nie walms of dampe inasem nie.
 - Besoedelde werksklere moet nie buite die werksplek toegelaat word nie.
 - Moet nie eet, drink of rook wanneer hierdie produk gebruik word nie.
 - Was besoedelde liggaamsdele deeglik na gebruik.
 - Skakel dadelik 'n GIFBEHEERSENTRUM of geneesheer.
 - INDIEN IN OË: Spoel versigtig met water vir etlike minute. Verwyder kontaklense indien aanwesig en maklik om te verwyder. Hou aan met spoel.
 - INDIEN INGEASEM: Neem slagoffer na vars lug en hou gemaklik vir asemhaling.
 - INDIEN OP VEL: Was met baie seep en water.
 - Spoel mond uit.
 - Maak stortsel bymekaar.
 - Trek besoedelde klere uit en was voor hergebruik.
 - Berg in 'n goed geventileerde plek. Hou houer dig toe.
 - Berg agter slot en grendel.
 - Raak ontslae van inhoud en houer deur na 'n gevaarlike- of spesiale-afval insamelsplek te besorg.
-
- Dra beskermende klere – rubberhandskoene en -stewels en gesigskerm wanneer spuitmengsel voorberei word.
 - Was met seep en water na gebruik en na toevallige velkontak.
 - Verhoed wegdrywing van spuitnewel na ander gewasse, weivelde, riviere en damme en areas nie onder bespuiting nie.
 - Vermo besoedeling van voedsel, over, water en eetgerei.
 - SPOEL LEË HOUER DRIE KEER AS VOLG: Keer die leë houer oor die spuit of mengtenk om en dreineer vir minstens 30 sekondes nadat die vloei tot 'n gedrup verminder het Spoel daarna die leë houer drie keer na mekaar met een kwart van die houervolume vars water en giet die spoelwater in die spuittenk of mengtenk oor. Kap gate in die drie keer gespoelde houer waarna dit aan 'n goedgekeurde versamelaar of verwerker oorhandig moet word (www.croplife.co.za). Moet nie die houer begrawe, verbrand of aan enige ander partye skenk wat dit as houer vir voedsel of drinkgoed mag gebruik nie.
 - Maak toedieningsapparaat skoon na gebruik en moenie gewasse, weivelde, riviere of damme met die waswater besoedel nie.

RELEVANTE STOWWE

Gevaarlike bestanddele Volgens UN GHS Kriteria	CAS nommer	Konsentrasie (w/w)
pyraclostrobin (ISO); methyl N-[2-[1-(4-chlorophenyl)-1H-pyrazol-3-yloxyethyl]phenyl](N-methoxy)carbamate	175013-18-0	9,78 %
1H-1,2,4-Triazole-1-ethanol, α -[4-(4-chlorophenoxy)-2-(trifluoromethyl)phenyl]- α -methyl	1417782-03-6	9,78 %
N,N-Dimethyldecan-1-amide	14433-76-2	< 35 %
Propanoic acid, 2-hydroxy-, 2-ethylhexyl ester, (2S)-	186817-80-1	< 25 %
Alcohols, C12-18, ethoxylated propoxylated	69227-21-0	< 15 %
Methyl-Oxirane, Blockpolymer with Oxirane, Monoisotridecyl ether	196823-11-7	< 15 %
Poly(oxy-1,2-ethanediyl), .alpha.-[tris(1-phenylethyl)phenyl]-.omega.-hydroxy-	99734-09-5	< 5 %
2-Pyrrolidone	616-45-5	< 0,3 %

NOODHULPBEHANDELING

Noodhulppersoneel moet aandag gee aan hul eie veiligheid. As die pasiënt waarskynlik bewusteloos sal raak, plaas en vervoer in 'n stabiele sywaartse posisie (herstelposisie). Verwyder onmiddellik besmette klere.

INDIEN IN DIE OË:	Spoel aangetaste oë vir ten minste 15 minute met lopende water, terwyl die ooglede oorgehou word. Raadpleeg 'n oogspesialis
INDIEN INGESLUK:	Spoel mond dadelik uit en drink 200 – 300 ml water, verkry mediese hulp.
INDIEN OP DIE VEL:	Was aangetaste area deeglik met seep en water en verbind met steriele verbande. Raadpleeg n velspesialis
INDIEN INGEASEM:	Hou pasiënt kalm en verwyder na vars lug, verkry mediese hulp. Dien onmiddelik 'n kortikosteroïed toe met die gebruik van 'n beheerde/gemeterde dosis inhaleerde

Aanduiding van enige onmiddellike mediese aandag en spesiale behandeling wat nodig is

Behandeling: Behandel simptome (reinig, belangrikste funksies). Daar is geen spesifieke teenmiddel nie.

WAARSKUWING TEEN WEERSTAND

REVYCARÉ® is 'n FRAC Groepkodes 3 en 11 swamdoder. Enige populasie van 'n spesifieke swam mag individue insluit, wat 'n natuurlike weerstand teen **REVYCARÉ**® of enige ander Groepkodes 3 en 11 swamdoders het. Indien hierdie swamdoders in herhaaldelike en eksklusiewe programme aangewend word, kan die weerstandige individue uiteindelik die swampopulasie oorheers. Hierdie weerstandige swamme sal waarskynlik nie deur **REVYCARÉ**®, of enige ander Groepkodes 3 en 11 swamdoders, beheer word nie.

Om weerstand teen swamdoders te vertraag:

- Verminder die eksklusiewe herhaaldelike gebruik van swamdoders in dieselfde Swamdodergroepkode. Wissel af met, of gebruik tenkmengels van produkte in verskillende Swamdodergroepkodes.
- Sien toepaslike individuele produketikette wanneer daar afgewissel word, of tenkmengels gebruik word, met produkte in ander Swamdodergroepkodes.
- Integreer ander beheermaatreëls (chemies, verbouing, biologies) in swamdoderprogramme.

VIR SPESIFIEKE INLIGTING OOR WEERSTANDBESTUUR, KONTAK DIE REGISTRASIEHOUER, BASF SA (Edms) Bpk.

GEBRUIKSAANWYSINGS: GEBRUIK SLEGS SOOS VOORGESKRYF

Menginstruksies:

Meet die verlangde hoeveelheid **REVYCARÉ**® af en meng dit eers met ten minste 10 l water voordat dit in die spuitnek bygevoeg word. Vul die tenk met water tot by die verlangde vlak terwyl die mengsel voortdurend geroer word, om deeglike vermenging te verseker, alvorens daar met toediening begin word. Hou aan om die mengsel tydens toediening te roer. Aangemaakte spuitmengsels moenie vir 'n onbepaalde tyd, bv. oornag, in die spuitnek gelaat word nie.

SITRUS:

- Dien **REVYCARÉ**® toe as deel van 'n voorkomende spuitprogram.
- Die toediening van **REVYCARÉ**® moet volg op die toediening van 'n multiteiken-kontakswamdoder, wat vir die beheer van sitruswartvlek geregistreer is, en wat teen die geregistreerde dosis op 100% blomblaarval toegedien is om beskerming vir minstens 21 dae te bied.
- 21 dae na die blomblaarval-toediening word die eerste **REVYCARÉ**®-toediening gedoen, opgevolg deur 2 verdere **REVYCARÉ**® toedienings soos aangedui in die tabel hieronder.

- Verwys na die bepaalde multiteiken-kontakswamdoder se produketiket vir aanbevelings rakende dosis en gebruiksaanwysings.
- Moenie **REVYCARE**® op ou verwaarloosde sitrusbome spuit nie, aangesien die risiko van die ontwikkeling van QoI-weerstand by hierdie bome uiters hoog is.
- **Suurlemoene: Alle buiteseisoen-vrugte moet van die bome verwyder word, voordat met die spuitprogram begin word.**

Geskikte spuittoerusting, wat in goeie werkende toestand is en korrek gekalibreer is, moet tydens alle toedienings gebruik word, om die verlangde bedekking met dié spesifieke toedieningsmetode te kry.

GEWAS	SIEKTE	DOSIS	GEBRUIKSAANWYSINGS
SITRUS	Sitruswartvlek (<i>Phyllosticta citricarpa</i>)	12 ml REVYCARE ® / 100 l water	<p>Dien as 'n voldekbepuiting toe om goeie bedekking van alle vrugte te verseker.</p> <p>Dien REVYCARE® as deel van 'n voorkomende spuitprogram toe.</p> <p>Dien 'n multiteiken-kontakswamdoder, wat vir die beheer van sitruswartvlek geregistreer is, by 100% blomblaarval toe en volg dit 21 dae later met die eerste REVYCARE® -toediening op.</p> <p>Dien daarna 'n verdere twee REVYCARE® -toedienings toe teen intervalle van 42 dae.</p> <p>Dien 'n maksimum van 3 REVYCARE® -toedienings per seisoen toe.</p> <p>Verwys altyd na die GEBRUIKSAANWYSINGS vir SITRUS op die relevante produketikette wat in die spuitprogram gebruik word.</p>

VERKOOPSVOORWAARDES EN WAARBORG

Die **GEBRUIKSAANWYSINGS** van hierdie produk weerspieël die opinie van kundiges, gebaseer op gebruik in die veld en in proewe. Die aanwysings word as betroubaar geag en moet noukeurig nagekom word. Dit is egter onmoontlik om alle risiko's wat inherent met die gebruik van hierdie produk geassosieer word, uit te skakel. Gewasskade, oneffektiwiteit of ander onopsetlike gevolge mag voorkom as gevolg van faktore soos weerstoestande, teenwoordigheid van ander materiale, of wanneer die produk op 'n wyse wat teenstrydig met die etiket is, gebruik word; dit alles is buite die beheer van BASF Suid-Afrika (Edms) Bpk ("BASF") of die Verkoper. In die mate waarin dit in ooreenstemming met toepaslike wetgewing is, sal alle risiko's deur die Koper aanvaar word.

BASF waarborg dat hierdie produk aan die vereistes van die chemiese beskrywing op die etiket voldoen, en is redelikerwys geskik vir die gebruiksdoeleindes soos uiteengesit in die **GEBRUIKSAANWYSINGS**, onderhewig aan die inherente risiko's, soos hierbo na verwys.

IN DIE MATE WAT DIT MET TOEPASLIKE WETGEWING OOREENSTEM, GEE BASF GEEN ANDER UITDRUKKING OF GEÏMPLISEERDE WAARBORG VAN GESKIKTHEID OF VERKOOPSVERNUF OF ENIGE ANDER UITDRUKKING OF GEÏMPLISEERDE WAARBORG NIE.

IN DIE MATE WAT DIT MET TOEPASLIKE WETGEWING OOREENSTEM, SAL DIE KOPER SE UITSLUITLIKE REGSMIDDEL EN BASF SE UITSLUITLIKE AANSPREEKLIKHEID, HETSY IN KONTRAK, ONREGMATIGHEID, NALATIGHEID, STRENG AANSPREEKLIKHEID, OF ANDERSINDS, BEPERK WORD TOT TERUGBETALING VAN DIE AANKOOPPRYS VAN DIE PRODUK.

IN DIE MATE WAT DIT MET TOEPASLIKE WETGEWING OOREENSTEM, DOEN BASF EN DIE VERKOPER, AFSTAND VAN ENIGE AANSPREEKLIKHEID TEN OPSIGTE VAN VOORTSPRUITENDE SKADE, SKADEVERGOEDING, SPESIALE OF INDIREKTE SKADE, UIT DIE GEBRUIK OF HANTERING VAN HIERDIE PRODUK.

BASF en die Verkoper bied hierdie produk aan, en die Aankoper en Gebruiker aanvaar dit, onderhewig aan die voorafgaande **Verkoopsvoorwaardes en Waarborg**, wat slegs gewysig mag word deur 'n skriftelike ooreenkoms, wat na behore deur 'n gemagtigde verteenwoordiger van BASF onderteken is.

REVYCARÉ® is 'n geregistreerde handelsmerk van BASF.

RevyCare®

Reg. No. L11409

Act No. 36 of 1947

**READ ATTACHED PACKAGE OR LEAFLET BEFORE USE
KEEP OUT OF REACH OF CHILDREN AND ANIMALS**

GROUP	3	11	FUNGICIDES
-------	---	----	------------

An emulsifiable concentrate contact and translaminar fungicide for the control of black spot on all citrus.

'n Emulgeerbare konsentraat kontak en translaminêre swamdoder vir die beheer van swartvlek op alle sitrus.

Hazard statements:

Causes serious eye damage.
Causes skin irritation.
May cause an allergic skin reaction.
May cause respiratory irritation.
Harmful if swallowed or if inhaled.
Very toxic to aquatic life with long lasting effects.

Precautionary statements:

Wear protective gloves and eye protection or face protection.
Use only outdoors or in a well-ventilated area.

Active ingredients / Aktiewe bestanddele:

Mefen trifluconazole (triazole)... 100 g/l
Pyraclostrobin (methoxy-carbamate)... 100 g/l

Registered by:

BASF South Africa (Pty) Ltd
Co. Reg. No. 66/10235/07
852 Sixteenth Road
P.O. Box 2801
Halfway House 1685
+27 11 203 2400

Geregistreer deur:

BASF Suid-Afrika (Edms) Bpk
Mpy Reg. Nr 66/10235/07
852 Sestiende Laan
Posbus 2801
Halfweghuis 1685
+27 11 203 2400

Batch No. & Date manufactured: Refer to details printed on container
Lotnommer & Datum vervaardig: Verwys na besonderhede gedruk op houer

EMERGENCY NUMBER / NOODNOMMER: +27 82 446 8946

