

Maccani®

Reg. No. L8198

Act No. 36 of 1947

**READ ATTACHED PACKAGE OR LEAFLET BEFORE USE
KEEP OUT OF REACH OF CHILDREN AND ANIMALS**

| | | | |
|-------|----|-----|------------|
| GROUP | 11 | M09 | FUNGICIDES |
|-------|----|-----|------------|

A water dispersible granular contact and translaminar fungicide for the control of certain fungal diseases on apples and pears.

'n Waterdispergeerbare korrel kontak- en translaminêre- swamdoder vir die beheer van sekere swamsiektes op appels en pere.

Causes serious eye irritation.
May cause an allergic skin reaction.
Suspected of causing cancer.
Harmful if swallowed or if inhaled
Very toxic to aquatic life with long lasting effects.
Wear protective gloves, protective clothing and eye protection or face protection.
Avoid breathing dust or fume.



Active ingredients / Aktiewe bestanddele:

Dithianon (quinone)..... 120 g/kg
Pyraclostrobin (methoxy-carbamates)..... 40 g/kg

Registered by:
BASF South Africa (Pty) Ltd
Co. Reg. No. 66/10235/07
852 Sixteenth Road
P.O. Box 2801
Halfway House 1685
+27 11 203 2400

Geregistreer deur:
BASF Suid-Afrika (Edms) Bpk
Mpy Reg. Nr 66/10235/07
852 Sestiende Laan
Posbus 2801
Halfweghuis 1685
+27 11 203 2400

Batch No. & Date manufactured: Refer to details printed on container
Lotnommer & Datum vervaardig: Verwys na besonderhede gedruk op houer

EMERGENCY NUMBER / NOODNUMMER: +27 82 446 8946

5 kg



® = Registered trademark of BASF / Geregistreerde handelsmerk van BASF

81166637 ZA 2013



WARNINGS**Hazard Statements**

- Causes serious eye irritation.
- May cause an allergic skin reaction.
- Suspected of causing cancer.
- Harmful if swallowed or if inhaled.
- Very toxic to aquatic life with long lasting effects.

ALLOW THE FOLLOWING MINIMUM NUMBER OF DAYS, BETWEEN LAST APPLICATION AND HARVEST:

| | |
|------------------|----|
| Apples and Pears | 28 |
|------------------|----|

- Handle with care.
- Store away from food and feedstuffs and in a cool place.
- Store under lock and key out of reach of children, uninformed people and animals.
- Re-entry: Do not enter treated area before spray deposit has dried unless wearing protective clothing.

Although this remedy has been tested under a large variety of conditions, the registration holder does not warrant that it will be efficacious under all conditions, because the action and effect thereof may be affected by factors, such as abnormal soil, climatic and storage conditions, quality of dilution water, compatibility with other substances not indicated on the label and the occurrence of resistance of the disease against the remedy concerned, as well as by the method, time and accuracy of application. The registration holder furthermore, does not accept responsibility for damage to crops, vegetation, the environment, harm to man or animal, or for lack of performance of the remedy concerned, due to the occurrence of conditions, which could not have been foreseen in terms of the registration. Consult the supplier in the event of any uncertainty.

PRECAUTIONS

Precautionary Statements

- If medical advice is needed, have product container or label at hand.
 - Keep out of reach of children.
 - Read carefully and follow all instructions.
 - Wear protective gloves, protective clothing and eye protection or face protection.
 - Use only outdoors or in a well-ventilated area.
 - Avoid breathing dust or fume.
 - Obtain special instructions before use.
 - Do not handle until all safety precautions have been read and understood.
 - Contaminated work clothing should not be allowed out of the workplace.
 - Do not eat, drink or smoke when using this product.
 - Wash contaminated body parts thoroughly after handling.
 - Call a POISON CENTER or physician if you feel unwell.
 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.
 - IF ON SKIN: Wash with plenty of soap and water.
 - IF exposed or concerned: Get medical attention.
 - If skin irritation or rash occurs: Get medical attention.
 - Rinse mouth.
 - Collect spillage.
 - Take off contaminated clothing and wash it before reuse.
 - If eye irritation persists: Get medical attention.
 - Store locked up.
 - Dispose of contents and container to hazardous or special waste collection point.
- Avoid contact with skin and protect eyes.
 - Wash contaminated clothing daily.
 - Wash with soap and water after accidental skin contact.
 - Do not smoke, eat or drink during mixing and spraying operations before washing hands and face thoroughly.
 - Do not contaminate springs, dams, rivers, drinking water, eating utensils, food or feed.
 - Prevent drift of spray mist onto other crops, grazing rivers, dams and areas not under treatment.
 - Clean applicator after use and dispose of wash water where it will not contaminate crops, grazing, rivers or dams.
 - TRIPLE RINSE empty containers in the following manner: Invert the empty container over the spray or mixing tank and allow to drain for at least 30 seconds after the flow has slowed down to a drip. Thereafter, rinse the container three times with a volume of water equal to a minimum of 10% of that of the container. Add the rinsings to the contents of the spray tank before destroying the container in the prescribed manner.
 - Destroy empty container by perforation and flattening and dispose of it in a safe way and never re-use for any other purpose.

RELEVANT SUBSTANCES

| Hazardous ingredients According to UN GHS criteria | CAS number | Concentration (W/W) |
|---|-------------------|----------------------------|
| dithianon (ISO); 5,10-dihydro-5,10-dioxonaphtho(2,3-b)(1,4) dithiazine-2,3- dicarbonitrile | 3347-22-6 | 12 % |
| pyraclostrobin (ISO); methyl N-{2-[1-(4-chlorophenyl)-1H-pyrazol-3- yloxymethyl]phenyl}(N-methoxy)carbamate | 175013-18-0 | 4 % |
| Ammonium sulphate | 7783-20-2 | < 30 % |
| Naphthalenesulfonic acid, polymer with formaldehyde, sodium salt | 9084-06-4 | < 20 % |
| Sodium diisobutyl-naphthalenesulphonate | 27213-90-7 | < 10 % |
| Sodium hydrogensulphate | 7681-38-1 | < 5 % |
| Lignosulfonic acid, sodium salt | 8061-51-6 | < 15 % |
| Sodium sulphate | 7757-82-6 | < 10 % |
| Silica gel, precipitated, crystalline free | 112926-00-8 | < 5 % |

FIRST AID TREATMENT

Remove contaminated clothing.

| | |
|------------------------------|---|
| ON CONTACT WITH EYES: | Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist. |
| ON INGESTION: | Immediately rinse mouth and then drink 200 – 300 ml of water, seek medical attention. |
| ON SKIN CONTACT: | Wash thoroughly with soap and water. |
| IF INHALED: | Keep patient calm, remove to fresh air, seek medical attention. |

Indication of any immediate medical attention and special treatment needed

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

RESISTANCE WARNING

For resistance management, Maccani® is a FRAC Group Codes M9 & 11 fungicide. Any fungal population may contain individuals naturally resistant to Maccani® and other Group Codes M9 & 11 fungicides. The resistant individuals can eventually dominate the fungal population if these fungicides are used repeatedly and exclusively in programmes. These resistant fungi may not be controlled by Maccani® or any other Group Codes M9 & 11 fungicides.

To delay fungicide resistance:

- Avoid exclusive repeated use of fungicides from the same Fungicide Group Code. Alternate or tank-mix with products from different Fungicide Group Codes.
- For tank mixing or alternation with products in other Fungicide Group Codes refer to applicable individual product labels.
- Integrate other control methods (chemical, cultural, biological), into disease control programmes.

FOR SPECIFIC INFORMATION ON RESISTANCE MANAGEMENT, CONTACT THE REGISTRATION HOLDER, BASF SA (Pty) Ltd.

FRAC ANTI RESISTANT STRATEGY

For the control of apple & pear scab, it is essential to adhere to the following FRAC (Fungicide Resistance Action Committee) guidelines.

FRAC GUIDELINES for the control of apple & pear scab:

- Apply QoI (strobilurines) fungicides according to manufacturer's recommendations for the target disease (or complex), at the specific crop growth stage indicated and adapted to size of trees. Effective disease management is a critical parameter, in delaying the build-up of resistant pathogen populations.
- QoI fungicides must only be applied in mixtures with partners contributing to the effective control of the target pathogens.
- Apply QoI fungicides preventively. Under high disease pressure the spray interval should not exceed 7 – 10 days.
- Apply a maximum of three QoI containing sprays per crop per season. A maximum of four QoI fungicide applications may be used where 12 or more applications are made per crop per season.
- A maximum of two consecutive QoI fungicide sprays is preferred. Where field performance was adversely affected apply QoI containing fungicides in mixtures in strict alternation with fungicides from a different group.

Refer to the FRAC Web Site for latest guidelines: (<http://www.frac.info/frac/index.htm>)

DIRECTIONS FOR USE: USE ONLY AS DIRECTED

Compatibility:

The compatibility of **MACCANI**[®] with most fungicides, insecticides and acaricides are unknown. It is thus recommended to test it first on a small scale.

Mixing instructions:

Half fill the spray tank with clean water and start agitation. Take out the dome sieve (it means to remove the upper sieve on the sprayer where it is filled with water). Slowly add in the required amount of **Maccani**[®] while agitating. Rinse empty containers and add rinsings to the spray tank. Add the remainder of the water and continue agitation until spraying is complete. Pre-mixes in a bucket should be avoided on farm level with **Maccani**[®]. Prepared spray mixture must not be left in the spray tank for any length of time, e.g. overnight.

General:

- Apply **Maccani**[®] according to Good Agricultural Practice (GAP), Integrated Pest Management (IPM) and Anti-resistant Management programmes.
- Apply **Maccani**[®] in principle on a preventive basis.
- Use other registered fungicides with a mode of action that differs from QOI products / Group Codes M9 and 11 (Qol) related fungicides, for the remainder of the spray programme.
- The last fungicide application of the season should **NOT** be a QOI related fungicide.

APPLES AND PEARS:

Adhere to the **FRAC Guidelines** above

High volume applications:

The water volume to be applied per hectare should be calculated according to the Tree Row Volume (TRV) formula, described by Unrath (Deciduous Fruit Grower Nov. 1986):

$$l / \text{ha} = \frac{\text{Tree height} \times \text{Tree depth} \times 937}{\text{Row Width}}$$

The above formula indicates the required volume of water for High Volume (HV) applications when the trees are in full leaf. Based on the above formula the following water volumes are recommended for the various growth stages:

| Growth stage | % HV water requirement / ha |
|---------------------------------|-----------------------------|
| Green-tip – 30% of full blossom | 60 |
| Full blossom – middle November | 80 |
| From beginning of December | 100 |

Low volume applications:

When low volume sprays are applied the dosage rate of **Maccani**® per 100 ℓ water must be increased in order to ensure the same amount of fungicide applied per ha, as in the case of a high volume application. Use above formula and growth stage table to calculate the required amount of **Maccani**® per ha.

All spray applications must be made with suitable equipment, that is in good working order and correctly calibrated, to give the desired coverage for that particular method of application.

| CROP | DISEASE | DOSAGE RATE | DIRECTIONS FOR USE |
|------------------------|---|-------------------|---|
| APPLES and PEARS | Scab (<i>Venturia</i> spp.; <i>Venturia</i> <i>ineaqualis</i> ; <i>Venturia</i> <i>pirina</i>) | 125 g/100 ℓ water | Apply Maccani® as part of a spray programme! Use strictly preventively: Commence with applications at green-tip stage and apply at seven day intervals up to 75% petal fall. As from 75% petal fall, spray intervals can be extended to 10 days (if weather conditions during this time favours the development of the disease, revert back to seven day intervals). |
| APPLES | Powdery mildew (<i>Podosphaera</i> <i>leucotricha</i>) | 125 g/100 ℓ water | Although Maccani ® can be included during any time of the spray programme, it is advisable to position Maccani ® applications between 25% flowering and early fruit set in order to achieve optimum control. ALWAYS ADHERE TO THE FRAC GUIDELINES AS STATED ABOVE. |

WAARSKUWINGS

Gevaarverklarings

- Verorsaak ernstige oogirritasie
- Mag allergiese velreaksie veroorsaak.
- Vermoede dat dit kanker veroorsaak.
- Skadelik indien ingesluk of ingeasem.
- Baie giftig vir waterlewende organismes met langdurige gevolge.

LAAT DIE VOLGENDE MINIMUM AANTAL DAE TOE, TUSSEN DIE LAASTE TOEDIENING EN OES OF BEWEIDING:

Appels en Pere

28

- Hanteer versigtig.
- Bêre weg van kos en voer in 'n koel plek.
- Bêre agter slot en grendel buite bereik van kinders, oningeligte persone en diere.
- Herbetreding: Moenie behandelde area betree alvorens spuitneerslag droog is, of tensy beskermende klere gedra word nie.

Alhoewel hierdie middel onder 'n groot verskeidenheid toestande getoets is, waarborg die registrasiehouer nie dat dit onder alle toestande doeltreffend sal wees nie, aangesien die werking en effek daarvan, deur faktore soos abnormale grond-, klimaats- en bergingstoestande, kwaliteit van verdunningswater, verenigbaarheid met ander stowwe wat nie op die etiket aangedui is nie, en die voorkoms van weerstand van die siekte teen die betrokke middel beïnvloed kan word, die metode, tyd en akkuraatheid van toediening kan ook die werking en doeltreffendheid van die middel beïnvloed. Verder aanvaar die registrasiehouer nie verantwoordelikheid vir skade aan gewasse, plantegroei en die omgewing nie, of vir nadelige effek op mens of dier nie, of vir onvoldoende prestasie van die betrokke middel weens die versuim van die gebruiker om etiketaanwysings na te kom nie, of weens toestande wat nie kragtens die registrasie voorsien kon word nie. Raadpleeg die verskaffer in geval van enige onsekerheid.

VOORSORGMAATREËLS

Voorsorgverklarings

- Indien mediese advies benodig word, hou die produkhouer of -etiket byderhand.
 - Hou buite bereik van kinders.
 - Lees sorgvuldig en volg alle instruksies.
 - Dra beskermende handskoen, beskermende klere en oogbeskerming of gesigbeskerming
 - Gebruik slegs buitenshuis of in 'n goed geventileerde area.
 - Moenie spuitstof of dampe inasem nie
 - Verkry spesiale instruksie voor gebruik.
 - Moenie hanteer voordat alle voorsorgmaatreëls gelees en verstaan is nie.
 - Besoedelde werksklere moet nie buite die werksplek toegelaat word nie.
 - Moet nie eet, drink of rook wanneer hierdie produk gebruik word nie.
 - Was besoedelde liggaamsdele deeglig na hantering.
 - Skakel 'n GIFBEHEËRSENTRUM of geneesheer indien u siek voel.
 - INDIEN IN OË: Spoel versigtig met water vir etlike minute. Verwyder kontaklense indien aanwesig en maklik om te verwyder. Hou aan met spoel.
 - INDIEN INGEASEM: Neem slagoffer na vars lug en hou gemaklik vir asemhaling.
 - INDIEN OP VEL: Was met baie seep en water.
 - INDIEN blootgestel of besorg: Kry mediese hulp.
 - Indien velirritasie of 'n uitslag ontstaan: Kry mediese hulp
 - Spoel mond uit.
 - Maak stortsel bymekaar.
 - Trek besoedelde klere uit en was voor hergebruik
 - Indien oogirritasie voortduur: Kry mediese hulp
 - Berg agter slot en grendel
 - Raak ontslae van inhoud en houer deur na 'n gevaarlike- of spesiale-afval insamelsplek te besorg.
- Verhoed kontak met die vel en beskerm die oë.
 - Was besmette klere daaglik.
 - Was met seep en water indien dit per ongeluk op die vel beland.
 - Moenie eet, rook of drink terwyl gemeng of gespuit word nie en alvorens die hande en gesig nie eers gewas is nie.
 - Moenie fonteine, damme, riviere, drinkwater, eetgerei, voedsel of voer besoedel nie.
 - Vermoed oorsaak van spuitnewel na ander gewasse, weiveld, riviere, damme en areas nie onder behandeling nie.
 - Maak toedieningsapparaat skoon na gebruik en moenie gewasse, weiding, riviere of damme met waswater besoedel nie.
 - Leë houers moet DRIE KEER UITGESPOEL word soos volg: Keer die leë houer om oor die spuitenk of mengbak en dreineer vir minstens 30 sekondes nadat die vloeitot 'n gedrup verminder het. Spoel die houer daarna drie keer uit met 'n volume water gelykstaande aan 'n minimum van 10% van die houer. Gooi die spoelwater by die inhoud van die spuitenk voordat die houer op die voorgeskrewe wyse vernietig word.
 - Vernietig leë houer deur gate in te kap en plat te slaan en raak op 'n veilige wyse daarvan ontslae en moenie vir enige ander doel hergebruik nie.

RELEVANTE STOWWE

| Gevaarlike bestanddele Volgens UN GHS kriteria | CAS nommer | Konsentrasie (W/W) |
|---|-------------------|---------------------------|
| dithianon (ISO); 5,10-dihydro-5,10-dioxonaphtho(2,3-b)(1,4)dithiazine-2,3- dicarbonitrile | 3347-22-6 | 12 % |
| pyraclostrobin (ISO); methyl N-{2-[1-(4-chlorophenyl)-1H-pyrazol-3- yloxymethyl]phenyl}(N-methoxy)carbamate | 175013-18-0 | 4 % |
| Ammonium sulphate | 7783-20-2 | < 30 % |
| Naphthalenesulfonic acid, polymer with formaldehyde, sodium salt | 9084-06-4 | < 20 % |
| Sodium diisobutyl-naphthalenesulphonate | 27213-90-7 | < 10 % |
| Sodium hydrogensulphate | 7681-38-1 | < 5 % |
| Lignosulfonic acid, sodium salt | 8061-51-6 | < 15 % |
| Sodium sulphate | 7757-82-6 | < 10 % |
| Silica gel, precipitated, crystalline free | 112926-00-8 | < 5 % |

NOODHULPBEHANDELING

Verwyder besmette klere.

| | |
|---------------------------|--|
| INDIEN IN DIE OË: | Spoel oë dadelik vir ten minste 15 minute met lopende water uit terwyl die ooglede oopgehou word, raadpleeg 'n oogspesialis. |
| INDIEN INGESLUK: | Spoel mond uit en drink 200 – 300 ml water, kry mediese hulp. |
| INDIEN OP DIE VEL: | Was deeglik met seep en water. |
| INDIEN INGEASEM: | Hou pasiënt kalm, verwyder na vars lug, kry mediese hulp. |

Aanduiding van enige onmiddellike mediese aandag en spesiale behandeling wat nodig is

Behandeling: Behandel volgens simptome (dekontaminasie, lewensbelangrike funksies), geen bekende spesifieke teenmiddel nie.

WAARSKUWING TEEN WEERSTAND

Maccani® is 'n FRAC Groepkodes M9 & 11 swamdoder. Enige populasie van 'n spesifieke swam mag individue insluit wat 'n natuurlike weerstand teen **Maccani®**, of enige ander Groepkodes M9 & 11 swamdoders het. Indien hierdie swamdoders in herhaaldelike en eksklusiewe programme aangewend word, kan die weerstandbiedende individue uiteindelik die swampopulasie oorheer. Hierdie weerstandbiedende swamme sal waarskynlik nie deur **Maccani®** of enige ander Groepkodes M9 & 11 swamdoders, beheer word nie.

Om weerstand teen swamdoders te vertraag:

- Vermy die eksklusiewe herhaaldelike gebruik van swamdoders in dieselfde Swamdodergroepkodes. Wissel af met, of gebruik tenkmengsels van produkte in verskillende Swamdodergroepkodes.
- Sien toepaslike individuele produktikette wanneer daar afgewissel word, of tenkmengsels gebruik word, met produkte in ander Swamdodergroepkodes.
- Integreer ander beheermaatreëls (chemies, verbouing, biologies) in swamdoderprogramme.

VIR SPESIFIEKE INLIGTING OOR WEERSTANDSBESTUUR, KONTAK DIE REGISTRASIEHOUER, BASF SA (Edms) Bpk.

FRAC ANTIWEERSTANDBIEDENDHEIDSSTRATEGIE

Vir die beheer van appel- en peerskurfsiekte, is dit noodsaaklik om die volgende FRAC

(Fungicide Resistance Action Committee) riglyne, na te kom.

FRAC RIGLYNE vir die beheer van appel- en peerskurfsiekte:

- Dien QoI (strobilurien) swamdoders volgens die vervaardiger se aanbevelings teen die teikensiekte (of kompleks) toe tydens die aangeduide groeistadium van die gewas en aangepas volgens die boomgrootte. Doeltreffende siektebeheer is 'n kritiese praktyk in die vertraging van die opbou van weerstandbiedende patoëenpopulasies.
- QoI swamdoders moet slegs in mengsels met ander swamdoders, wat bydra tot die doeltreffende beheer van teikenpatogene, toegedien word.
- Dien QoI swamdoders voorbehoedend toe. S্পuitintervalle moet onder hoë siektedruk nie 7 – 10 dae oorskry nie.
- Dien 'n maksimum van drie QoI-bevattende bespuitings per gewas per seisoen toe. Waar 12 of meer bespuitings per seisoen op 'n gewas toegedien word, mag vier QoI swamdodertoedienings per seisoen aangewend word.
- 'n Maksimum van twee agtereenvolgende QoI swamdodertoedienings word verkies. Wanneer onaanvaarbare beheer in die land ondervind word, moet mengsels van QoI bevattende swamdoders afgewissel word met swamdoders van ander groepkodes.

Verwys na die FRAC Webwerf vir opgedateerde riglyne: (<http://www.frac.info/frac/index.htm>)

Verenigbaarheid:

Die verenigbaarheid van **MACCANI**[®] met die meeste ander swamdoders, insekdoders en mytdoders is onbekend. Dit word dus aanbeveel om dit eers op klein skaal te toets.

Menginstruksies:

Maak die spuittenk halfvol met skoon water en begin alreeds roer. Haal die sif uit (dit beteken dat die boonste sif, waar die water in die tenk ingegooi word, moet uitgehaal moet word). Gooi die benodigde hoeveelheid **Maccani**[®] stadig by terwyl geroer word. Spoel die leë houers uit en gooi die inhoud in die spuittenk, terwyl die mengsel geroer word. Vul die spuittenk met water tot verlangde volume terwyl daar nog steeds geroer word, ten einde deeglike vermenging van die spuitmengsel te verseker, alvorens daar begin word met bespuiting. Handhaaf roering gedurende die hele spuitproses. Vooraf vermenging in 'n houer moet vermy word met **Maccani**[®]. Aangemaakte spuitmengsel moenie in die spuittenk gelaat word vir enige bepaalde tydperk, bv. oornag, nie.

Algemeen:

- Pas Goeie Landbou Praktyke (GLP), Geïntegreerde Plaagbeheer en Anti-weerstandbiedende beheerprogramme toe, wanneer **Maccani**[®] in 'n spuitprogram toegedien word.
- Dien **Maccani**[®] in beginsel op 'n voorkomende basis toe.
- Gebruik ander geregistreerde swamdoders met 'n werkingsmeganisme wat verskil van QOI produkte / Groepkodes M9 en 11 (QOI) verwante swamdoders, vir die res van die spuitprogram.
- Die laaste swamdoderbespuiting van die seisoen moet **NIE** met 'n QOI swamdoder uitgevoer word **NIE**.

APPELS EN PERE:

Bly by die FRAC riglyne hierbo

Hoë-volumetoedienings:

Die vereiste watervolume per hektare moet bereken word, met die Boom-Ry-Volume (BRV) formule, soos beskryf deur Unrath (Sagte Vrugteboer, Nov. 1986):

$$l/ha = \frac{\text{Boomhoogte} \times \text{Boomdiepte} \times 937}{\text{Rywydte}}$$

Bostaande formule gee die vereiste watervolume vir Hoë-volume (HV) bespuitings op bome met 'n volle blaardrag. Op basis van bostaande formule, word die volgende watervolumes vir die verskeie groeistadiums aanbeveel:

| Groeistadium | % HV water vereistes / ha |
|-----------------------------|---------------------------|
| Groenpunt – 30% van volblom | 60 |
| Volblom – middel November | 80 |
| Vanaf begin Desember | 100 |

Lae-volumetoedienings:

Wanneer lae-volume bespuitings toegedien word moet die hoeveelheid **Maccani**[®] per 100 ℓ water sodanig verhoog word, dat die hoeveelheid swamdoder per ha toegedien dieselfde is as in die geval van hoë-volumebespuitings. Gebruik bostaande formule en groeistadiumtabel, om die vereiste hoeveelheid **Maccani**[®] per ha, te bereken.

Alle toedienings moet gemaak word met geskikte toerusting wat in goeie werkende toestand en korrek gekalibreer is, ten einde die verlangde bedekking te gee vir die betrokke toedieningsmetode.

| GEWAS | SIEKTE | DOSIS | GEBRUIKSAANBEVELINGS |
|-----------------------|--|-------------------|---|
| APPELS en PERE | Skurfsiekte (<i>Venturia</i> spp. <i>Venturia inaequalis</i> <i>Venturia pirina</i>) | 125 g/100 ℓ water | Dien Maccani[®] as deel van 'n spuitprogram toe! Gebruik uitsluitlik voorbehoedend: Begin spuit vanaf die groenpuntstadium tot 75% blomblaarval, met sewe dae intervalle. Vanaf 75% blomblaarval kan die spuitintervalle na 10 dae verleng word (maar wanneer gunstige weerstoestand heers wat die ontwikkeling van die siekte bevorder, moet na die 7-dag interval teruggekeer word). Alhoewel Maccani [®] enige plek in 'n spuitprogram geïmplementeer kan word, word dit aanbeveel om die Maccani [®] toedienings tussen 25% blom- en vroeë vrugvorming aan te wend, vir optimum beheer. |
| APPELS | Poeieragtige meeldou (<i>Podosphaera leucotricha</i>) | 125 g/100 ℓ water | VOLG ALTYD DIE FRAC RIGLYNE NA SOOS HIERBO VERMELD. |

BASF

We create chemistry

Maccani[®]

Reg. No. L8198

Act No. 36 of 1947

**READ ATTACHED PACKAGE OR LEAFLET BEFORE USE
KEEP OUT OF REACH OF CHILDREN AND ANIMALS**

| GROUP | 11 | M09 | FUNGICIDES |
|-------|----|-----|------------|
|-------|----|-----|------------|

A water dispersible granular contact and translaminar fungicide for the control of certain fungal diseases on apples and pears.**'n Waterdispergeerbare korrel kontak- en translaminêre- swamdoder vir die beheer van sekere swamsiektes op appels en pere.**

Causes serious eye irritation.
May cause an allergic skin reaction.
Suspected of causing cancer.
Harmful if swallowed or if inhaled
Very toxic to aquatic life with long lasting effects.
Wear protective gloves, protective clothing and eye protection or face protection.
Avoid breathing dust or fume.

**Active ingredients / Aktiewe bestanddele:**

Dithianon (quinone).....120 g/kg

Pyraclostrobin (methoxy-carbamates)..... 40 g/kg

Registered by:

BASF South Africa (Pty) Ltd
Co. Reg. No. 66/10235/07
852 Sixteenth Road
P.O. Box 2801
Halfway House 1685
+27 11 203 2400

Geregistreeur deur:

BASF Suid-Afrika (Edms) Bpk
Mpy Reg. Nr 66/10235/07
852 Sestiende Laan
Posbus 2801
Halfweghuis 1685
+27 11 203 2400

Batch No. & Date manufactured: Refer to details printed on container
Lotnommer & Datum vervaardig: Verwys na besonderhede gedruk op houer**EMERGENCY NUMBER / NOODNOMMER: +27 82 446 8946**

5 kg



© = Registered trademark of BASF / Geregistreerde handelsmerk van BASF

81166637 ZA 2013

