

# Safety data sheet

Page: 1/20

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 24.08.2022

Version: 3.1

Date previous version: 01.07.2022

Previous version: 3.0

Date / First version: 11.10.2016

Product: **Revytek 400 SC**

(ID no. 30795997/SDS\_CPA\_EU/EN)

Date of print 28.11.2025

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

## Revytek 400 SC

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: crop protection product, fungicide

### 1.3. Details of the supplier of the safety data sheet

Company:

BASF SE

67056 Ludwigshafen

GERMANY

Operating Division Crop Protection

Telephone: +49 621 60-27777

E-mail address: Produktinformation-Pflanzenschutz@basf.com

### 1.4. Emergency telephone number

International emergency number:

Telephone: +49 180 2273-112

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 24.08.2022

Version: 3.1

Date previous version: 01.07.2022

Previous version: 3.0

Date / First version: 11.10.2016

Product: **Revytek 400 SC**

(ID no. 30795997/SDS\_CPA\_EU/EN)

Date of print 28.11.2025

## SECTION 2: Hazards Identification

### 2.1. Classification of the substance or mixture

For the classification of the mixture the following methods have been applied: extrapolation on the concentration levels of the hazardous substances, on basis of test results and after evaluation of experts. The methodologies used are mentioned at the respective test results.

According to Regulation (EC) No 1272/2008 [CLP]

Acute Tox. 4 (oral)	H302 Harmful if swallowed.
Skin Corr./Irrit. 2	H315 Causes skin irritation.
Skin Sens. 1	H317 May cause an allergic skin reaction.
Aquatic Acute 1	H400 Very toxic to aquatic life.
Aquatic Chronic 1	H410 Very toxic to aquatic life with long lasting effects.

For the classifications not written out in full in this section the full text can be found in section 16.

### 2.2. Label elements

According to Regulation (EC) No 1272/2008 [CLP]

Pictogram:



Signal Word:

Warning

Hazard Statement:

H315	Causes skin irritation.
H302	Harmful if swallowed.
H317	May cause an allergic skin reaction.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
EUH401	To avoid risks to human health and the environment, comply with the instructions for use.

Precautionary Statement:

P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read carefully and follow all instructions.

Precautionary Statements (Prevention):

P280	Wear protective gloves.
P261	Avoid breathing mist or vapour or spray.
P272	Contaminated work clothing should not be allowed out of the workplace.
P270	Do not eat, drink or smoke when using this product.
P264	Wash contaminated body parts thoroughly after handling.

Precautionary Statements (Response):

P302 + P352	IF ON SKIN: Wash with plenty of soap and water.
P333 + P313	If skin irritation or rash occurs: Get medical attention.

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 24.08.2022

Version: 3.1

Date previous version: 01.07.2022

Previous version: 3.0

Date / First version: 11.10.2016

Product: **Revytek 400 SC**

(ID no. 30795997/SDS\_CPA\_EU/EN)

Date of print 28.11.2025

P301 + P312	IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.
P330	Rinse mouth
P391	Collect spillage.
P362 + P364	Take off contaminated clothing and wash it before reuse.
Precautionary Statements (Disposal):	
P501	Dispose of contents and container to hazardous or special waste collection point.

Labeling of special preparations (GHS):

EUH208: May produce an allergic reaction. Contains: 1,2-benzisothiazol-3(2H)-one

Hazard determining component(s) for labelling: 1H-1,2,4-Triazole-1-ethanol,  $\alpha$ -[4-(4-chlorophenoxy)-2-(trifluoromethyl)phenyl]- $\alpha$ -methyl-, pyraclostrobin (ISO); methyl N-{2-[1-(4-chlorophenyl)-1H-pyrazol-3-ylloxymethyl]phenyl}(N-methoxy)carbamate, 2-methylisothiazol-3(2H)-one

### 2.3. Other hazards

According to Regulation (EC) No 1272/2008 [CLP]

See section 12 - Results of PBT and vPvB assessment.

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

Product does not contain a substance above legal limits included in the list established in accordance with Article 59(1) of Regulation (EC) No 1907/2006 for having endocrine disrupting properties or is identified to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

---

## SECTION 3: Composition/Information on Ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Chemical nature

crop protection product, fungicide, suspension concentrate (SC)

Regulatory relevant ingredients

1H-1,2,4-Triazole-1-ethanol,  $\alpha$ -[4-(4-chlorophenoxy)-2-(trifluoromethyl)phenyl]- $\alpha$ -methyl-

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 24.08.2022

Version: 3.1

Date previous version: 01.07.2022

Previous version: 3.0

Date / First version: 11.10.2016

Product: **Revytek 400 SC**

(ID no. 30795997/SDS\_CPA\_EU/EN)

Date of print 28.11.2025

Content (W/W): 17.56 %  
CAS Number: 1417782-03-6

Skin Sens. 1  
Aquatic Acute 1  
Aquatic Chronic 1  
M-factor acute: 1  
M-factor chronic: 1  
H317, H400, H410

pyraclostrobin (ISO); methyl N-{2-[1-(4-chlorophenyl)-1H-pyrazol-3-yl]oxymethyl}phenyl}(N-methoxy)carbamate

Content (W/W): 17.55 %  
CAS Number: 175013-18-0  
INDEX-Number: 613-272-00-6

Acute Tox. 3 (Inhalation - mist)  
Skin Corr./Irrit. 2  
STOT SE 3 (irr. to respiratory syst.)  
Aquatic Acute 1  
Aquatic Chronic 1  
M-factor acute: 100  
M-factor chronic: 100  
H315, H331, H335, H400, H410

Benzenesulfonic acid, hydroxy-, polymer with formaldehyde, phenol and urea, sodium salt

Content (W/W): < 3 %  
CAS Number: 102980-04-1

Eye Dam./Irrit. 2  
Aquatic Chronic 3  
H319, H412

Residues (petroleum), catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts

Content (W/W): < 3 %  
CAS Number: 68425-94-5

Eye Dam./Irrit. 2  
Aquatic Chronic 3  
H319, H412

1,2-benzisothiazol-3(2H)-one

Content (W/W): < 0.01 %  
CAS Number: 2634-33-5  
EC-Number: 220-120-9  
REACH registration number: 01-2120761540-60  
INDEX-Number: 613-088-00-6

Acute Tox. 4 (oral)  
Skin Corr./Irrit. 2  
Eye Dam./Irrit. 1  
Skin Sens. 1  
Aquatic Acute 1  
Aquatic Chronic 1  
M-factor acute: 1  
M-factor chronic: 1  
H318, H315, H302, H317, H400, H410

Specific concentration limit:

Skin Sens. 1: >= 0.05 %

2-methylisothiazol-3(2H)-one

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 24.08.2022

Version: 3.1

Date previous version: 01.07.2022

Previous version: 3.0

Date / First version: 11.10.2016

Product: **Revytek 400 SC**

(ID no. 30795997/SDS\_CPA\_EU/EN)

Date of print 28.11.2025

Content (W/W): < 0.01 %  
CAS Number: 2682-20-4  
EC-Number: 220-239-6  
REACH registration number: 01-2120764690-50  
INDEX-Number: 613-326-00-9

Acute Tox. 2 (Inhalation - dust)  
Acute Tox. 3 (oral)  
Acute Tox. 3 (dermal)  
Skin Corr./Irrit. 1B  
Eye Dam./Irrit. 1  
Skin Sens. 1A  
Aquatic Acute 1  
Aquatic Chronic 1  
M-factor acute: 10  
M-factor chronic: 1  
H330, H317, H314, H301 + H311, H400, H410  
EUH071

Specific concentration limit:

Skin Sens. 1A: >= 0.0015 %

Propane-1,2-diol

Content (W/W): < 10 %  
CAS Number: 57-55-6  
EC-Number: 200-338-0  
REACH registration number: 01-2119456809-23

For the classifications not written out in full in this section, including the hazard classes and the hazard statements, the full text is listed in section 16.

## SECTION 4: First-Aid Measures

### 4.1. Description of first aid measures

Remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

On skin contact:

Wash thoroughly with soap and water

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

On ingestion:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 24.08.2022

Version: 3.1

Date previous version: 01.07.2022

Previous version: 3.0

Date / First version: 11.10.2016

Product: **Revytek 400 SC**

(ID no. 30795997/SDS\_CPA\_EU/EN)

Date of print 28.11.2025

## **4.2. Most important symptoms and effects, both acute and delayed**

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far

## **4.3. Indication of any immediate medical attention and special treatment needed**

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

---

# **SECTION 5: Fire-Fighting Measures**

## **5.1. Extinguishing media**

Suitable extinguishing media:  
water spray, dry powder, foam, carbon dioxide

## **5.2. Special hazards arising from the substance or mixture**

Endangering substances: carbon monoxide, Carbon dioxide, hydrogen chloride, hydrogen fluoride, nitrogen oxides, organochloric compounds, fluorinated compounds, phosphorus oxides, sulfur oxides  
Advice: The substances/groups of substances mentioned can be released in case of fire.

## **5.3. Advice for fire-fighters**

Special protective equipment:  
Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:  
Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations. In case of fire and/or explosion do not breathe fumes. Keep containers cool by spraying with water if exposed to fire.

---

# **SECTION 6: Accidental Release Measures**

## **6.1. Personal precautions, protective equipment and emergency procedures**

Do not breathe vapour/spray. Use personal protective clothing. Avoid contact with the skin, eyes and clothing.

## **6.2. Environmental precautions**

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater.

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 24.08.2022

Version: 3.1

Date previous version: 01.07.2022

Previous version: 3.0

Date / First version: 11.10.2016

Product: **Revytek 400 SC**

(ID no. 30795997/SDS\_CPA\_EU/EN)

Date of print 28.11.2025

### 6.3. Methods and material for containment and cleaning up

For small amounts: Pick up with suitable absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr).

For large amounts: Dike spillage. Pump off product.

Dispose of absorbed material in accordance with regulations. Collect waste in suitable containers, which can be labeled and sealed. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations. Wear suitable protective equipment.

### 6.4. Reference to other sections

Information regarding exposure controls/personal protection and disposal considerations can be found in section 8 and 13.

---

## SECTION 7: Handling and Storage

### 7.1. Precautions for safe handling

No special measures necessary if stored and handled correctly. Ensure thorough ventilation of stores and work areas. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift.

Protection against fire and explosion:

No special precautions necessary. The substance/product is non-combustible. Product is not explosive.

### 7.2. Conditions for safe storage, including any incompatibilities

Segregate from foods and animal feeds.

Further information on storage conditions: Keep away from heat. Protect from direct sunlight.

Storage stability:

Storage duration: 36 Months

Protect from temperatures below: 0 °C

Changes in the properties of the product may occur if substance/product is stored below indicated temperature for extended periods of time.

Protect from temperatures above: 45 °C

Changes in the properties of the product may occur if substance/product is stored above indicated temperature for extended periods of time.

### 7.3. Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

---

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 24.08.2022

Version: 3.1

Date previous version: 01.07.2022

Previous version: 3.0

Date / First version: 11.10.2016

Product: **Revytek 400 SC**

(ID no. 30795997/SDS\_CPA\_EU/EN)

Date of print 28.11.2025

## SECTION 8: Exposure Controls/Personal Protection

### 8.1. Control parameters

Components with occupational exposure limits

57-55-6: Propane-1,2-diol

### 8.2. Exposure controls

#### Personal protective equipment

Respiratory protection:

Suitable respiratory protection for lower concentrations or short-term effect: Combination filter for gases/vapours of organic, inorganic, acid inorganic, alkaline compounds and toxic particles (e. g. EN 14387 Type ABEK-P3)

Hand protection:

Suitable chemical resistant safety gloves (EN ISO 374-1) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN ISO 374-1): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) etc.

Eye protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

#### General safety and hygiene measures

The statements on personal protective equipment in the instructions for use apply when handling crop-protection agents in final-consumer packing. Wearing of closed work clothing is recommended. Store work clothing separately. Keep away from food, drink and animal feeding stuffs.

## SECTION 9: Physical and Chemical Properties

### 9.1. Information on basic physical and chemical properties

State of matter:	liquid
Form:	liquid
Colour:	milky white
Odour:	odourless
Odour threshold:	not applicable, odour not perceivable
Melting point:	0 °C
	Information applies to the solvent.
Boiling point:	approx. 72 °C
Flammability:	not applicable



BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 24.08.2022

Version: 3.1

Date previous version: 01.07.2022

Previous version: 3.0

Date / First version: 11.10.2016

Product: **Revytek 400 SC**

(ID no. 30795997/SDS\_CPA\_EU/EN)

Date of print 28.11.2025

**Lower explosion limit:**

As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.

**Upper explosion limit:**

As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.

**Flash point:**

No flash point - Measurement made up to the boiling point.

Auto-ignition temperature: > 660 °C

Thermal decomposition: 145 °C, 130 kJ/kg (DSC (OECD 113))  
(onset temperature)  
320 °C, 170 kJ/kg (DSC (OECD 113))  
(onset temperature)

Not a substance liable to self-decomposition according to UN transport regulations, class 4.1.

SADT: > 75 °C

pH value: approx. 5.5 - 7.5  
(1 %(m), 20 °C)

Viscosity, dynamic: approx. 89.4 mPa.s  
(20 °C, 100 1/s)

Solubility in water: dispersible

Partitioning coefficient n-octanol/water (log Kow):  
not applicable

Vapour pressure: approx. 23.4 hPa  
(20 °C)

Information applies to the solvent.

Density: approx. 1.14 g/cm<sup>3</sup>  
(20 °C)

Relative vapour density (air):  
not applicable

## 9.2. Other information

### Information with regard to physical hazard classes

#### Explosives

Explosion hazard: Based on the chemical structure there is no indication of explosive properties.

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 24.08.2022

Version: 3.1

Date previous version: 01.07.2022

Previous version: 3.0

Date / First version: 11.10.2016

Product: **Revytek 400 SC**

(ID no. 30795997/SDS\_CPA\_EU/EN)

Date of print 28.11.2025

#### Oxidizing properties

Fire promoting properties: Based on its structural properties the product is not classified as oxidizing.

#### **Other safety characteristics**

Evaporation rate:  
not applicable

---

## **SECTION 10: Stability and Reactivity**

### **10.1. Reactivity**

No hazardous reactions if stored and handled as prescribed/indicated.

### **10.2. Chemical stability**

The product is stable if stored and handled as prescribed/indicated.

### **10.3. Possibility of hazardous reactions**

No hazardous reactions if stored and handled as prescribed/indicated.

### **10.4. Conditions to avoid**

See SDS section 7 - Handling and storage.

### **10.5. Incompatible materials**

Substances to avoid:  
strong acids, strong bases, strong oxidizing agents

### **10.6. Hazardous decomposition products**

Hazardous decomposition products:  
No hazardous decomposition products if stored and handled as prescribed/indicated.

---

## **SECTION 11: Toxicological Information**

### **11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008**

#### Acute toxicity

Assessment of acute toxicity:

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 24.08.2022

Version: 3.1

Date previous version: 01.07.2022

Previous version: 3.0

Date / First version: 11.10.2016

Product: **Revytek 400 SC**

(ID no. 30795997/SDS\_CPA\_EU/EN)

Date of print 28.11.2025

Of moderate toxicity after single ingestion. Virtually nontoxic after a single skin contact. Virtually nontoxic by inhalation.

Experimental/calculated data:

LD50 rat (oral): > 500 - < 2,000 mg/kg

LC50 rat (by inhalation): > 4.303 mg/l 4 h

Highest concentration technically achievable. An aerosol was tested.

LD50 rat (dermal): > 5,000 mg/kg

No mortality was observed.

#### Irritation

Assessment of irritating effects:

Skin contact causes irritation. Not irritating to the eyes.

Experimental/calculated data:

Skin corrosion/irritation

rabbit: Irritant.

Serious eye damage/irritation

rabbit: non-irritant

#### Respiratory/Skin sensitization

Assessment of sensitization:

Sensitization after skin contact possible. The product has not been tested. The statement has been derived from the properties of the individual components.

*Information on: 2-methylisothiazol-3(2H)-one*

*Assessment of sensitization:*

*Sensitization after skin contact possible.*

-----

#### Germ cell mutagenicity

Assessment of mutagenicity:

Mutagenicity tests revealed no genotoxic potential. The product has not been tested. The statement has been derived from the properties of the individual components.

#### Carcinogenicity

Assessment of carcinogenicity:

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 24.08.2022

Version: 3.1

Date previous version: 01.07.2022

Previous version: 3.0

Date / First version: 11.10.2016

Product: **Revytek 400 SC**

(ID no. 30795997/SDS\_CPA\_EU/EN)

Date of print 28.11.2025

The results of various animal studies gave no indication of a carcinogenic effect. The product has not been tested. The statement has been derived from the properties of the individual components.

#### Reproductive toxicity

Assessment of reproduction toxicity:

The results of animal studies gave no indication of a fertility impairing effect. The product has not been tested. The statement has been derived from the properties of the individual components.

#### Developmental toxicity

Assessment of teratogenicity:

Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals. The product has not been tested. The statement has been derived from the properties of the individual components.

#### Specific target organ toxicity (single exposure)

Assessment of STOT single:

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

Remarks: The product has not been tested. The statement has been derived from the properties of the individual components.

#### Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

*Information on: 1H-1,2,4-Triazole-1-ethanol,  $\alpha$ -[4-(4-chlorophenoxy)-2-(trifluoromethyl)phenyl]- $\alpha$ -methyl-*

*Assessment of repeated dose toxicity:*

*Repeated oral exposure to large quantities may affect certain organs. Liver Based on available data, the classification criteria are not met.*

*Information on: pyraclostrobin (ISO); methyl N-{2-[1-(4-chlorophenyl)-1H-pyrazol-3-yl]oxymethyl}phenyl}(N-methoxy)carbamate*

*Assessment of repeated dose toxicity:*

*After repeated exposure the prominent effect is local irritation. The substance may cause damage to the olfactory epithelium after repeated inhalation.*

-----

#### Aspiration hazard

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 24.08.2022

Version: 3.1

Date previous version: 01.07.2022

Previous version: 3.0

Date / First version: 11.10.2016

Product: **Revytek 400 SC**

(ID no. 30795997/SDS\_CPA\_EU/EN)

Date of print 28.11.2025

No aspiration hazard expected.

The product has not been tested. The statement has been derived from the properties of the individual components.

#### Interactive effects

No data available.

### **11.2. Information on other hazards**

#### Endocrine disrupting properties

Product does not contain a substance above legal limits included in the list established in accordance with Article 59(1) of Regulation (EC) No 1907/2006 for having endocrine disrupting properties or is identified to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

#### Other information

Other relevant toxicity information

Misuse can be harmful to health.

---

## **SECTION 12: Ecological Information**

### **12.1. Toxicity**

Assessment of aquatic toxicity:

Very toxic to aquatic life with long lasting effects.

Toxicity to fish:

LC50 (96 h) 0.102 mg/l, *Pimephales promelas*

Aquatic invertebrates:

EC50 (48 h) 0.06 mg/l, *Daphnia magna*

Aquatic plants:

EC50 (72 h) 5.799 mg/l (growth rate), *Pseudokirchneriella subcapitata*

EC10 (72 h) 0.991 mg/l (growth rate), *Pseudokirchneriella subcapitata*

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 24.08.2022

Version: 3.1

Date previous version: 01.07.2022

Previous version: 3.0

Date / First version: 11.10.2016

Product: **Revytek 400 SC**

(ID no. 30795997/SDS\_CPA\_EU/EN)

Date of print 28.11.2025

*Information on: 1H-1,2,4-Triazole-1-ethanol,  $\alpha$ -[4-(4-chlorophenoxy)-2-(trifluoromethyl)phenyl]- $\alpha$ -methyl-*

*Chronic toxicity to fish:*

*No observed effect concentration (36 d) 0.027 mg/l, Brachydanio rerio*

*Information on: pyraclostrobin (ISO); methyl N-[2-[1-(4-chlorophenyl)-1H-pyrazol-3-yl]oxymethyl]phenyl](N-methoxy)carbamate*

*Chronic toxicity to fish:*

*No observed effect concentration (98 d) approx. 0.00235 mg/l, Oncorhynchus mykiss (OECD Guideline 210, Flow through.)*

*Information on: 1H-1,2,4-Triazole-1-ethanol,  $\alpha$ -[4-(4-chlorophenoxy)-2-(trifluoromethyl)phenyl]- $\alpha$ -methyl-*

*Chronic toxicity to aquatic invertebrates:*

*No observed effect concentration (21 d) 0.01 mg/l, Daphnia magna*

*Information on: pyraclostrobin (ISO); methyl N-[2-[1-(4-chlorophenyl)-1H-pyrazol-3-yl]oxymethyl]phenyl](N-methoxy)carbamate*

*Chronic toxicity to aquatic invertebrates:*

*No observed effect concentration (21 d) 0.004 mg/l, Daphnia magna (OECD Guideline 202, part 2, semistatic)*

*The details of the toxic effect relate to the nominal concentration.*

*No observed effect concentration (28 d) 0.00128 mg/l, Mysidopsis bahia (OPP 72-4 (EPA-Guideline), Flow through.)*

*The statement of the toxic effect relates to the analytically determined concentration.*

## 12.2. Persistence and degradability

Assessment biodegradation and elimination (H<sub>2</sub>O):

The product has not been tested. The statement has been derived from the properties of the individual components.

*Information on: 1H-1,2,4-Triazole-1-ethanol,  $\alpha$ -[4-(4-chlorophenoxy)-2-(trifluoromethyl)phenyl]- $\alpha$ -methyl-*

*Assessment biodegradation and elimination (H<sub>2</sub>O):*

*Not readily biodegradable (by OECD criteria).*

*Information on: pyraclostrobin (ISO); methyl N-[2-[1-(4-chlorophenyl)-1H-pyrazol-3-yl]oxymethyl]phenyl](N-methoxy)carbamate*

*Assessment biodegradation and elimination (H<sub>2</sub>O):*

*Not readily biodegradable (by OECD criteria).*

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 24.08.2022

Version: 3.1

Date previous version: 01.07.2022

Previous version: 3.0

Date / First version: 11.10.2016

Product: **Revytek 400 SC**

(ID no. 30795997/SDS\_CPA\_EU/EN)

Date of print 28.11.2025

### 12.3. Bioaccumulative potential

Assessment bioaccumulation potential:

The product has not been tested. The statement has been derived from the properties of the individual components.

*Information on: 1H-1,2,4-Triazole-1-ethanol,  $\alpha$ -[4-(4-chlorophenoxy)-2-(trifluoromethyl)phenyl]- $\alpha$ -methyl-*

*Bioaccumulation potential:*

*Bioconcentration factor(BCF): 385*

*Does not accumulate in organisms.*

*Information on: pyraclostrobin (ISO); methyl N-{2-[1-(4-chlorophenyl)-1H-pyrazol-3-yloxymethyl]phenyl}(N-methoxy)carbamate*

*Bioaccumulation potential:*

*Bioconcentration factor(BCF): 379 - 507, Oncorhynchus mykiss (OECD-Guideline 305)*

*Accumulation in organisms is not to be expected.*

-----

### 12.4. Mobility in soil

Assessment transport between environmental compartments:

Adsorption in soil: The product has not been tested. The statement has been derived from the properties of the individual components.

*Information on: 1H-1,2,4-Triazole-1-ethanol,  $\alpha$ -[4-(4-chlorophenoxy)-2-(trifluoromethyl)phenyl]- $\alpha$ -methyl-*

*Assessment transport between environmental compartments:*

*Adsorption in soil: Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.*

*Information on: pyraclostrobin (ISO); methyl N-{2-[1-(4-chlorophenyl)-1H-pyrazol-3-yloxymethyl]phenyl}(N-methoxy)carbamate*

*Assessment transport between environmental compartments:*

*Adsorption in soil: Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.*

-----

### 12.5. Results of PBT and vPvB assessment

The product does not contain a substance fulfilling the PBT (persistent/bioaccumulative/toxic) criteria or the vPvB (very persistent/very bioaccumulative) criteria.

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 24.08.2022

Version: 3.1

Date previous version: 01.07.2022

Previous version: 3.0

Date / First version: 11.10.2016

Product: **Revytek 400 SC**

(ID no. 30795997/SDS\_CPA\_EU/EN)

Date of print 28.11.2025

## 12.6. Endocrine disrupting properties

Product does not contain a substance above legal limits included in the list established in accordance with Article 59(1) of Regulation (EC) No 1907/2006 for having endocrine disrupting properties or is identified to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

## 12.7. Other adverse effects

The product does not contain substances that are listed in Regulation (EC) 1005/2009 on substances that deplete the ozone layer.

## 12.8. Additional information

Other ecotoxicological advice:

Do not discharge product into the environment without control.

---

## SECTION 13: Disposal Considerations

### 13.1. Waste treatment methods

Must be sent to a suitable incineration plant, observing local regulations.

Contaminated packaging:

Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

---

## SECTION 14: Transport Information

### Land transport

ADR

UN number or ID number: UN3082

UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (TRIAZOLE DERIVATIVE, PYRACLOSTROBIN)

Transport hazard class(es): 9, EHSM

Packing group: III

Environmental hazards: yes

Special precautions for user: None known



BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 24.08.2022

Version: 3.1

Date previous version: 01.07.2022

Previous version: 3.0

Date / First version: 11.10.2016

Product: **Revytek 400 SC**

(ID no. 30795997/SDS\_CPA\_EU/EN)

Date of print 28.11.2025

#### RID

UN number or ID number: UN3082  
UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (TRIAZOLE DERIVATIVE, PYRACLOSTROBIN)

Transport hazard class(es): 9, EHS  
Packing group: III  
Environmental hazards: yes  
Special precautions for user: None known

#### Inland waterway transport

##### ADN

UN number or ID number: UN3082  
UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (TRIAZOLE DERIVATIVE, PYRACLOSTROBIN)

Transport hazard class(es): 9, EHS  
Packing group: III  
Environmental hazards: yes  
Special precautions for user: None known

#### Transport in inland waterway vessel

Not evaluated

#### Sea transport

##### IMDG

UN number or ID number: UN 3082  
UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (TRIAZOLE DERIVATIVE, PYRACLOSTROBIN)

Transport hazard class(es): 9, EHS  
Packing group: III  
Environmental hazards: yes  
Marine pollutant: YES  
Special precautions for user: EmS: F-A; S-F

#### Air transport

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 24.08.2022

Version: 3.1

Date previous version: 01.07.2022

Previous version: 3.0

Date / First version: 11.10.2016

Product: **Revytek 400 SC**

(ID no. 30795997/SDS\_CPA\_EU/EN)

Date of print 28.11.2025

## IATA/ICAO

UN number or ID number: UN 3082

UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (TRIAZOLE DERIVATIVE, PYRACLOSTROBIN)

Transport hazard class(es): 9, EHS

Packing group: III

Environmental hazards: yes

Special precautions for user: None known

### 14.1. UN number or ID number

See corresponding entries for "UN number or ID number" for the respective regulations in the tables above.

### 14.2. UN proper shipping name

See corresponding entries for "UN proper shipping name" for the respective regulations in the tables above.

### 14.3. Transport hazard class(es)

See corresponding entries for "Transport hazard class(es)" for the respective regulations in the tables above.

### 14.4. Packing group

See corresponding entries for "Packing group" for the respective regulations in the tables above.

### 14.5. Environmental hazards

See corresponding entries for "Environmental hazards" for the respective regulations in the tables above.

### 14.6. Special precautions for user

See corresponding entries for "Special precautions for user" for the respective regulations in the tables above.

### 14.7. Maritime transport in bulk according to IMO instruments

Maritime transport in bulk is not intended.

### Further information

Product may be shipped as non-hazardous in suitable packages containing a net quantity of 5 L or less under the provisions of various regulatory agencies: ADR, RID, ADN: Special Provision 375; IMDG: 2.10.2.7; IATA: A197; TDG: Special Provision 99(2); 49CFR: §171.4 (c) (2) and also the Special Provision 375 in Appendix B which is regulated in China "Regulations Concerning Road Transportation of Dangerous Goods Part 3: Index of dangerous goods name and transportation requirements" (JT/T 617.3)

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 24.08.2022

Version: 3.1

Date previous version: 01.07.2022

Previous version: 3.0

Date / First version: 11.10.2016

Product: **Revytek 400 SC**

(ID no. 30795997/SDS\_CPA\_EU/EN)

Date of print 28.11.2025

## SECTION 15: Regulatory Information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Prohibitions, Restrictions and Authorizations

Annex XVII of Regulation (EC) No 1907/2006: Number on List: 3, 75

Restrictions of Regulation (EC) No 1907/2006, Annex XVII, do not apply for the intended use(s) of the product given in this SDS.

Directive 2012/18/EU - Control of Major Accident Hazards involving dangerous substances (EU):  
List entry in regulation: E1

To avoid risks to man and the environment, comply with the instructions for use.

### 15.2. Chemical Safety Assessment

Advice on product handling can be found in sections 7 and 8 of this safety data sheet.

## SECTION 16: Other Information

For proper and safe use of this product, please refer to the approval conditions laid down on the product label.

Full text of the classifications, including the hazard classes and the hazard statements, if mentioned in section 2 or 3:

Acute Tox.	Acute toxicity
Skin Corr./Irrit.	Skin corrosion/irritation
Skin Sens.	Skin sensitization
Aquatic Acute	Hazardous to the aquatic environment - acute
Aquatic Chronic	Hazardous to the aquatic environment - chronic
STOT SE	Specific target organ toxicity — single exposure
Eye Dam./Irrit.	Serious eye damage/eye irritation
H315	Causes skin irritation.
H302	Harmful if swallowed.
H317	May cause an allergic skin reaction.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
EUH401	To avoid risks to human health and the environment, comply with the instructions for use.
H331	Toxic if inhaled.
H335	May cause respiratory irritation.
H319	Causes serious eye irritation.
H412	Harmful to aquatic life with long lasting effects.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H314	Causes severe skin burns and eye damage.

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 24.08.2022

Version: 3.1

Date previous version: 01.07.2022

Previous version: 3.0

Date / First version: 11.10.2016

Product: **Revytek 400 SC**

(ID no. 30795997/SDS\_CPA\_EU/EN)

Date of print 28.11.2025

H301 + H311  
EUH071

Toxic if swallowed or in contact with skin  
Corrosive to the respiratory tract.

#### Abbreviations

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road.  
ADN = The European Agreement concerning the International Carriage of Dangerous Goods by Inland waterways. ATE = Acute Toxicity Estimates. CAO = Cargo Aircraft Only. CAS = Chemical Abstract Service. CLP = Classification, Labelling and Packaging of substances and mixtures. DIN = German national organization for standardization. DNEL = Derived No Effect Level. EC50 = Effective concentration median for 50% of the population. EC = European Community. EN = European Standards. IARC = International Agency for Research on Cancer. IATA = International Air Transport Association. IBC-Code = Intermediate Bulk Container code. IMDG = International Maritime Dangerous Goods Code. ISO = International Organization for Standardization. STEL = Short-Term Exposure Limit. LC50 = Lethal concentration median for 50% of the population. LD50 = Lethal dose median for 50% of the population. TLV = Threshold Limit Value. MARPOL = The International Convention for the Prevention of Pollution from Ships. NEN = Dutch Norm. NOEC = No Observed Effect Concentration. OEL = Occupational Exposure Limit. OECD = Organization for Economic Cooperation and Development. PBT = Persistent, Bioaccumulative and Toxic. PNEC = Predicted No Effect Level. PPM = Parts per million. RID = The European Agreement concerning the International Carriage of Dangerous Goods by Rail. TWA = Time Weight Average. UN-number = UN number at transport. vPvB = very Persistent and very Bioaccumulative.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

---

Vertical lines in the left hand margin indicate an amendment from the previous version.