

## Safety data sheet

Page: 1/14

BASF Safety data sheet according to the United Nations' Globally Harmonized System (UN GHS)

Date / Revised: 27.09.2023 Version: 2.0

Product: Dash® HC

(ID no. 30062624/SDS\_GEN\_ZA/EN)

Date of print 13.12.2025

#### 1. Identification

## **Product identifier**

## Dash® HC

## Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: adjuvant

## Details of the supplier of the safety data sheet

Company:
BASF SE
67056 Ludwigshafen
GERMANY
Operating Division Crop Protection

Telephone: +49 621 60-27777

E-mail address: Produktinformation-Pflanzenschutz@basf.com

## **Emergency telephone number**

National emergency number:

+27 11 203 2420

International emergency number: Telephone: +49 180 2273-112

## 2. Hazards Identification

#### Classification of the substance or mixture

According to UN GHS criteria

Asp. Tox. 1 Flam. Liq. 4

Date / Revised: 27.09.2023 Version: 2.0

Product: Dash® HC

(ID no. 30062624/SDS\_GEN\_ZA/EN)

Date of print 13.12.2025

Skin Corr./Irrit. 2 Eye Dam./Irrit. 1

STOT SE 3 (Vapours may cause drowsiness and dizziness.)

Aquatic Acute 3 Aquatic Chronic 2

For the classifications not written out in full in this section the full text can be found in section 16.

#### Label elements

## Globally Harmonized System (GHS)

Pictogram:







## Signal Word: Danger

#### Hazard Statement:

H227 Combustible liquid.

H318 Causes serious eye damage.

H315 Causes skin irritation.

H304 May be fatal if swallowed and enters airways.

H336 May cause drowsiness or dizziness.

H402 Harmful to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

#### **Precautionary Statement:**

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

#### Precautionary Statements (Prevention):

P280 Wear protective gloves and eye protection or face protection.

P271 Use only outdoors or in a well-ventilated area.

P210 Keep away from heat, hot surfaces, sparks, open flames and other

ignition sources. No smoking.

P261 Avoid breathing mist or vapour or spray.

P264 Wash contaminated body parts thoroughly after handling.

## Precautionary Statements (Response):

Date / Revised: 27.09.2023 Version: 2.0

Product: Dash® HC

(ID no. 30062624/SDS\_GEN\_ZA/EN)

Date of print 13.12.2025

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER or physician.

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for

breathing.

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P391 Collect spillage.

P331 Do NOT induce vomiting.

P362 + P364 Take off contaminated clothing and wash it before reuse.

P370 + P378 In case of fire: Use water spray, dry powder, foam or carbon dioxide for

extinction.

Precautionary Statements (Storage):

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

Precautionary Statements (Disposal):

P501 Dispose of contents and container to hazardous or special waste

collection point.

#### According to UN GHS criteria

Hazard determining component(s) for labelling: Solvent naphtha (petroleum), heavy arom., Oxirane, methyl-, polymer with oxirane, mono-C10-16-alkyl ethers, phosphates

#### Other hazards

#### According to UN GHS criteria

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

See section 12 - Results of PBT and vPvB assessment.

## 3. Composition/Information on Ingredients

## **Substances**

Not applicable

#### **Mixtures**

#### Chemical nature

adjuvant, Emulsifiable concentrate (EC)

#### Hazardous ingredients (GHS)

According to UN GHS criteria

Solvent naphtha (petroleum), heavy arom.

Date / Revised: 27.09.2023 Version: 2.0

Product: Dash® HC

(ID no. 30062624/SDS\_GEN\_ZA/EN)

Date of print 13.12.2025

Content (W/W): < 50 % Asp. Tox. 1 CAS Number: 64742-94-5 Flam. Liq. 4

EC-Number: 265-198-5 STOT SE 3 (drowsiness and dizziness)

INDEX-Number: 649-424-00-3 Aquatic Acute 2 Aquatic Chronic 2

H227, H304, H336, H401, H411

Oxirane, methyl-, polymer with oxirane, mono-C10-16-alkyl ethers, phosphates

Content (W/W): < 30 % Acute Tox. 5 (oral)
CAS Number: 68649-29-6 Skin Corr./Irrit. 2
Eye Dam./Irrit. 1

Aquatic Acute 2

H318, H315, H303, H401

For the classifications not written out in full in this section the full text can be found in section 16.

#### 4. First-Aid Measures

## **Description of first aid measures**

First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Immediately remove contaminated clothing.

#### If inhaled:

Keep patient calm, remove to fresh air, seek medical attention. Immediately administer a corticosteroid from a controlled/metered dose inhaler.

#### On skin contact:

Immediately wash thoroughly with plenty of water, apply sterile dressings, consult a skin specialist.

#### On contact with eyes:

Immediately wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

#### On ingestion:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention. Do not induce vomiting due to aspiration hazard.

#### Most important symptoms and effects, both acute and delayed

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far

#### Indication of any immediate medical attention and special treatment needed

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

Date / Revised: 27.09.2023 Version: 2.0

Product: Dash® HC

(ID no. 30062624/SDS\_GEN\_ZA/EN)

Date of print 13.12.2025

## 5. Fire-Fighting Measures

## **Extinguishing media**

Suitable extinguishing media:

water spray, carbon dioxide, foam, dry powder

## Special hazards arising from the substance or mixture

Carbon monoxide, Carbon dioxide, nitrogen oxides, Phosphorus compounds The substances/groups of substances mentioned can be released in case of fire.

## Advice for fire-fighters

Special protective equipment:

Wear self-contained breathing apparatus and chemical-protective clothing.

#### Further information:

Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations. In case of fire and/or explosion do not breathe fumes. Keep containers cool by spraying with water if exposed to fire.

#### 6. Accidental Release Measures

#### Personal precautions, protective equipment and emergency procedures

Do not breathe vapour/spray. Use personal protective clothing. Avoid contact with the skin, eyes and clothing.

#### **Environmental precautions**

Do not discharge into drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

#### Methods and material for containment and cleaning up

For small amounts: Pick up with suitable absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr).

For large amounts: Dike spillage. Pump off product.

Dispose of absorbed material in accordance with regulations. Collect waste in suitable containers, which can be labeled and sealed. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations. Wear suitable protective equipment.

## 7. Handling and Storage

#### Precautions for safe handling

No special measures necessary if stored and handled correctly. Ensure thorough ventilation of stores and work areas. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift.

Protection against fire and explosion:

Vapours may form ignitable mixture with air. Prevent electrostatic charge - sources of ignition should be kept well clear - fire extinguishers should be kept handy.

#### Conditions for safe storage, including any incompatibilities

Segregate from foods and animal feeds.

Further information on storage conditions: Keep away from heat. Protect from direct sunlight.

Date / Revised: 27.09.2023 Version: 2.0

Product: Dash® HC

(ID no. 30062624/SDS\_GEN\_ZA/EN)

Date of print 13.12.2025

Storage stability:

Storage duration: 60 Months

Protect from temperatures below: 0 °C

Changes in the properties of the product may occur if substance/product is stored below indicated temperature for extended periods of time.

Protect from temperatures above: 40 °C

Changes in the properties of the product may occur if substance/product is stored above indicated temperature for extended periods of time.

## Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

## 8. Exposure Controls/Personal Protection

## Control parameters

Components with occupational exposure limits

No substance specific occupational exposure limits known.

64742-94-5: Solvent naphtha (petroleum), heavy arom.

#### **Exposure controls**

#### Personal protective equipment

#### Respiratory protection:

Suitable respiratory protection for lower concentrations or short-term effect: Combination filter for gases/vapours of organic, inorganic, acid inorganic, alkaline compounds and toxic particles (e. g. EN 14387 Type ABEK-P3)

## Hand protection:

Suitable chemical resistant safety gloves (EN ISO 374-1) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN ISO 374-1): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) etc.

#### Eye protection:

Tightly fitting safety goggles (splash goggles) (e.g. EN 166)

## Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

#### General safety and hygiene measures

Wearing of closed work clothing is recommended. Handle in accordance with good industrial hygiene and safety practice. Store work clothing separately. Keep away from food, drink and animal feeding stuffs.

Date / Revised: 27.09.2023 Version: 2.0

Product: Dash® HC

(ID no. 30062624/SDS\_GEN\_ZA/EN)

Date of print 13.12.2025

## 9. Physical and Chemical Properties

## Information on basic physical and chemical properties

Form: liquid

Colour: light yellow to orange

Odour: aromatic

Odour threshold:

Not determined due to potential

health hazard by inhalation.

pH value: approx. 2 - 4

(CIPAC standard water D, 1 %(m),

approx. 20 °C)

crystallization temperature: < -20 °C

onset of boiling: > 178 °C

(1.013 hPa)

Information applies to the solvent.

Flash point: approx. 71 °C (Directive 92/69/EEC, A.9)

Evaporation rate:

not applicable

Lower explosion limit: 0.6 %(V)

Information applies to the solvent.

Upper explosion limit: 7 %(V)

Information applies to the solvent.

Ignition temperature: approx. 320 °C (Directive 92/69/EEC, A.15)

Vapour pressure: approx. 1 hPa

(20 °C)

Information applies to the solvent.

Density: approx. 0.93 g/cm3 (OECD Guideline 109)

(approx. 20 °C)

Relative vapour density (air):

not applicable

Solubility in water: emulsifiable

Partitioning coefficient n-octanol/water (log Kow):

not applicable

Thermal decomposition: 90 °C, 160 kJ/kg

(onset temperature)

Not a substance liable to self-decomposition according to UN transport

regulations, class 4.1.

Viscosity, dynamic: approx. 11.4 mPa.s (OECD 114)

(20 °C, 100 1/s)

Viscosity, kinematic: 7.6 mm2/s (OECD 114)

(40 °C)

Explosion hazard: Based on the chemical structure

there is no indication of explosive

properties.

Fire promoting properties: Based on its structural properties

the product is not classified as

oxidizing.

#### Other information

Surface tension: approx. 31 mN/m

(25 °C; 100 %(V))

Date / Revised: 27.09.2023 Version: 2.0

Product: Dash® HC

(ID no. 30062624/SDS\_GEN\_ZA/EN)

Date of print 13.12.2025

## 10. Stability and Reactivity

## Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Corrosion to metals: Corrosive effects to metal are not anticipated.

## **Chemical stability**

The product is stable if stored and handled as prescribed/indicated.

## Possibility of hazardous reactions

No hazardous reactions if stored and handled as prescribed/indicated.

#### Conditions to avoid

See SDS section 7 - Handling and storage.

## Incompatible materials

Substances to avoid:

strong acids, strong bases, strong oxidizing agents

#### **Hazardous decomposition products**

Hazardous decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated.

## 11. Toxicological Information

## Information on toxicological effects

## Acute toxicity

Assessment of acute toxicity:

Virtually nontoxic after a single ingestion. Virtually nontoxic by inhalation. Virtually nontoxic after a single skin contact. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Experimental/calculated data:

LD50 rat (oral): > 2,200 mg/kg (OECD Guideline 401)

No mortality was observed.

LC50 rat (by inhalation): > 5.6 mg/l 4 h (OECD Guideline 403)

No mortality was observed.

LD50 rat (dermal): > 2,000 mg/kg (OECD Guideline 402)

No mortality was observed.

#### Irritation

Assessment of irritating effects:

Date / Revised: 27.09.2023 Version: 2.0

Product: Dash® HC

(ID no. 30062624/SDS\_GEN\_ZA/EN)

Date of print 13.12.2025

Skin contact causes irritation. May cause severe damage to the eyes. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Experimental/calculated data:

Skin corrosion/irritation rabbit: Irritant. (OECD Guideline 404)

Serious eye damage/irritation rabbit: irreversible damage (OECD Guideline 405)

#### Respiratory/Skin sensitization

Assessment of sensitization:

No sensitizing effect.

Experimental/calculated data:

Guinea pig maximization test guinea pig: Non-sensitizing. (OECD Guideline 406)

#### Germ cell mutagenicity

#### Assessment of mutagenicity:

The product has not been tested. The statement has been derived from the properties of the individual components. Mutagenicity tests revealed no genotoxic potential.

#### Carcinogenicity

#### Assessment of carcinogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components. The results of various animal studies gave no indication of a carcinogenic effect.

#### Reproductive toxicity

## Assessment of reproduction toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components. The results of animal studies gave no indication of a fertility impairing effect.

## **Developmental toxicity**

## Assessment of teratogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components. Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals.

#### Specific target organ toxicity (single exposure)

#### Assessment of STOT single:

Possible narcotic effects (drowsiness or dizziness).

Remarks: The product has not been tested. The statement has been derived from the properties of the individual components.

#### Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

Date / Revised: 27.09.2023 Version: 2.0

Product: Dash® HC

(ID no. 30062624/SDS\_GEN\_ZA/EN)

Date of print 13.12.2025

The product has not been tested. The statement has been derived from the properties of the individual components. No substance-specific organioxicity was observed after repeated administration to animals.

#### Aspiration hazard

May also damage the lung at swallowing (aspiration hazard).

The product has not been tested. The statement has been derived from the properties of the individual components.

#### Other relevant toxicity information

Misuse can be harmful to health.

## 12. Ecological Information

## **Toxicity**

Assessment of aquatic toxicity:

Harmful to aquatic life. Toxic to aquatic life with long lasting effects.

#### Toxicity to fish:

LC50 (96 h) 22 mg/l, Oncorhynchus mykiss (OECD 203; ISO 7346; 84/449/EEC, C.1)

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

#### Aquatic invertebrates:

EC50 (48 h) 37.8 mg/l, Daphnia magna (OECD Guideline 202, part 1, static)

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

## Aquatic plants:

EC50 (72 h) 92.3 mg/l (growth rate), Pseudokirchneriella subcapitata (OECD Guideline 201, static)

EC10 (72 h) 23.9 mg/l (growth rate), Pseudokirchneriella subcapitata (OECD Guideline 201, static)

Information on: Solvent naphtha (petroleum), heavy arom.

Toxicity to fish:

LL50 (96 h) 2 - 5 mg/l, Oncorhynchus mykiss (OECD Guideline 203, semistatic)

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition. The product has low solubility in the test medium. A saturated solution has been tested. Nominal concentration.

-----

## Persistence and degradability

Assessment biodegradation and elimination (H2O):

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Information on: Solvent naphtha (petroleum), heavy arom.

Assessment biodegradation and elimination (H2O):

Not readily biodegradable (by OECD criteria).

-----

Page: 11/14

Safety data sheet according to the United Nations' Globally Harmonized System (UN GHS)

Date / Revised: 27.09.2023 Version: 2.0

Product: Dash® HC

(ID no. 30062624/SDS\_GEN\_ZA/EN)

Date of print 13.12.2025

## **Bioaccumulative potential**

Assessment bioaccumulation potential:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Solvent naphtha (petroleum), heavy arom.

Assessment bioaccumulation potential:

May be accumulated in organisms.

The product has not been tested. The statement has been derived from the structure of the product.

-----

## Mobility in soil

Assessment transport between environmental compartments:

Adsorption in soil: Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected. The product has not been tested. The statement has been derived from the properties of the individual components.

#### Results of PBT and vPvB assessment

The product does not contain a substance fulfilling the PBT (persistent/bioaccumulative/toxic) criteria or the vPvB (very persistent/very bioaccumulative) criteria.

## Other adverse effects

The product does not contain substances that are listed in the Montreal Protocol on substances that deplete the ozone layer.

#### **Additional information**

Other ecotoxicological advice:

Do not discharge product into the environment without control.

## 13. Disposal Considerations

#### Waste treatment methods

Must be disposed of or incinerated in accordance with local regulations.

Contaminated packaging:

Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

#### 14. Transport Information

#### Land transport

**ADR** 

Date / Revised: 27.09.2023 Version: 2.0

Product: Dash® HC

(ID no. 30062624/SDS\_GEN\_ZA/EN)

Date of print 13.12.2025

UN number or ID number: UN3082

UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (SOLVENT NAPHTHA)

Transport hazard class(es): 9, EHSM Packing group: III Environmental hazards: yes

Special precautions for

user: None known

RID

UN number or ID number: UN3082

UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (SOLVENT NAPHTHA)

Transport hazard class(es): 9, EHSM Packing group: III Environmental hazards: yes

Special precautions for

user:

None known

## **Inland waterway transport**

ADN

UN number or ID number: UN3082

UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (SOLVENT NAPHTHA)

Transport hazard class(es): 9, EHSM Packing group: III Environmental hazards: yes

Special precautions for

user:

None known

## Transport in inland waterway vessel

Not evaluated

## Sea transport

**IMDG** 

UN number or ID number: UN 3082

UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (SOLVENT NAPHTHA)

Transport hazard class(es): 9, EHSM Packing group: III
Environmental hazards: yes

iiviioiiiieiilai iiazaius. yes

Marine pollutant: YES

Special precautions for user:

EmS: F-A; S-F

Date / Revised: 27.09.2023 Version: 2.0

Product: Dash® HC

(ID no. 30062624/SDS\_GEN\_ZA/EN)

Date of print 13.12.2025

## Air transport

IATA/ICAO

UN number or ID number: UN 3082

UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (SOLVENT NAPHTHA)

Transport hazard class(es): 9, EHSM

Packing group: III Environmental hazards: yes

Special precautions for None known

user:

## Maritime transport in bulk according to IMO instruments

Maritime transport in bulk is not intended.

#### **Further information**

Product may be shipped as non-hazardous in suitable packages containing a net quantity of 5 L or less under the provisions of various regulatory agencies: ADR, RID, ADN: Special Provision 375; IMDG: 2.10.2.7; IATA: A197; TDG: Special Provision 99(2); 49CFR: §171.4 (c) (2) and also the Special Provision 375 in Appendix B which is regulated in China "Regulations Concerning Road Transportation of Dangerous Goods Part 3: Index of dangerous goods name and transportation requirements" (JT/T 617.3)

#### 15. Regulatory Information

# Safety, health and environmental regulations/legislation specific for the substance or mixture

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

## 16. Other Information

Full text of classifications, hazard symbols and hazard statements, if mentioned in section 2 or 3:

Asp. Tox. Aspiration hazard Flam. Liq. Flammable liquids Skin Corr./Irrit. Skin corrosion/irritation

Eye Dam./Irrit. Serious eye damage/eye irritation

STOT SE Specific target organ toxicity — single exposure Aquatic Acute Hazardous to the aquatic environment - acute Aquatic Chronic Hazardous to the aquatic environment - chronic

Acute Tox. Acute toxicity
H227 Combustible liquid.

H304 May be fatal if swallowed and enters airways.

H336 May cause drowsiness or dizziness.

Page: 14/14

Safety data sheet according to the United Nations' Globally Harmonized System (UN GHS)

Date / Revised: 27.09.2023 Version: 2.0

Product: Dash® HC

(ID no. 30062624/SDS\_GEN\_ZA/EN)

2.2025

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

Vertical lines in the left hand margin indicate an amendment from the previous version.